



A Project of the PWG-IPP Working Group

Printer Working Group (PWG): Semantic Model

IEEE-ISTO Printer Working Group
Standard XXXX.X-200X

October 29, 2002

Version 0.15

Abstract

This document is a high level overview of the Semantic Model defined by the PWG. This document briefly describes the semantic elements defined in various PWG documents and PWG documents submitted to the IETF. The Semantic Model also incorporates additions made by other groups addressing print systems. With every semantic element included a reference is provided to the document and section that details the semantic definition.

The Semantic Model contains a high level description of the Actions that operate on the objects and attributes in the model. This document does not describe the mapping of the semantics onto a specific protocol or network environment.

PWG Semantic Model

23 Copyright (C) 2002, IEEE Industry Standards and Technology Organization. All rights reserved.

24

25 This document may be copied and furnished to others, and derivative works that comment on, or
26 otherwise explain it or assist in its implementation may be prepared, copied, published and
27 distributed, in whole or in part, without restriction of any kind, provided that the above copyright
28 notice, this paragraph and the title of the Document as referenced below are included on all such
29 copies and derivative works. However, this document itself may not be modified in any way, such
30 as by removing the copyright notice or references to the IEEE-ISTO and the Printer Working
31 Group, a program of the IEEE-ISTO.

32 Title: Printer Working Group (PWG): Semantic Model

33 The IEEE-ISTO and the Printer Working Group DISCLAIM ANY AND ALL WARRANTIES,
34 WHETHER EXPRESS OR IMPLIED INCLUDING (WITHOUT LIMITATION) ANY IMPLIED
35 WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

36 The Printer Working Group, a program of the IEEE-ISTO, reserves the right to make changes to
37 the document without further notice. The document may be updated, replaced or made obsolete by
38 other documents at any time.

39 The IEEE-ISTO takes no position regarding the validity or scope of any intellectual property or
40 other rights that might be claimed to pertain to the implementation or use of the technology
41 described in this document or the extent to which any license under such rights might or might not
42 be available; neither does it represent that it has made any effort to identify any such rights.

43 The IEEE-ISTO invites any interested party to bring to its attention any copyrights, patents, or
44 patent applications, or other proprietary rights which may cover technology that may be required to
45 implement the contents of this document. The IEEE-ISTO and its programs shall not be responsible
46 for identifying patents for which a license may be required by a document and/or IEEE-ISTO
47 Industry Group Standard or for conducting inquiries into the legal validity or scope of those patents
48 that are brought to its attention. Inquiries may be submitted to the IEEE-ISTO by e-mail at:

49 ieee-isto@ieee.org.

50 The Printer Working Group acknowledges that the IEEE-ISTO (acting itself or through its
51 designees) is, and shall at all times, be the sole entity that may authorize the use of certification
52 marks, trademarks, or other special designations to indicate compliance with these materials.

53 Use of this document is wholly voluntary. The existence of this document does not imply that
54 there are no other ways to produce, test, measure, purchase, market, or provide other goods and
55 services related to its scope.

56

Table of Contents

56

57 1 Introduction..... 7

58 2 Terminology..... 7

59 3 Model Overview 8

60 4 Data Classes 9

61 4.1 Printer Object Class 9

62 4.1.1 Printer Status Elements 10

63 4.1.2 Printer Description Elements 11

64 4.1.3 Printer Defaults, Supported and Ready Processing Elements 11

65 4.2 Job Object Class..... 12

66 4.2.1 Job Status Elements 12

67 4.2.2 Job Description Elements 14

68 4.3 Document Object Class 14

69 4.3.1 Document Status Elements 14

70 4.3.2 Document Description Elements 16

71 4.4 Processing Elements 16

72 4.4.1 Job Processing Elements..... 17

73 4.4.2 Document Processing Elements..... 18

74 5 Actions 19

75 5.1 Job Creation and document submission Actions 20

76 5.1.1 CreateJob 22

77 5.1.2 PrintJob 22

78 5.1.3 PrintUri 22

79 5.1.4 SendDocument..... 22

80 5.1.5 SendUri 22

81 5.1.6 ValidateDocument 23

82 5.1.7 ValidateJob 23

83 5.2 Job and Document Control Actions..... 23

84 5.2.1 CancelCurrentJob..... 23

85 5.2.2 CancelDocument..... 23

86 5.2.3 CancelJob..... 23

87 5.2.4 DeleteDocument 23

PWG Semantic Model

88	5.2.5	HoldJob.....	23
89	5.2.6	PromoteJob	23
90	5.2.7	ReleaseJob	23
91	5.2.8	ReprocessJob	24
92	5.2.9	RestartJob.....	24
93	5.2.10	ResumeJob	24
94	5.2.11	ScheduleJobAfter.....	24
95	5.2.12	SetDocumentElements.....	24
96	5.2.13	SetJobElements.....	24
97	5.2.14	SuspendCurrentJob	24
98	5.3	Status and information Actions.....	24
99	5.3.1	GetDocumentElements	24
100	5.3.2	GetDocuments	24
101	5.3.3	GetJobElements	25
102	5.3.4	GetJobs.....	25
103	5.3.5	GetPrinterElements.....	25
104	5.3.6	GetPrinterSettableElementValues	25
105	5.4	Printer Control Actions.....	25
106	5.4.1	ActivatePrinter	25
107	5.4.2	DeactivatePrinter	25
108	5.4.3	DisablePrinter	25
109	5.4.4	EnablePrinter	26
110	5.4.5	HoldNewJobs.....	26
111	5.4.6	PausePrinter	26
112	5.4.7	PausePrinterAfterCurrentJob.....	26
113	5.4.8	PurgeJobs	26
114	5.4.9	ReleaseHeldNewJobs.....	26
115	5.4.10	RestartPrinter	26
116	5.4.11	ResumePrinter.....	26
117	5.4.12	SetPrinterElements.....	26
118	5.4.13	ShutdownPrinter	26
119	5.4.14	StartupPrinter	26
120	6	Globalization.....	27

PWG Semantic Model

121	7	Summary of elements	27
122	7.1	Processing Elements (Job and Document).....	27
123	7.2	Job Elements (Status and Description)	38
124	7.3	Document Elements (Status and Description)	42
125	7.4	Printer Elements (Status and Description).....	45
126	8	Status Strings	50
127	9	Change Log.....	54
128	10	References.....	55
129		Author's Addresses	56
130	11	Appendix A – UPnP Definitions	57
131	11.1	DeviceID.....	57
132	12	Appendix B – IPP Mapping.....	58
133	12.1	Changes to remove some IPP specific aspects	58
134	12.2	Attribute Group Mapping	59

Table of Figures

137	Figure 1	Model Overview.....	8
138	Figure 2	Data Classes	9
139	Figure 3	Printer Status Elements	10
140	Figure 4	- The "PrinterState" element and the Printer Life Cycle	10
141	Figure 5	Printer Description Elements.....	11
142	Figure 6	Job Status Elements.....	13
143	Figure 7	The "JobState" Job Element and the Job object life cycle	13
144	Figure 8	Job Description Elements.....	14
145	Figure 9	Document Status Elements.....	15
146	Figure 10	"DocumentState" Element and Document object life Cycle.....	15
147	Figure 11	Document Description Elements.....	16
148	Figure 12	- Processing Elements	17
149	Figure 13	Job Processing Elements	17
150	Figure 14	Finishing Elements	18
151	Figure 15	Imposition Elements.....	19
152	Figure 16	Rendering Elements	19
153	Figure 17	Processing Instruction Processing.....	21

PWG Semantic Model

154

155

Table of Tables

156 Table 1-Integer syntaxes whose ProcessingElementSupported syntax isn't RangeOfInteger 12

157 Table 2 - Summary of Actions..... 20

158 Table 3 - Processing Elements (Job and Document) 28

159 Table 4- Job Elements (Status and Description)..... 38

160 Table 5 – Document Elements (Status and Description)..... 42

161 Table 6 - Printer Elements (Status and Description) 45

162 Table 7 Status strings indicating some degree of success 51

163

163 **1 Introduction**

164 This document is a high level overview of the Semantic Model defined by the PWG. This
 165 document briefly describes the semantic elements defined in various PWG documents and PWG
 166 documents submitted to the IETF. The Semantic Model also incorporates additions made by other
 167 groups addressing print systems. With every semantic element included a reference is provided to
 168 the document and section that details the semantic definition.

169 The Semantic Model contains a high level description of the Actions that operate on the objects and
 170 Elements in the model. This document does not describe the mapping of the semantics onto a
 171 specific protocol or network environment.

172 **2 Terminology**

Action	A request that a Print Client makes to an object to perform some activity. The object returns a response to the Print Client that contains some information about the effect of the action on the object.
Data Class	A template for data describing an object and representing its state. Each Element in the data class represents a semantic element of the associated object.
Document	An object containing descriptive and state information for a logical unit of information to be printed. The object may contain processing information. The document content is represented by a single data (e.g. PDL, image) file and contains Pages.
Document Processing Elements	Document Elements supplied by the Print Client to direct the printing of a Document that the Printer copies to the Document. Examples: Copies, Finishings, Media, NumberUp.
End User	A print client that has no special rights on the printer. The End User typically submits jobs. The End User is allowed to query the printer, jobs and documents and control jobs based on policy.
Impression	Everything printed on a single side of a media
Job	An object that represents the submission of work for the printer. It contains descriptive and state information as well as default Document Processing Elements. Jobs contain one or more Documents
Job Description Elements	Job Elements supplied by the Print Client to describe the Job. Examples: JobName, RequestingUserName, JobRecipient
Job Processing Elements	Job Elements supplied by the Print Client to direct the printing of the Job as a whole that the Printer copies to the Job. Examples: JobHoldUntil, JobPriority, JobCopies, JobFinishings.
Object	A entity that instantiates a data class and implements the appropriate actions.
Operator	A print client that has special rights on the printer. The Operator typically oversees the printer. The Operator is allowed to query and control the printer, jobs and documents based on site policy.
MediaSheet	A sheet of paper, or other material, used for printing
Page	A logical entity that represents the information contained on a single side of a sheet of media. Note that this is the electronic form and that multiple pages can be rendered into a single impression through N-Up printing
PDL	(Page Description Language) A language that describes the content to be printed and how it will be laid out on a page (e.g. Adobe PostScript®, Hewlett Packard PCL®).
Print Client	An application or network entity that performs actions


PWG Semantic Model

Printer	An object that represents a printing device, set of printing devices, or a printing service and contains zero or more Jobs
Type 1 keyword	All the values are defined in the specification. Additional values require a new specification.
Type 2 keyword	An initial set of values is defined in the specification. This working group registers additional values after review. The initial versions of the specification will contain the values registered so far. After the specification is approved, this working group will register additional values after approval.
Type 3 keyword	An initial set of values is defined in the specification. Additional values are registered without working group review. The initial versions of the specification contain the values registered so far. After the specification is approved, this working group will register additional values without approval.

173

174 **3 Model Overview**

175 The Printer Working Group (PWG) has defined a simplified printing model. It represents printing
 176 in either a client/server print paradigm or a peer-to-peer print paradigm. The PWG model describes
 177 the device as a Printer object. A Printer object may represent one or more physical Printers.
 178 Another object is the Job. A Printer can contain zero or more Jobs and a Job is contained in only
 179 one Printer. Each Job can contain zero or more documents. A Job can contain zero or more
 180 Documents and a Document is contained in only one Printer. The PWG model contains methods
 181 that act upon these objects.



182

183

Figure 1 Model Overview

184 The objects are represented in the semantic model as data classes. The methods are represented as a
 185 set of actions that act upon those data classes. The actions permit the creation and control of Jobs
 186 and documents as well as the submission of Document data. The content of a Document is


PWG Semantic Model

187 included in the submission or can be accessed via a URL reference. There are also actions to query
188 a Printer, Job or Document to access their Elements or to list their contained objects.
189 The model uses a number of terms with specific meaning for a printer.

190 4 Data Classes

191 This section describes the data classes in the PWG semantic model. Some of the classes are taken
192 from the model and semantics of IPP [rfc2911].

193 Figure 2 Shows the data classes, their elements and the containment relationship between the
194 classes



195
196

197

Figure 2 Data Classes

198 4.1 Printer Object Class


199 The Printer class is represented by a collection of elements as shown in

200 Figure 2. The Printer Elements are presented in detail in Table 6. The printer object also contains
201 elements that describe the valid processing element values. (See section 4.3.2 for processing
202 elements) The Printer class is the container for Jobs.

203 **4.1.1 Printer Status Elements**

204 Figure 3 below shows the Printer Status Elements. These elements represent the state of the printer
 205 such as the number of jobs or existing error conditions. Automata change the values of the
 206 elements in this group. End Users cannot directly modify their values. The End User can affect the
 207 values of these elements through actions (e.g. PausePrinter can change the value of
 208 PrinterIsAcceptingJobs”). The semantics of the elements are summarized in Table 6.


209



210

211 **Figure 3 Printer Status Elements**

212 The “PrinterState” element is one of the most important Printer Status elements. Figure 4 shows
 213 the values of the “PrinterState” element and the Printer life cycle as affected by actions on the
 214 Printer and job processing.




215
216

217 **Figure 4 - The "PrinterState" element and the Printer Life Cycle**

218 **4.1.2 Printer Description Elements**

219
 220 Figure 5 below shows the Printer Description Elements. These elements contain information that
 221 describes the printer such as its make, where it’s located and its speed. An automaton controls
 222 some of the elements in this group (e.g. “PagesPerMinute”). Others elements in this group can be
 223 modified by Operators or Administrators (e.g. “PrinterName”). The semantics of the elements are
 224 summarized in Table 6.



225
 226

227 Figure 5 Printer Description Elements

228 **4.1.3 Printer Defaults, Supported and Ready Processing Elements**

229 See section 4.3.2 below for the elements that may comprise these groups. Processing Elements are
 230 the union of Job Processing Elements and Document Processing Elements. If a Processing element
 231 (e.g. Media) is supported, the Printer must have an associated Processing Supported Element (e.g.
 232 MediaSupported) and Processing Default Element (e.g. MediaDefault) Printer element. There may
 233 be an associated Processing Ready Element (e.g. MediaReady) Printer element. By retrieving the
 234 Printer Processing elements, a Client can determine all the Job and Document Processing elements
 235 and values that may be used in creating Jobs and Documents.

236 **4.1.3.1 Processing Supported Elements**

237 These elements list all the currently configured valid values for each Job Processing Element and
 238 Document Processing Element. Though the Printer is configured to support the feature, human
 239 intervention may be required to process the job (e.g. selected paper may have to be loaded into a
 240 tray). The syntax for Processing Elements Supported is multi-valued when the associated
 241 processing element is a string. When syntax of the processing element is an integer, the syntax of
 242 the corresponding Processing Supported Element is usually RangeOfInteger which indicates the
 243 minimum and maximum values supported by the Printer. However, there are some exceptions as
 244 indicated in Table 1.

245 **Table 1-Integer syntaxes whose ProcessingElementSupported syntax isn't RangeOfInteger**

“xxx” element name	“xxx” syntax	“xxxSupported” syntax
JobPriority	Integer	Integer (Max value)
Copies	Integer	Integer (Max value)
PageRanges	RangeOfInteger (multivalued)	Boolean (are PageRanges supported)

246 **4.1.3.2 Processing Default Elements**

247 These elements give the default value for the associated processing instruction if the Processing
 248 Element of the job and document are not supplied and the instructions is not embedded in the PDL.
 249 The syntax for the Processing Default Elements is the same as the corresponding Processing
 250 Element. The only exception is that the PageRanges element does not have a PageRangesDefault
 251 element.

252 **4.1.3.3 Processing Ready Elements**

253 These elements give the features available without human intervention. The syntax for a
 254 Processing Ready Element is the same as the corresponding Processing Element.

255 **4.2 Job Object Class**


256 The Job object class is represented by a collection of elements divided into four groups as shown in
 257 **Figure 2**. The Job class also contains the document class

- 258 Job Status Elements – See Section 4.2.1
- 259 Job Description Elements – See section 4.2.2.
- 260 Job Processing Elements – See section 4.4.1
- 261 Document Processing Elements – See section 4.4.2

262 **4.2.1 Job Status Elements**

263 **Figure 6** below shows the Job Status Elements. Automata primarily control the elements in this
 264 group. End Users cannot directly modify their values. The End User can affect the values of these
 265 elements through actions (e.g. CancelJob can change the value of JobStateReasons”). The
 266 semantics of the elements are summarized in Table 4.

267




268
269

270

Figure 6 Job Status Elements

271 **4.2.1.1 The Job Life Cycle**

272 The "JobState" element is one of the most important Job Status elements. Figure 7 shows the
273 values of the "JobState" element and the Job life cycle as affected by actions on the Job, Printer,
274 and job processing.



275
276


277

Figure 7 The "JobState" Job Element and the Job object life cycle

278 **4.2.2 Job Description Elements**

279 **Figure 8** below shows the Job Elements. These elements contain information from the End User at
 280 Job creation that describes the Job such as its name. Automaton may modify the value of some of
 281 the elements in this group (e.g. “KOctets”) if more reliable data is obtained. The semantics of the
 282 elements are summarized in Table 4.

283



284
285

286 **Figure 8 Job Description Elements**

287 **4.3 Document Object Class**

288 The Document object class is represented by a collection of elements divided into Three groups as
 289 shown in


290 Figure 2. The Document class contains the document class

- 291 Document Status Elements – See Section 4.3.1.
- 292 Document Description Elements – See section 4.3.2.
- 293 Document Processing Elements – See section 4.4.2

294 **4.3.1 Document Status Elements**

295

296 Figure 9 shows the Document Status Elements. Automata primarily control the elements in this
 297 group. End Users cannot directly modify their values. The End User can affect the values of these
 298 elements through actions (e.g. CancelDocument can change the value of DocumentsState”). The
 299 semantics of the elements are summarized Table 5




300
301

302

Figure 9 Document Status Elements

303 **4.3.1.1 The Document Life Cycle**

304 The “DocumentState” element is one of the most important Document Status Elements. Figure 10
 305 shows the values of the “DocumentState” element and the Document life cycle as affected by
 306 Actions and job processing. Documents are not active objects and their life cycle is closely tied to
 307 the lifecycle of a Job. Documents basically have three states. The first is waiting to be processed
 308 by a Job (i.e., pending). The second state is from the time the Job first starts processing the
 309 Document (i.e., processing) and until it reaches its terminating state. The last state for a Document
 310 is its terminal state (i.e., completed, canceled, aborted)



311
312

313


Figure 10 "DocumentState" Element and Document object life Cycle

314 **4.3.2 Document Description Elements**

315

316 Figure 9 shows the Document Description Elements. These elements contain information from the
 317 End User at Document creation that describes the document such as its size. Automaton may
 318 modify the value of some of the elements in this group (e.g. “KOctets”) if more reliable data is
 319 obtained. The semantics of the elements are summarized in **Table 5**

320




321
322

323 **Figure 11 Document Description Elements**

324 **4.4 Processing Elements**

325 Processing elements are instructions to be applied to jobs and documents. They indicate such
 326 things as the priority for scheduling a job or the number of copies for a document. A Printer should
 327 support each Processing Element that represents a feature of the Printer. The Processing elements
 328 are split into two groups. One groups applies to Jobs and the other to Documents. The Document
 329 Processing group contains three sub-groups. (See Figure 12)

- 330 1) Job Processing Elements are processing instructions applied the Job level. See section
 331 4.4.1.
 332 2) Document Processing Elements are specific to documents. See section 4.4.2.



333


334

Figure 12 - Processing Elements

335 **4.4.1 Job Processing Elements**

336 Figure 13 shows the Job Processing Elements. These elements apply to the job as a whole as
 337 opposed to each document in the job. The semantics of the elements are summarized in Table 3
 338 along with a brief description of each element.

339



340

341

342

Figure 13 Job Processing Elements


343 **4.4.2 Document Processing Elements**

344 Document Processing Elements are elements that are applied to documents (e.g. “copies”). The
 345 Document Processing Elements can be applied at the Job or Document level. If the elements are
 346 applied at the Job level they are the default values for all the Documents in the Job. If the elements
 347 are applied at the Document level they apply only to that Document. The semantics of the
 348 Processing elements are summarized in Table 3. The Document Processing elements are split into
 349 three groups as shown in Figure 12:

- 350 1) Finishing Elements define how multiple physical sheets are manipulated to create final
 351 output products. See section 4.4.2.1.
- 352 2) Imposition Elements identify how the logical pages look on the output media. See section
 353 4.4.2.2.
- 354 3) Rendering Elements determine the quality and resolution of how marks are made on the
 355 page. See section 4.4.2.3.

356 **4.4.2.1 Finishing Elements**

357 Figure 14 shows the Finishing Elements. Finishing Elements define how multiple physical sheets
 358 are manipulated to create final output products. See Table 3 for summary of element semantics.




359

360 **Figure 14 Finishing Elements**

361 **4.4.2.2 Imposition Elements**

362 Figure 15 shows the Imposition Elements. Imposition Elements identify how the logical pages look
 363 on the output media. See Table 3 for summary of element semantics.




364

365

Figure 15 Imposition Elements

366 **4.4.2.3 Rendering Elements**

367 Figure 16 shows the Rendering Elements. Rendering Elements determine the quality and resolution
 368 of how marks are made on the page. See Table 3 for summary of element semantics.



369

370

371

Figure 16 Rendering Elements

372 **5 Actions**

373 The PWG has defined a number of operations that affect Printers, Jobs and their document. Below
 374 is a description of the semantics of these Actions. Naturally different protocol bindings will use
 375 differing subsets of the Actions or define new ones. Another difference will be the precise
 376 parameters to the Actions. Below is an abstract definition of the Actions. Action Summary

377 This table summarizes the actions defined for the Job and Printer. See section 4.4.2 for more
 378 details.

PWG Semantic Model

Job Creation and Document submission	Job and Document Control	Status and Information access	Printer Control
CreateJob	CancelCurrentJob	GetDocumentElements	ActivatePrinter
PrintJob	CancelDocument	GetDocuments	DeactivatePrinter
PrintUri	CancelJob	GetJobElements	DisablePrinter
SendDocument	DeleteDocument	GetJobs	EnablePrinter
SendURI	HoldJob	GetPrinterElements	HoldNewJobs
ValidateDocument	PromoteJob	GetPrinterSettableElement Values	PausePrinter
ValidateJob	ReleaseJob		PausePrinterAfter CurrentJob
	ReprocessJob		PurgeJobs
	RestartJob		ReleaseHeldNew Jobs
	ResumeJob		RestartPrinter
	ScheduleJobAfter		ResumePrinter
	SetDocumentElements		SetPrinterElements
	SetJobElements		ShutdownPrinter
	SuspendCurrentJob		StartupPrinter

379

Table 2 - Summary of Actions

380

5.1 Job Creation and document submission Actions

381

This section describes the Job Creation actions that create a Job and the ones that create add

382

Document to a Job. The Job Creation actions are: PrintJob, PrintUri, and CreateJob. The PrintJob

383

action also submits the Document. The PrintUri action submits a URI reference to the Document

384

which the Printer then retrieves when needed at a later time. The CreateJob action only creates the

385

job and the Client must issue subsequent SendDocument and SendUri actions in order to submit

386

document content or a URI reference, respectively, for a job.

387

Processing instructions and descriptive information contained in the arguments of the Job Creation

388

action are combined with Printer supplied information to create a Job instance.

389

The last action in this section is ValidateJob. This operation allows a Client to send a request with

390

all the information to create a Job, except the document content. The Printer does not create a Job

391

but informs the client whether a CreateJob, PrintJob or PrintUri with the same information would

392


have succeeded. This is useful for allowing a Client to verify the processing instructions before

393

sending a large PrintJob request.

PWG Semantic Model

394 A concept that is important in the PWG model is a set of instructions that can be applied to a print
395 job. Examples of these instructions include the number of copies and the media to use. These
396 instructions are referred to as Processing Elements. The Processing Elements are made up of the
397 Job Processing Elements (see section 4.4.1) and the Document Processing Elements (see section
398 4.4.2) sent in a Job or Document Creation Action.



399

400

Figure 17 Processing Instruction Processing

401 In the real world, processing instructions are also contained in the document content for a job.
402 Page Description Languages (PDL) such as PostScript® and PCL® often contain processing
403 instructions. Some environments use a printer specific driver to generate the PDL stream based on
404 feature selections made through a user interface. Given that processing instructions can occur in
405 both the PDL and in an associated Job, the PWG model allows a Printer to declare its capability to
406 resolve this conflict. The Printer’s element “PdlOverride” declares if an attempt will be made to
407 override the instructions in the PDL with the instructions in the Job.

408 There is a wide variety of capabilities in Printers. An instance of a Printer is to subject to changes
409 in its configured capabilities. An example would be an administrative change in the media the
410 Printer supports or disabling two-sided printing. Clients need not check the capabilities of a Printer
411 before creating their Job Processing Elements and submitting a job. Since this is a client/server
412 paradigm, it is always possible that the capabilities could change after checking a Printer’s
413 capabilities and before a Job is submitted. On the other hand, a client may use the Printer’s
414 configured capabilities to create their Job Processing Elements and submit a job.

415 The PWG model allows a client to control the Printer’s acceptance of a job submission based on
416 the job request and the Printer’s current configured capabilities as follows. When the client
417 supplies a ‘true’ value for the “ElementFidelity” Job Processing element, the Printer must reject the
418 job unless the Printer supports *all* of the supplied Job Processing elements and values. When the
419 client supplies a ‘false’ value or omits the element, the Printer must accept the job submission and
420 ignore or substitute elements and values, respectively, that it does not support. Note that the
421 “ElementFidelity” Job Processing element covers only the creation of the Job. It is implementation
422 specific how a Printer handles processing a job when the Printer encounters unsupported
423 processing instructions in the document content.

424 **5.1.1 CreateJob**

425 ([rfc2911] §3.2.4) Similar to the PrintJob operation (see section 5.1.1), except that in the CreateJob
426 request the Client does not supply Document Data. The client supplies a single set of Job
427 Processing elements that the Printer applies to the Output Document(s) of the job. The
428 “MultipleDocumentHandling” Job Processing element controls whether the Printer produces
429 separate Output Documents or combines the Input Documents into a single Output Document (see
430 section 22).

431 **5.1.2 PrintJob**

432 ([rfc2911] §3.2.1) Submit a print job with only one document and supply the document content
433 data. If the Printer accepts the job, it creates the Job object and returns a unique “JobId” element
434 for the Printer and a globally unique “JobUri” element. The Printer also sets the corresponding Job
435 elements with these values.

436 **5.1.3 PrintUri**

437 ([rfc2911] §3.2.2) Identical to the PrintJob operation (see section 5.1.1) except that a client
438 supplies a URI reference to the document data.

439 **5.1.3.1 The “MultipleDocumentHandling” Job Processing element**

440 When a client submits a job with more than one Input Document, the
441 “MultipleDocumentHandling” Job element allows the client to specify whether the Printer is to (1)
442 produce corresponding separate Output Documents or (2) combine the Input Documents into a
443 single Output Document. For example, the ‘single-document’ and ‘single-document-new-sheet’
444 values allow the client to staple all of the Input Documents into a single Output Document, with the
445 latter value forcing each Input Document to start on a new sheet (useful when doing two-sided
446 printing). When requesting multiple Copies, the ‘separate-document-uncollated-Copies’ value
447 results in the Copies of each Input Document being together in an Output set, while the ‘separate-
448 document-collated-Copies’ value keeps a copy of each Input Document together in an Output set.
449 For example, a job with Input Documents A, B, C and “Copies” = 2 will result in A, A, B, B, C, C
450 or A, B, C, A, B, C, respectively. If the Printer supports multiple documents per job, the Printer
451 must support this Job Processing element with at least one value.

452 **5.1.4 SendDocument**

453 ([rfc2911] §3.3.1, [doc-obj] §3) Submits the entire Document Content for the next Input Document
454 of a job created by a previous CreateJob action (see section 1.1.1).

455 **5.1.5 SendUri**

456 ([rfc2911] §3.3.2, [doc-obj] §3) Identical to the SendDocument operation (see section 5.1.4)
457 except that a client supplies a URI reference to the Document Content data, instead of supplying
458 the document content.

459 **5.1.6 ValidateDocument**

460 ([doc-obj] §3) This operation is used only to verify capabilities of a Printer object against whatever
461 elements are supplied by the client in the ValidateDocument request. By using the
462 ValidateDocument action a client can validate that an identical SendDocument or SendUri would
463 be accepted.

464 **5.1.7 ValidateJob**

465 ([rfc2911] §3.2.3) This operation is used only to verify capabilities of a Printer object against
466 whatever elements are supplied by the client in the ValidateJob request. By using the ValidateJob
467 action a client can validate that an identical PrintJob, PrintUri or CreateJob would be accepted.

468 **5.2 Job and Document Control Actions**

469 This section describes the actions that allow a client to control a Job after it has been submitted:
470 CancelJob, HoldJob, ReleaseJob, and RestartJob.

471 **5.2.1 CancelCurrentJob**

472 ([admin-ops] §4.2) Allows a client to cancel the current Job in the “processing” or “processing-
473 stoped” state.

474 **5.2.2 CancelDocument**

475 ([doc-obj] §3) Prevents the processing of the specified Document if the Document has not yet been
476 processed. Stops the processing of any active Document in an implementation specific manner.

477 **5.2.3 CancelJob**

478 ([rfc2911] §3.3.3) Allows a client to cancel a Print Job from the time the Job is created up to the
479 time it is completed, canceled, or aborted.

480 **5.2.4 DeleteDocument**

481 ([doc-obj] §3) Removes the Document and its content from the Job.

482 **5.2.5 HoldJob**

483 ([rfc2911] §3.3.5) Allows a client to hold a pending Job in the Printer so that it is not eligible for
484 scheduling.

485 **5.2.6 PromoteJob**

486 ([admin-ops] §4.4.1) Allows a client to make the pending target job be processed after the current
487 job completes.

488 **5.2.7 ReleaseJob**

489 ([rfc2911] §3.3.6) Release a previously held Job so that it is again eligible for scheduling.

490 **5.2.8 ReprocessJob**

491 ([admin-ops] §4.1) Allows a client to re-process a copy of a job retained after processing was
492 completed. This operation is the similar to RestartJob except that a new job that is a copy of the
493 target job is created and processed.

494 **5.2.9 RestartJob**

495 ([rfc2911] §3.3.7) Restart a job that is retained in the Printer after processing has completed.

496 **5.2.10 ResumeJob**

497 ([admin-ops] §4.3.2) Resume the job at the point where it was suspended.

498 **5.2.11 ScheduleJobAfter**

499 ([admin-ops] §4.4.2) Request the target job be processed immediately after the specified job

500 **5.2.12 SetDocumentElements**

501 ([doc-obj] §3) Set the values of the supplied Document Processing and Document Description
502 elements of the indicated Document. (Was SetDocumentAttributes)

503 **5.2.13 SetJobElements**

504 ([rfc3380] §4.2) Set the values of the supplied Job Processing, Document Processing and Job
505 Description elements of the indicated Job. (Was SetJobAttributes)

506 **5.2.14 SuspendCurrentJob**

507 ([admin-ops] §4.4.2) Stop the current job and allow other jobs to be processed instead.

508 **5.3 Status and information Actions**

509 This section describes the actions that allow a client to obtain status and elements of Jobs and
510 Printers: GetJobs, GetPrinterElements, GetJobElements and GetPrinterSupportedValues.

511 **5.3.1 GetDocumentElements**

512 ([doc-obj] §3) Returns the requested Document elements or element groups in the indicated
513 Document in the indicated Job. (Was GetDocumentAttributes)

514 **5.3.2 GetDocuments**

515 ([doc-obj] §3) Returns the requested Document elements or element groups in all Documents in
516 the indicated Job.

517 **5.3.3 GetJobElements**

518 ([rfc2911] §3.3.4) Returns the values of the requested job elements and/or element groups of a Job
519 (i.e., Job Description, Job Status, Job Processing and Document Processing). (Was
520 GetJobAttributes)

521 **5.3.4 GetJobs**

522 ([rfc2911] §3.3.4) Retrieve the list of Jobs belonging to the Printer. The Client may supply some
523 simple filters (e.g. “MyJobs, “Limit) to control which jobs will be returned. The Client may supply
524 a list of Job element and/or element group names to be returned in the response (See 1.1.1). A
525 group of Job elements will be returned for each returned Job.

526 **5.3.5 GetPrinterElements**

527 ([rfc2911] §3.2.5) Returns the values of the requested printer elements and/or element groups of a
528 Printer (i.e. Printer Status, Printer Description, Processing Supported, Processing Default,
529 Processing Ready). (Was GetPrinterAttributes)

530 **5.3.6 GetPrinterSettableElementValues**

531 ([rfc3380] §4.3) Returns the possible values of each of the requested Printer Processing and Printer
532 Description elements that may be set with the SetPrinterElements action. (Was
533 GetPrinterSupportedValues) (Was GetPrinterSettableAttributeValues)

534 **5.4 Printer Control Actions**

535 This section describes actions which allow a client to control a Printer and may require operator
536 credentials: PausePrinter, ResumePrinter, PurgeJobs , DisablePrinter, EnablePrinter, and
537 SetPrinterElements.

538 **5.4.1 ActivatePrinter**

539 ([admin-ops] §3.4.2) The Printer will now start sending jobs to its Output Devices or Subordinate
540 Printers and begin accepting all requests.

541 **5.4.2 DeactivatePrinter**

542 ([admin-ops] §3.4.1) The Printer will now stop sending any more jobs to its Output Devices or
543 Subordinate Printers and begin refusing all requests except ActivatePrinter, SendDocument, and
544 SendUri requests and query requests.

545 **5.4.3 DisablePrinter**

546 ([adm-ops] §3.1.1) Prevents the Printer from accepting any more Job Creation operations. The
547 Printer sets the PrinterIsAcceptingJobs Printer Status element to ‘false’.

548 **5.4.4 EnablePrinter**

549 ([adm-ops] §3.1.2) Allows the Printer to start accepting Job Creation operations. The Printer sets
550 the PrinterIsAcceptingJobs Printer Status element to 'true'.

551 **5.4.5 HoldNewJobs**

552 ([admin-ops] §3.3.1) Complete the current 'pending' and 'processing' Jobs but do not start
553 processing any subsequently created Jobs.

554 **5.4.6 PausePrinter**

555 ([rfc2911] §3.2.7) Stops the Printer object from scheduling jobs. Job processing should also cease.

556 **5.4.7 PausePrinterAfterCurrentJob**

557 ([admin-ops] §3.2.1) Stops the Printer from starting to send jobs to any of its Output Devices or
558 Subordinate Printers.

559 **5.4.8 PurgeJobs**

560 ([rfc2911] §3.2.9) Removes all jobs from the Printer, regardless of their state.

561 **5.4.9 ReleaseHeldNewJobs**

562 ([admin-ops] §3.3.2) Undo the effect of HoldNewJobs and release all Jobs held as a consequence
563 of HoldNewJobs.

564 **5.4.10 RestartPrinter**

565 ([admin-ops] §3.5.1) This action has the effect of a software re-boot.

566 **5.4.11 ResumePrinter**

567 ([rfc2911] §3.2.8) Resume the processing and scheduling of Jobs in the Printer.

568 **5.4.12 SetPrinterElements**

569 ([rfc3380] §4.1) Set the values of the supplied Printer Processing and Printer Description elements.
570 (Was SetPrinterAttributes)

571 **5.4.13 ShutdownPrinter**

572 ([admin-ops] §3.5.2) Stop processing jobs without losing any jobs and make the Printer no longer
573 available for any Actions.

574 **5.4.14 StartupPrinter**

575 ([admin-ops] §3.5.3) Allows a hosted implementation of the Printer to be started after the host is
576 available.

577 **6 Globalization**

578 The two aspects of globalization being addressed are the character sets and natural language of the
 579 human readable strings. Determining what character set is being used is left up to the protocol
 580 mapping of this semantic model. The natural language being used is represented in the Printer and
 581 the Job. The Printer declares the natural language it uses for all its semantic elements of type
 582 string. Administrators are free to change the localization and the values in the string elements.
 583 Each job creator declares the natural language for the Job and all its contained Documents. Not all
 584 string elements are treated the same.

585 Any semantic element that is labeled type1, type2 or type3 keyword in the constraint column is the
 586 following tables do not have any globalization issues from the Printer’s point of view. They are
 587 simply a sequence of octets that have a semantic meaning attached to them. The fact that the
 588 sequence of octets can be interpreted as ASCII strings is unimportant. The keywords are intended
 589 for consumption by automata. We leave it to Client implementations to determine how the
 590 keywords will be presented to end-users.

591 There are also strings with specific formats. These formats are URI, URI Scheme, MIME, IEEE
 592 1284 and DateTime. Any semantic element whose string value must adhere to one of the previous
 593 formats is excluded from this discussion.

594 There are a few elements whose value is set by automata. Those values are “JobStateMessage”,
 595 “DocumentStateMessage” and “PrinterStateMessage”. If the semantic model is mapped to a
 596 protocol that allows the Client to request a language, the Printer will return these strings in the
 597 requested language if possible.

598 All the remaining Printer element strings are assumed to be in the Printer’s language. All the
 599 remaining Job element strings are assumed to be in the language of the Job.

600 **7 Summary of elements**

601 This section summarizes the elements for the Document, Job and Printer objects. Included in the
 602 definition are the processing elements that can be applied at either the Job or Document level. For
 603 each element, the tables contain the element name, whether the element is multi-valued, its syntax,
 604 constraints, a short description and a reference to the Document where the semantics of the element
 605 is completely specified. The basic syntax types are “Boolean”, “String” and “Integer”. “Complex”
 606 types are a container for elements of any type. Members are listed in the description field.
 607 “RangeOfInteger” is a complex type that contains “Upperbound” and “Lowerbound” integer value
 608 members. “Resolution” is a complex type that contains “CrossFeedDir” and “FeedDir” integer
 609 value members and a “Units” string value member.

610 **7.1 Processing Elements (Job and Document)**

611 * Group key: J=Job Processing Elements, D=Document Processing Elements

PWG Semantic Model

612

Table 3 - Processing Elements (Job and Document)

Element Name	Multivalued	Syntax	Constraint	Group*	Reference
Description (values)					
ElementFidelity		Boolean		J	[rfc2911] §15.1
	Allows a user to control whether or not the Printer MUST honor <i>all</i> supplied Processing elements in the Job Creation operation. For a 'true' value the Printer rejects the job submission if any of the supplied Processing element values are unsupported. For a 'false' value the Printer MUST accept the job submission and do best effort. Default = 'false' NOTE: Use "JobMandatoryElements" to explicitly specify a <i>subset</i> of the supplied elements that the Printer MUST honor. (Was IPPAttributeFidelity)				
Copies		Integer	1:MAX	D	[rfc2911] §4.2.5
	The number of copies of the Output Document(s) to be printed. (See also JobCopies Job element)				
CoverBack		<i>complex</i>		D	[PWG5100.3] §3.1
	The back cover to apply this Document. (<i>Includes Media/MediaCol, CoverType</i>)				
CoverFront		<i>complex</i>		D	[PWG5100.3] §3.1
	The front cover to apply to this Document. (<i>Includes Media/MediaCol, CoverType</i>)				
CoverType		String	Type2 keyword	D	[PWG5100.3] §3.1.2
	Indicates if covers are requested and which sides will contain print stream pages. (Keywords: no-cover, print-none, print-front, print-back, print-both) (See CoverBack & CoverFront for use)				
DocumentCopies	Yes	RangeOfInteger		J	[PWG5100.4] §5.1.3
	Specifies which copies of an Output Document to apply these document override elements. (See DocumentOverrides for use)				
DocumentOverrides	Yes	<i>complex</i>		J	[PWG5100.4] §5.1
	Provides for the overriding of processing instructions on a document basis. Applied to job, see PageOverrides for overrides supplied at the document level. (<i>Includes InputDocuments/OutputDocuments, DocumentCopies, DocumentFormat, DocumentName, Compression, DocumentNaturalLanguage, PageRanges, and any other processing element that affects documents</i>) NOTE: <i>Deprecated in favor of supporting and using the Document Object</i>				
FeedOrientation		String	Type3 keyword	D	[prod-print2] §5.1
	Specifies the media edge which is fed into the print engine from the paper tray. (<i>Keywords: long-edge-first, short-edge-first</i>).				
Finishings	Yes	String	Type2 keyword	D	[rfc2911] §4.2.6 [PWG5100.1] §2

PWG Semantic Model

Element Name	Multivalued	Syntax	Constraint	Group*	Reference
Description (values)					
					Identifies the finishings that the Printer uses for each copy of the Output Document. (See also JobFinishings Job element) (<i>Keywords: bale, bind, bind-bottom, bind-left, bind-right, bind-top, booklet-maker, cover, edge-stitch, edge-stitch-bottom, edge-stitch-left, edge-stitch-right, edge-stitch-top, fold, jog-offset, none, punch, saddle-stitch, staple, staple-bottom-left, staple-bottom-right, staple-dual-bottom, staple-dual-left, staple-dual-right, staple-dual-top, staple-top-left, staple-top-right, trim</i>)
FinishingsCol		complex		D	[PWG5100.3] §3.2
					Enables an end user to specify detailed finishing options not possible with the “Finishings” element for the Output Document. (See also JobFinishingsCol Job element) (<i>Includes FinishingTemplate, Stitching</i>)
FinishingTemplate		String	Maxlength=1023	D	[PWG5100.3] §3.1
					A string specifying some particular finishing operation. (See FinishingsCol/JobFinishingsCol for use)
FontNameRequested		String	Maxlength=255	D	[prod-print2] §5.2
					Specifies the font name if the document data is in a format that does not have inherent font information (e.g., ‘text/plain’), otherwise, this element is ignored.
FontSizeRequested		Integer	1:MAX	D	[prod-print2] §5.3
					Specifies the font size in points (1/72 of an inch) if the document data is in a format that does not have inherent font information (e.g., ‘text/plain’), otherwise, this element is ignored.
ForceFrontSide	yes	Integer		D	[PWG5100.3] §3.3
					Forces the specified pages to be printed on the front side of a sheet of media. The pages of the output document start at 1.
ImpositionTemplate		String	Type2 keyword	D	[PWG5100.3] §3.4
					Specifies imposition method for laying out finished page images onto the surface of output media. (<i>Keywords: none, signature</i>)
InputDocuments	Yes	RangeOfInteger		D	[PWG5100.4] §5.1.1
					Specifies the input documents for override processing. (See DocumentOverrides for use) NOTE: Deprecated since DocumentOverrides are deprecated
InsertAfterPageNumber		Integer		D	[PWG5100.3] §3.5.1
					Specifies the input page after which the Insert Sheet will be placed. (See InsertSheet for use)
InsertCount		Integer		D	[PWG5100.3] §3.5.2
					Specifies the number of Insert Sheet to insert. (See InsertSheet for use)
InsertSheet	Yes	complex		D	[PWG5100.3] §3.5

PWG Semantic Model

Element Name	Multivalued	Syntax	Constraint	Group*	Reference
Description (values)					
	Specifies how Insert Sheets are to be inserted into the sequence of media sheets that are produced for each copy of the documents. (<i>Includes InsertAfterPageNumber, InsertCount, Media/MediaCol</i>)				
JobAccountingOutputBin		String	Type3 keyword	J	[PWG5100.3] §3.8.3
	Specifies the output bin where the accounting sheet is to be placed. (See JobAccountingSheet for use) (<i>Keywords: top, middle, bottom, side, left, right, center, rear, face-up, face-down large-capacity, my-mailbox, stacker-N, mailbox-N, tray-N *Note: N is replaced by a cardinal number, *Note: See [PWG5100.2 §2.1 for description of keywords</i>)				
JobAccountingSheet		complex		J	[PWG5100.3] §3.8
	Specifies the accounting sheet for a job. (<i>Includes JobAccountingSheetType, Media/ MediaCol, JobAccountingOutputBin</i>).				
JobAccountingSheetType		String	Type3 keyword	J	[PWG5100.3] §3.8.1
	Specifies the accounting sheet format for a job. (See JobAccountingSheet for use) (<i>Keywords: none, standard</i>)				
JobCopies		Integer	1:MAX	J	[rfc2911] §4.2.5 [doc-obj]
	The number of copies of the Job to be printed. (See also Copies Document Processing element)				
JobCoverBack		complex		D	[PWG5100.3] §3.1 [doc-obj]
	The back cover to apply this Job. (<i>Includes Media/MediaCol, CoverType</i>)				
JobCoverFront		complex		D	[PWG5100.3] §3.1 [doc-obj]
	The front cover to apply to this Job. (<i>Includes Media/MediaCol, CoverType</i>)				
JobErrorSheet		complex		J	[PWG5100.3] §3.9
	Specifies the error sheet for a job. (<i>Includes JobErrorSheetType, JobErrorSheetWhen, Media/MediaCol</i>).				
JobErrorSheetType		String	Type3 keyword	J	[PWG5100.3] §3.9.1
	Specifies the error sheet format for a job. (See JobErrorSheet for use) (<i>Keywords: none, standard</i>)				
JobErrorSheetWhen		String	Type2 keyword	J	[PWG5100.3] §3.9.2
	Specifies the accounting sheet format for a job. (See JobErrorSheet for use) (<i>Keywords: on-error, always</i>)				
JobFinishings	Yes	String	Type2 keyword	J	[rfc2911] §4.2.6 [doc-obj]

PWG Semantic Model

Element Name	Multivalued	Syntax	Constraint	Group*	Reference
Description (values)					
	Identifies the finishing that the Printer uses for each job copy of the Job. (See also Finishings Document element) (<i>Keywords: none, staple, punch, cover, bind, saddle-stitch, edge-stitch, staple-top-left, staple-bottom-left, staple-top-right, staple-bottom-right, edge-stitch-left, edge-stitch-top, edge-stitch-right, edge-stitch-bottom, staple-dual-left, staple-dual-top, staple-dual-right, staple-dual-bottom</i>)				
JobFinishingCol		complex		J	[PWG5100.3] §3.2 [doc-obj]
	Enables an end user to specify detailed finishing options not possible with the “JobFinishings” element. . (See also FinishingsCol Document element) (<i>Includes FinishingTemplate, Stitching</i>)				
JobHoldUntil		String	Type3 keyword	J	[rfc2911] §4.2.2
	Specifies the named time period during which the Job must become a candidate for printing. (keywords: no-hold, indefinite, day-time, evening, night, weekend, second-shift, third-shift)				
JobHoldUntilTime		String	DateTime [rfc1123]	J	[prod-print2] §5.4
	Specifies the date and time after which the Job must become a candidate for printing. (example: Fri, 03 May 2002 08:49:37 GMT)				
JobMandatoryElements	Yes	String	Type3 keyword	J	Need reference
	Allows a user to list which Processing elements the Printer must honor. The Printer rejects the job submission if <i>any</i> of the listed elements are unsupported or contain values that the Printer does not support. All of the remaining supplied elements are best effort. This element is ignored if ElementFidelity is supplied with a ‘true’ value. (See [rfc2911] §15.1) (<i>Keywords: none and any Processing element names. Member elements of collection elements are named as Attr.Member. For example, JobSheetsCol.Media</i>) NOTE: New element to align fidelity with FSG work was JobMandatoryAttributes).				
JobPriority		Integer	1:100	J	[rfc2911] §4.2.1
	Priority for scheduling the Job. A higher value specifies a higher priority.				
JobSaveDisposition		Complex		J	[prod-print2] §5.7
	Specifies that the Printer is to save the job as a file that can be re-printed on demand anytime in the future using the Print-URI operation (see section 5.1.3.) (<i>Includes SaveDisposition, SaveInfo</i>)				
JobSheets		String	type3 keyword	J	[rfc2911] §4.2.3 [PWG5100.3] §6.2
	Specifies which job start/end sheet(s), will be printed with a job. (<i>Keywords: none, standard, job-start-sheet, job-end-sheet, job-both-sheets, first-print-stream-page</i>)				
JobSheetsCol		complex		J	[PWG5100.3] §3.11
	Allows the client to specify the media for the JobSheet. (<i>Includes JobSheets, Media/MediaCol</i>)				

PWG Semantic Model

Element Name	Multivalued	Syntax	Constraint	Group*	Reference
Description (values)					
JobSheetMessage		String	Maxlength=1023	J	[PWG5100.3] §3.12
	Conveys a message that is delivered with the job.				
Media		String	type3 keyword	D	[rfc2911] §4.2.11
	The name of the medium that the Printer uses for all impressions of the Job. (<i>Keyword examples: na_letter_8.5x11in, iso_a4_210x297mm, na_monarch_3.875x7.5in. See [pwg5101.1]</i>)				
MediaCol		complex		D	[PWG5100.3] §3.13
	Enables a client end user to submit a list of media characteristics to the Printer as a way to more completely specify the media to be used than the Media element. (<i>Includes MediaBackCoating, MediaColor, MediaFrontCoating, MediaGrain, MediaHoleCount, MediaInfo, MediaKey, MediaMaterial, MediaOrderCount, MediaPrePrinted, MediaRecycled, MediaSize, MediaThickness, MediaTooth, MediaType, MediaWeightMetric</i>)				
MediaBackCoating		String	Type3 keyword	D	[PWG5100.3] §3.13.10
	Indicates the pre-process coating applied to the back of the media. (See MediaCol for use) (<i>Keywords: none, glossy, high-gloss, semi-gloss, satin, matte</i>)				
MediaColor		String	Type3 keyword	D	[PWG5100.3] §3.13.4
	Indicates the desired color of the media being specified. (See MediaCol for use) (<i>Keywords: no-color, white, pink, yellow, blue, green, buff, goldenrod, red, gray, ivory, orange</i>)				
MediaFrontCoating		String	Type3 keyword	D	[PWG5100.3] §3.13.10
	Indicates the pre-process coating applied to the front of the media. (See MediaCol for use) (<i>Keywords: none, glossy, high-gloss, semi-gloss, satin, matte</i>)				
MediaGrain		String	Type3 keyword	D	[prod-print2] §8.4.2
	Indicates the grain of the media. (See MediaCol for use) (<i>Keywords: x-direction, y-direction</i>)				
MediaHoleCount		Integer		D	[PWG5100.3] §3.13.6
	Indicates the number of pre-drilled holes in the desired media. (See MediaCol for use)				
MediaInfo		String	Maxlength=255	D	[PWG5100.3] §3.13.3
	Specifies information that helps describe the media instance. Intended for human consumption. (See MediaCol for use)				
MediaInputTrayCheck		String	Type3 keyword	D	[PWG5100.3] §3.13.14
	Indicates that the characteristics of the media in the identified input tray must match the characteristics of the media identified by the "media" or "media-col" element. (<i>Keywords: top, middle, bottom, side, large-capacity, envelope, main, manual. See [RFC2911] Appendix C</i>)				
MediaKey		String	Type3 keyword	D	[PWG5100.3] §3.13.1
	The name of the media represented as a keyword or name. Values are the same as the keyword and name values for the Media Document Processing element and represent the same media, except for media size and input tray keywords. (See MediaCol for use)				

PWG Semantic Model

Element Name	Multivalued	Syntax	Constraint	Group*	Reference
Description (values)					
MediaMaterial		String	Type3 keyword	D	[prod-print] §8.4.3
	The material of the media. (See MediaCol for use) (<i>Keywords: aluminum, dry-film, paper, polyester, wet-film</i>)				
MediaOrderCount		Integer	1:MAX	D	[PWG5100.3] §3.13.7
	Indicates the number of sheets, within an ordered sequence of sheets; after which the sequence begins to repeat. (See MediaCol for use)				
MediaPrePrinted		String	Type3 keyword	D	[PWG5100.3] §3.13.11
	Indicates the pre-printed characteristics of the desired media. (See MediaCol for use) (<i>Keywords: blank, pre-printed, letter-head</i>)				
MediaRecycled		String	Type3 keyword	D	[PWG5100.3] §3.13.10
	Indicates the recycled characteristics of the media. (See MediaCol for use) (<i>Keywords: none, standard</i>)				
MediaSize		Complex		D	[PWG5100.3] §3.13.8
	Explicitly specifies the numerical media width and height dimensions. (See MediaCol for use) (<i>Includes XDimension, YDimension</i>)				
MediaSizeName		String	Type3 keyword	D	Need UPnP ref
	The medium size that the Printer uses for all impressions of the Job. (<i>Keywords: na_letter_8.5x11in. See [pwg5101.1] §5</i>)				
MediaThickness		Integer	1:MAX	D	[prod-print2] §8.4.4
	The thickness of the media in units of one hundredth of a millimeter. This unit is equivalent to 1/2540 th of an inch. (See MediaCol for use)				
MediaTooth		String	Type3 keyword	D	[prod-print2] §8.4.1
	The tooth (or roughness) of the media. (See MediaCol for use) (<i>Keywords: fine, medium, coarse</i>)				
MediaType		String	Type3 keyword	D	[PWG5100.3] §3.13.2
	The medium type that the Printer uses for all impressions of the Job. (See MediaCol for use) (<i>Keywords: stationery, transparency envelope, envelope-plain, envelope-window, continuous, continuous-long, continuous-short, tab-stock, pre-cut-tabs, full-cut-tabs, multi-part-forms, labels, multi-layer, screen, screen-paged, photographic, cardstock, other See also [pwg5101.1] §3</i>)				
MediaWeightMetric		Integer		D	[PWG5100.3] §3.13.9
	Indicates the weight of the desired media rounded to the nearest whole number of grams per square meter. (See MediaCol for use)				
MultipleDocumentHandling		String	type2 keyword	J	[rfc2911] §4.2.4

PWG Semantic Model

Element Name	Multivalued	Syntax	Constraint	Group*	Reference
Description (values)					
	Controls whether Input Document in multi-Document jobs are combined into a single Output Document or are kept as separate Output Document Useful for application of Finishings and the placement of one or more print-stream pages into impressions and onto media sheets for multi-Document Jobs. (<i>Keywords: single-Document, separate-Document-uncollated-Copies, separate-Document-collated-Copies, single-Document-new-sheet</i>)				
NumberUp		Integer	1:MAX	D	[rfc2911] §4.2.9
	Indicates the number of Input pages that the Printer is to image on one impression.				
OrientationRequested		String	type2 keyword	D	[rfc2911] §4.2.10
	The desired orientation for printed pages for document formats that don't have a built-in orientation. (<i>Keywords: portrait, landscape, reverse-landscape, reverse-portrait</i>)				
OutputBin		String	Type2 keyword	J	[PWG5100.2] §2.1
	Specifies the output bin where the job is to be delivered. (<i>Keywords: bottom, center, face-down, face-up, large-capacity, left, mailbox-N*, middle, my-mailbox, rear, right, side, stacker-N*, top, tray-N*. *Note: N is replaced by a cardinal number</i>)				
OutputDocuments	Yes	RangeOfInteger		D	[PWG5100.4] §5.1.2
	Specifies the output documents for override processing. (See DocumentOverrides for use) NOTE: Deprecated DocumentOverrides are deprecated.				
PageDelivery		String	Type2 keyword	D	[PWG5100.3] §3.15
	Indicates whether the pages of the job are to be delivered to the output bin or finisher in the same page order as the original document and face up or face down. . See the PageOrderReceived Document Description element and the CurrentPageOrder Document Status element. (<i>Keywords: reverse-order-face-down, reverse-order-face-up, same-order-face-down, same-order-face-up, system-specified</i>)				
PageOverrides	Yes	complex		D	[PWG5100.4] §5.2
	Provides for the overriding of processing instructions on a page basis. (<i>Includes InputDocuments/OutputDocuments, DocumentCopies, Pages, Sides, media and any other processing element that affects pages</i>)				
Pages	yes	RangeOfInteger		D	[PWG5100.4] §5.2.4
	Specifies a range of pages in the document data.				
PagesPerSubset	yes	Integer		D	[PWG5100.4] §5.3
	Combines all of the Input Pages of all of the Input Documents into a single stream of Input-Pages. Then the Printer partitions that single stream into contiguous subsets of Input-Pages according to the list of integers. Each subset is defined to be an Output-Document.				
PageRanges	yes	RangeOfInteger		D	[RFC2911] §4.2.7
	Specifies a range of pages in the document data to be output.				

PWG Semantic Model

Element Name	Multivalued	Syntax	Constraint	Group*	Reference
Description (values)					
PdInitFile	Yes	Complex		D	[prod-print2] §5.8
Controls initialization of the Printer's Page Description Language (PDL) interpreter. (Includes PdInitFileEntry, PdInitFileLocation, PdInitFileName)					
PdInitFileEntry		String	Maxlength=255	D	[prod-print2] §5.8.1.3
Specifies an entry point within the init file at which the PDL interpreter starts. (See PdInitFile for use)					
PdInitFileLocation		String	Maxlength=1023	D	[prod-print2] §5.8.1.1
Contains a URL that specifies the path to the directory where the initialization file for the Printer's PDL interpreter will be found. (See PdInitFile for use)					
PdInitFileName		String	Maxlength=255	D	[prod-print2] §5.8.1.2
Specifies the name of the PDL interpreter's initialization file within the directory specified by the PdInitFileLocation element. (See PdInitFile for use)					
PresentationDirectionNumberUp		String	Type2 keyword	D	[PWG5100.3] §3.17
Specifies the placement order of the page images on a Finished-Page Image with the "number-up" element. (<i>Keywords: toright-tobottom, tobottom-toright, toleft-tobottom, tobottom-toleft, toright-totop, totop-toright, toleft-totop</i>)					
PrintQuality		String	type2 keyword	D	
The print quality that the Printer uses for the Job. (<i>Keywords: draft, normal, high</i>)					
PrinterResolution		resolution		D	RFC2911] §4.2.12
The resolution that Printer uses for the Job in cross-feed and feed direction in units of dpi or dpcm.					
ProofPrint		Complex		J	[prod-print2] §5.9
Specifies the elements for zero or more proof prints of the job that are to be printed prior to the printing the full run of the job. (Includes ProofPrintCopies, Media/MediaCol and any other Processing elements).					
ProofPrintCopies		Integer	0:MAX	J	[prod-print2] §5.9.1
Specifies the number of proof prints to be printed prior to the printing the full run of the job. (See ProofPrint for use)					
SaveDisposition		String	type3 keyword	J	[prod-print2] §5.7.1.1
Specifies whether the Printer must print and/or save the job. (See JobSaveDisposition for use) (<i>Keywords: none, save-only, print-save</i>)					
SaveDocumentFormat		String	MimeMediaType [rfc2046], [rfc2048]	J	[prod-print2] §5.7.1.2.3.3

PWG Semantic Model

Element Name	Multivalued	Syntax	Constraint	Group*	Reference
Description (values)					
			[rfc2048]		
					Indicates the document format in which the Printer saves the Document Data. (See DocumentFormat Document Description element) (See SaveInfo for use)
SaveInfo	Yes	complex		J	[prod-print2] §5.7.1.2
					Contains sets of elements that each tell the Printer how to create each copy of the saved job. (See JobSaveDisposition for use) (<i>Includes SaveLocation, SaveName, SaveDocumentFormat</i>)
SaveLocation		String	Maxlength=102 3	J	[prod-print2] §5.7.1.2.3.1
					Specifies the path to the directory as a URI where the Printer saves the Document Data and other Job information. (See SaveInfo for use)
SaveName		String	Maxlength= 255	J	[prod-print2] §5.7.1.2.3.2
					Specifies the name of the saved job in the directory specified by the “save-location” member element. The value may be a relative path. (See SaveInfo for use)
SeparatorSheets		complex		D	[PWG5100.3] §3.18
					Specifies the separator sheets to be printed with the Document. (<i>Includes SeparatorSheestType, Media/MediaCol</i>)
SeparatorSheetsType		String	Type3 keyword	D	[PWG5100.3] §3.18.1
					Specifies the separator sheets type. (See SeparatorSheets for use) (<i>Keywords: none, slip-sheets, start-sheet, end-sheet, both-sheets</i>)
SheetCollate		String	Type2 keyword	D	[rfc3381] §3.1
					Specifies if the media sheets of each copy of each printed document in a job are to be in sequence. (<i>Keywords: uncollated, collated</i>)
Sides		String	type2 keyword	D	[rfc2911] §4.2.8
					Indicates how an impression is to be placed upon the side(s) of the media. (<i>Keywords: one-sided, two-sided-long-edge, two-sided-short-edge, two-sided-long-edge, tumble</i>)
Stitching		complex		D	[PWG5100.3] §3.2.2
					Provides detailed stitching parameters. (See FinishingsCol/JobFinishingsCol for use) (<i>Includes StitchingReferenceEdge, StitchingOffset, StitchingLocations</i>)
StitchingLocations	yes	Integer		D	[PWG5100.3] §3.2.2.3
					The distance along the stitching axis where a stitch will be placed in hundredths of a millimeter. (See Stitching for use)
StitchingOffset		Integer		D	[PWG5100.3] §3.2.2.2

PWG Semantic Model

Element Name	Multivalued	Syntax	Constraint	Group*	Reference
Description (values)					
		The perpendicular distance from the reference edge to the stitching axis in hundredths of a millimeter. (See <i>Stitching</i> for use)			
StitchingReferenceEdge		String	type2 keyword	D	[PWG5100.3] §3.2.2.1
		Specifies the stitching reference edge of the output media. (See <i>Stitching</i> for use) (<i>Keyword: bottom, top, left, right</i>)			
XDimension		Integer	0:MAX	D	[PWG5100.3] §3.13.8.1
		Size of the media in hundredths of a millimeter along the bottom edge. (See <i>MediaSize</i> for use)			
XImagePosition		String	type2 keyword	D	[PWG5100.3] §3.19.2
		Causes the specified point of the Finished-Page Image to be positioned at a specified location. (<i>Keywords: none, center, left, right</i>)			
XImageShift		Integer		D	[PWG5100.3] §3.19.3
		Causes the Finished-Page Image to be shifted in position with respect to the x-axis of the media. The unit of measure for this element is hundredths of a millimeter. The sign of the value indicates the direction of the shift.			
Xside1ImageShift		Integer		D	[PWG5100.3] §3.19.4
		Causes each Finished-Page Image that would be placed on the front side of a sheet to be shifted in position with respect to the x-axis of the media. The unit of measure for this element is hundredths of a millimeter. The sign of the value indicates the direction of the shift.			
Xside2ImageShift		Integer		D	[PWG5100.3] §3.19.5
		Causes each Finished-Page Image that would be placed on the back side of a sheet to be shifted in position with respect to the x-axis of the media. The unit of measure for this element is hundredths of a millimeter. The sign of the value indicates the direction of the shift.			
YDimension		Integer	0:MAX	D	[PWG5100.3] §3.13.8.2
		Size of the media in hundredths of a millimeter along the left edge. (See <i>MediaSize</i> for use)			
YImagePosition		String	type2 keyword	D	[PWG5100.3] §3.19.6
		Causes the specified point of the Finished-Page Image to be positioned at a specified location. (<i>Keywords: none, center, top, bottom</i>)			
YImageShift		Integer		D	[PWG5100.3] §3.19.7
		Causes the Finished-Page Image to be shifted in position with respect to the y-axis of the media. The unit of measure for this element is hundredths of a millimeter. The sign of the value indicates the direction of the shift.			
Yside1ImageShift		Integer		D	[PWG5100.3] §3.19.8

PWG Semantic Model

Element Name	Multivalued	Syntax	Constraint	Group*	Reference
Description (values)					
Causes each Finished-Page Image that would be placed on the front side of a sheet to be shifted in position with respect to the y-axis of the media. The unit of measure for this element is hundredths of a millimeter. The sign of the value indicates the direction of the shift.					
Yside2ImageShift		Integer		D	[PWG5100.3] §3.19.9
Causes each Finished-Page Image that would be placed on the back side of a sheet to be shifted in position with respect to the y-axis of the media. The unit of measure for this element is hundredths of a millimeter. The sign of the value indicates the direction of the shift.					

613

614 **7.2 Job Elements (Status and Description)**

615 * Group Key: S=Status, D=Description

616 **Table 4- Job Elements (Status and Description)**

Element Name	Multivalued	Syntax	Constraint	Group*	Reference
Description (values)					
DateTimeAtCreation		String	DateTime [rfc1123]	S	[rfc2911] §4.3.14.5
Indicates the date and time at which the Job was created . (example: Fri, 03 May 2002 08:49:37 GMT)					
DateTimeAtProcessing		String	DateTime [rfc1123]	S	[rfc2911] §4.3.14.6
Indicates the date and time at which the Job first began processing. (example: Fri, 03 May 2002 08:49:37 GMT)					
DateTimeAtCompleted		String	DateTime [rfc1123]	S	[rfc2911] §4.3.14.7
Indicates the date and time at which the Job completed. (example: Fri, 03 May 2002 08:49:37 GMT)					
DetailedStatusMessage	Yes	String	Maxlength=1023	S	[rfc2911] §4.3.10
Specifies additional detailed and technical information about the job. Intended for use by the system administrator or other experienced technical persons and so is not localized by the Printer. (example: "PostScript error: stack overflow") (Was JobDetailedStatusMessage)					
DocumentAccessErrors	Yes	String	Maxlength=1023	S	[rfc2911] §4.3.11
Information about each Document access error for this job encountered by the Printer. (example: "(404) http://www.company.com/pub/fileToPrint.pdf ") (Was JobDocumentAccessErrors)					
ElementsNaturalLanguage		String	Natural language	D	[rfc2911] §4.3.20
Indicates the natural language of the elements with string syntax that were set by the End User. (Was AttributesNaturalLanguage)					

PWG Semantic Model

Element Name	Multivalued	Syntax	Constraint	Group*	Reference
Description (values)					
Impressions		Integer	0:MAX	D	[rfc2911] §4.3.17.2
The total size in number of impressions in all the Job's Document(s). (Was JobImpressions)					
ImpressionsCompleted		Integer	0:MAX	S	[rfc2911] §4.3.18.2
The number of impressions completed for the Job so far. (Was JobImpressionsCompleted)					
ImpressionsCompletedCurrentCopy		Integer	0:MAX	S	[rfc3381] §4.4
The number of impressions completed for the current iteration of this Job so far.					
JobAccountId		String	Maxlength=255	D	[PWG5100.3] §3.6
Account associated with this Job.					
JobAccountingUserID		String	Maxlength=255	D	[PWG5100.3] §3.7
Specifies the User ID associated with the "JobAccountId".					
JobCollationType		String	Type2 keyword	S	[rfc3381] §4.1
Identifies the collation type of the Job. (<i>Keywords: other, unknown, uncollated-sheets, uncollated-documents, collated-documents</i>)					
JobId		Integer	1:MAX	S	[rfc2911] §4.3.2
The Printer sets this to the ID of this Job , which is unique for the Printer.					
JobMessageFromOperator		String	Maxlength=127	D	[rfc2911] §4.3.16
Message to the end user indicating the reasons for any management action taken on this Job. (example: "Job canceled due to length", "Pick job up in mailbox")					
JobMessageToOperator		String	Maxlength=1023	D	[PWG5100.3] §3.10
Message from the end user to indicate something about the processing of this Job. (example: "Call 555-1234 before running this job")					
JobName		String	Maxlength=255	D	[rfc2911] §4.3.5
The Printer sets this to the client-supplied end-user friendly name for the Job, else the Printer must generate a name from other information. (example: "license agreement memo")					
JobOriginatingUserName		String	Maxlength=255	D	[rfc2911] §4.3.6
The Printer sets this element to the most authenticated printable name that it can obtain (example: "John Doe", \authDomain\John Doe")					
JobPassword		String	Maxlength=255	D	[prod-print2] §4.1
Contains a password supplied by the client encrypted according to method specified by the client in the JobPasswordEncryption element.					
JobPasswordEncryption		String	Type3 keyword	D	[prod-print2] §4.2

PWG Semantic Model

Element Name	Multivalued	Syntax	Constraint	Group*	Reference
Description (values)					
					Specifies the type of encryption that the client is used for the supplied value of the JobPassword element. (<i>Keywords: none, md2, md4, md5, sha</i>)
JobPhoneNumber		String	Maxlength=127	D	[prod-print2] §5.5
					Contains the contact telephone number for this Job.
JobPrinterMakeAndModel		String	Maxlength=127	S	[prod-print] §6.1
					Identifies the make and model of the output device which saved this Job according to the JobSaveDisposition Job Processing element.
JobPrinterUri		String	uri	S	[rfc2911] §4.3.3
					The Printer set this to the URI of Printer that created this Job. (example: ipp://www.company.com/printer)
JobRecipientName		String	Maxlength=255	D	[prod-print2] §5.6
					Contains the name of the person that is to receive the output of this Job and is commonly printed on the job sheet. It may also be used to reference a data base containing delivery instructions for the recipient.
JobState		String	Type1 keyword	S	[rfc2911] §4.3.7
					The current state of this Job (see section 4.2.1.1). See also JobStateReasons element below. (<i>Keywords: pending, pending-held, processing, processing-stopped, canceled, aborted, completed</i>)
JobStateMessage		String	Maxlength=1023	S	[rfc2911] §4.3.6
					Specifies information about the "JobState" and "JobStateReasons" elements in human readable text localized by the Printer according to the natural language supplied in the client's query request. (example: "Job completed successfully with warnings" for an English request)
JobStateReasons	Yes	String	type2 keyword	S	[rfc2911] §4.3.8
					Provides additional information about this Job's current state. (<i>Keywords: aborted-by-system, canceled-at-device, canceled-by-operator, canceled-by-user, completed-successfully, completed-with-errors, completed-with-warnings, compression-error, document-access-error, document-format-error, incoming, interpreting, job-data-insufficient, job-hold-until-specified, job-password-wait, job-restartable, job-resuming, job-saved-successfully, job-save-error, job-saving, job-scheduling, job-suspended, job-suspended-by-operator, job-suspended-by-system, job-suspended-by-user, job-suspending, none, outgoing, printer-stopped, printer-stopped-partly, printing, processing-to-stop-point, proof-print-wait, queued, queued-for-marker, queued-in-device, resources-are-not-ready, resources-are-not-supported, service-off-line, spooling, streaming, submission-interrupted, transforming, unsupported-compression, unsupported-document-format, warnings-detected</i>)
JobUri		String	uri	S	[rfc2911] §4.3.1

PWG Semantic Model

Element Name	Multivalued	Syntax	Constraint	Group*	Reference
Description (values)					
	The Printer sets this to the URI for this Job. (example: ipp://www.company.com/printer/jobs/22) The URI is globally unique.				
KOctets		Integer	0:MAX	D	[rfc2911] §4.3.17.1
	The total size of this Job's Document(s) in integral units of 1024 octets. (Was JobKOctets)				
KOctetsProcessed		Integer	0:MAX	S	[rfc2911] §4.3.18.1
	the total number of octets processed in integral units of 1024 octets so far. (Was JobKOctetsProcessed)				
MediaSheets		Integer	0:MAX	D	[rfc2911] §4.3.17.3
	The total number of media sheets to be produced for this Job's Document(s). . (Was JobMediaSheets)				
MediaSheetsCompleted		Integer	0:MAX	S	[rfc2911] §4.3.18.3
	The media-sheets completed marking and stacking so far. (Was JobMediaSheetsCompleted)				
MoreInfo		String	uri	S	[rfc2911] §4.3.4
	URI used to obtain information intended for end user consumption about this specific Job/Document. (example: " http://www.company.com/printer/embeddedjobpage "). (Was JobMoreInfo)				
NumberOfDocuments		Integer	0:MAX	S	[rfc2911] §4.3.12
	The number of Documents in this Job.				
NumberOfInterveningJobs		Integer	0:MAX	S	[rfc2911] §4.3.15
	The number of jobs that are "ahead" of this Job assuming the current scheduled order.				
OutputDeviceAssigned		String	Maxlength=127	S	[rfc2911] §4.3.13
	Identifies the output device to which the Printer has assigned this Job (example: "Pete's Printer")				
PrinterUpTime		Integer	1:MAX	S	[rfc2911] §4.3.14.4
	The amount of time (in seconds) that the Printer has been up and running. See Printer element "PrinterUpTime" (Was JobPrinterUpTime)				
SheetsCompletedCopyNumber		Integer	0:MAX	S	[rfc3381] §4.2
	Number of the copy being stacked for the current Document.				
SheetsCompletedDocumentNumber		Integer	0:MAX	S	[rfc3381] §4.3
	Number of the document in this Job currently being stacked. . The Documents in a Job are numbered 1, 2, 3. A 0 value means no Document is currently being stacked.				
TimeAtCreation		Integer	MIN:MAX	S	[rfc2911] §4.3.14.1

PWG Semantic Model

Element Name	Multivalued	Syntax	Constraint	Group*	Reference
Description (values)					
The time at which the Job was created in "PrinterUpTime" seconds.					
TimeAtProcessing		Integer	MIN:MAX	S	[rfc2911] §4.3.14.2
The time at which the Job first began processing in "PrinterUpTime" seconds.					
TimeAtCompleted		Integer	MIN:MAX	S	[rfc2911] §4.3.14.3
The time at which the Job completed in "PrinterUpTime" seconds.					
WarningsCount		Integer	MIN:MAX	S	[PWG5100.4] §6.1
The total number of warnings that a Printer has generated while processing and printing a Job's Document(s). (Was JobWarningsCount)					

617

618 **7.3 Document Elements (Status and Description)**

619 * Group Key: S=Status, D=Description

620

Table 5 – Document Elements (Status and Description)

Element Name	Multivalued	Syntax	Constraint	Group*	Reference
Description (values)					
Compression		String	Type2 keyword	D	[rfc2911] §4.4.32
Compression algorithm used on the Document Data, if any. (<i>Keywords: none, deflate, gzip, compress</i>)					
CurrentPageOrder		String	Type2 keyword	S	[PWG5100.3] §4.1
Indicates the page order of the pages in the document data. Initially set to PageOrderReceived and updated if data is transformed. (<i>Keywords: 1-to-n-order, n-to-1-order</i>)					
DateTimeAtCompleted		String	DateTime [rfc1123]	S	[rfc2911] §4.3.14.7
Indicates the date and time at which this Document completed. (example: Fri, 03 May 2002 08:49:37 GMT)					
DateTimeAtCreation		String	DateTime [rfc1123]	S	[rfc2911] §4.3.14.5
Indicates the date and time at which this Document was created . (example: Fri, 03 May 2002 08:49:37 GMT)					
DateTimeAtProcessing		String	DateTime [rfc1123]	S	[rfc2911] §4.3.14.6
Indicates the date and time at which this Document first began processing. (example: Fri, 03 May 2002 08:49:37 GMT)					
DetailedStatusMessage	Yes	String	Maxlength=1023	S	[rfc2911] §4.3.10

PWG Semantic Model

Element Name	Multivalued	Syntax	Constraint	Group*	Reference
	Description (values)				
	Specifies additional detailed and technical information about this Document. Intended for use by the system administrator or other experienced technical persons. (example: "PostScript error: stack overflow") (Was JobDetailedStatusMessage)				
DocumentAccessErrors	Yes	String	Maxlength=1023	S	[rfc2911] §4.3.11
	Information about each Document access error for this Document encountered by the Printer. (example: "(404) http://www.company.com/pub/fileToPrint.pdf ") (Was JobDocumentAccessErrors)				
DocumentFormat		String	MimeMediaType [rfc2046], [rfc2048]	D	[rfc2911] §3.2.1.1
	The Document format (i.e., PDL) for this Document. The value "application/octet-stream" has a special meaning. This value is used to indicate that a Printer is capable of auto-sensing the format of the Document. (Examples: <i>application/octet-stream</i> , <i>application/postscript</i> , <i>application/vnd.hp-PCL</i> , <i>text/plain; charset=utf-8</i>)				
DocumentName		String	Maxlength=127	D	[rfc2911] §3.2.1.1
	Name for this Document to be used in an implementation specific manner.				
DocumentNaturalLanguage		String	Maxlength=127	D	[rfc2911] §3.2.1.1
	Identifies the Natural Language of this Document				
DocumentNumber		integer		S	[PWG5100.4] §9.2, [doc-obj] §6.1
	The order of this document within a job starting at a base of 1.				
DocumentState		String	Type1 keyword	S	[doc-obj] §6.3.2
	The current state of this Document. See also DocumentStateReasons element below. (Keywords: <i>pending</i> , <i>processing</i> , <i>canceled</i> , <i>aborted</i> , <i>completed</i>)				
DocumentStateMessage		String	Maxlength=127	S	[doc-obj] §6.7
	Specifies information about the "DocumentState" and "DocumentStateReasons" elements of this Document in human readable text localized by the Printer according to the language supplied in the client's query request. (Example: "Document completed successfully with warnings" for an English request)				
DocumentStateReasons	Yes	String	type2 keyword	S	[doc-obj] §6.5

PWG Semantic Model

Element Name	Multivalued	Syntax	Constraint	Group*	Reference
	Description (values)				
	Provides additional information about this Document's current state. (<i>Keywords: none, aborted-by-system, canceled-at-device, canceled-by-operator, canceled-by-user, completed-successfully, completed-with-errors, completed-with-warnings, compression-error, document-access-error, document-format-error, incoming, interpreting, outgoing, printing, queued, queued-for-marker, queued-in-device, resources-are-not-ready, resources-are-not-supported, spooling, streaming, submission-interrupted, transforming, unsupported-compression, unsupported-document-format, warnings-detected</i>)				
DocumentUri		String	Maxlength=1023	D	[rfc2911] §3.2.2
	Reference to the Document to be printed (Print by reference)				
Impressions		Integer	0:MAX	D	[rfc2911] §4.3.17.2
	The total size in number of impressions in this Document. (Was JobImpressions)				
ImpressionsCompleted		Integer	0:MAX	S	[rfc2911] §4.3.18.2
	The number of impressions completed for this Document so far. (Was JobImpressionsCompleted)				
ImpressionsCompletedCurrentCopy		Integer	0:MAX	S	[rfc3381] §4.4
	The number of impressions completed for the current iteration of this Document so far.				
JobId		Integer	1:MAX	S	[rfc2911] §4.3.2
	The Printer sets this to the ID of the job containing this Document. The ID is unique for the Printer.				
JobUri		String	uri	S	[rfc2911] §4.3.1
	The Printer sets this to the URI for the job. (example: ipp://www.company.com/printer/jobs/22) The URI is globally unique.				
KOctets		Integer	0:MAX	D	[rfc2911] §4.3.17.1
	The total size of this Document in integral units of 1024 octets. (Was JobKOctets)				
KOctetsProcessed		Integer	0:MAX	S	[rfc2911] §4.3.18.1
	the total number of octets processed in integral units of 1024 octets so far. (Was JobKOctetsProcessed)				
LastDocument		Boolean		D	[rfc2911] §3.3.1
	Has a 'true' value if this Document is the last Input Document for the Job. Default = 'false'.				
MediaSheets		Integer	0:MAX	D	[rfc2911] §4.3.17.3
	The total number of media sheets to be produced for this Document. (was JobMediaSheets)				
MediaSheetsCompleted		Integer	0:MAX	S	[rfc2911] §4.3.18.3

PWG Semantic Model

Element Name	Multivalued	Syntax	Constraint	Group*	Reference
Description (values)					
	The media-sheets completed marking and stacking for this Document so far. (Was JobMediaSheetsCompleted)				
MoreInfo		String	uri	S	[rfc2911] §4.3.4
	URI used to obtain information intended for end user consumption about this specific Document. (example: " http://www.company.com/printer/embeddedjobpage "). (Was JobMoreInfo)				
PageOrderReceived		String	Type2 keyword	D	[PWG5100.3] §3.16
	Indicates the order of pages in this Document data as supplied with the job. (<i>Keywords: 1-to-n-order, n-to-1-order</i>)				
PrinterUpTime		Integer	1:MAX	S	[rfc2911] §4.3.14.4
	The amount of time (in seconds) that the Printer has been up and running. (See Printer element "PrinterUpTime") (Was JobPrinterUpTime)				
SheetsCompletedCopyNumber		Integer	0:MAX	S	[rfc3381] §4.2
	Number of the copy being stacked for this Document.				
TimeAtCreation		Integer	MIN:MAX	S	[rfc2911] §4.3.14.1
	The time at which this Document was created in "PrinterUpTime" seconds.				
TimeAtProcessing		Integer	MIN:MAX	S	[rfc2911] §4.3.14.2
	The time at which this Document first began processing.				
TimeAtCompleted		Integer	MIN:MAX	S	[rfc2911] §4.3.14.3
	The time at which this Document completed.				
WarningCount		Integer	MIN:MAX	S	[PWG5100.4] §6.1
	The total number of warnings that a Printer has generated while processing and printing the Document. (Was Job WarningCount)				

621

622 **7.4 Printer Elements (Status and Description)**

623 * Group Key: S=Status, D=Description

624 **Table 6 - Printer Elements (Status and Description)**

Element Name	Multivalued	Syntax	Constraint	Group*	reference
Description (values)					
ColorSupported		boolean		D	[rfc2911] §4.4.26
	Indicates if this Printer is capable of any type of color printing at all, including highlight color.				

PWG Semantic Model

Element Name	Multivalued	Syntax	Constraint	Group*	reference
Description (values)					
CompressionSupported	Yes	String	Type3 keyword	D	[rfc2911] §4.4.32
	Identifies the set of Compression algorithms for Document content that this Printer supports. (Keywords: none, deflate, gzip, compress)				
DeviceId		String	IEEE 1284	D	See Appendix 11.1
	An identifier based on IEEE 1284 to identify the device that the Printer represents. Often used to load an appropriate driver on the client device. (example: “MANUFACTURER:ACME;COMMAND SET:PCL,PJL,PS,XHTML-Print+xml;MODEL:LaserBeam 9;COMMENT:example;ACTIVE COMMAND SET:PCL”)				
DocumentFormatDefault		String	MimeMediaType [rfc2046], [rfc2048]	D	[rfc2911] §4.4.21
	The document format (i.e. PDL) that this Printer has been configured to assume if the client does not specify a document format in any of the actions that supply document content for a Job. The value “application/octet-stream” has a special meaning. This value is used to indicate that a Printer is capable of auto-sensing the format of the document. (examples: application/octet-stream, application/postscript, application/vnd.hp-PCL, “text/plain; charset=utf-8”)				
DocumentFormatSupported	YES	String	MimeMediaType	D	[rfc2911] §4.4.22
	Identifies both the Document and Image formats supported by this Printer. Specifies the set of Document formats that the Printer supports. (examples: application/octet-stream, application/postscript, application/vnd.hp-PCL, “text/plain; charset=utf-8”). Also specifies the set of Image formats that the Printer supports. (examples: ‘image/jpeg’ which is a registered MIME Media Type with IANA.				
GeneratedNaturalLanguageSupported	YES	String	Natural Language	D	[rfc2911] §4.4.20
	Identifies the natural language(s) that the Printer supports in returned values of messages generated by the Printer, that is, the JobStateMessage, DocumentStateMessage, and PrinterStateMessage elements.				
ImpressionsSupported		RangeOfInteger	0:MAX	D	[rfc2911] §4.4.34
	Specifies the upper and lower bounds for the number of impressions allowed per job. (Was JobImpressionsSupported)				
JobCreationElementsSupported	YES	String	Type2 keyword	D	[prod-print1] §7.1
	Identifies the set of Job Processing and Job Description elements (but not member elements) that this Printer will accept in a JobCreation action (Was JobCreationAttributesSupported)				
JobPasswordEncryptionSupported	Yes	String	type3 keyword	D	[prod-print1] §7.3
	Identifies which encryption methods this Printer supports as values of the JobPasswordEncryption Job Description element for Secure Print. (Keywords: none, md2, md4, md5, sha)				
JobPasswordSupported		Integer	0:MAX	D	[prod-print1] §7.2

PWG Semantic Model

Element Name	Multivalued	Syntax	Constraint	Group*	reference
Description (values)					
	Indicates the maximum length that this Printer will accept for the unencrypted password which the client will encrypt as the value of the JobPassword Description Element.				
JobSpoolingSupported		String	type2 keyword	D	[prod-print1] §7.4
	Indicates whether or not the Printer spools Jobs before interpreting the document data (RIPing). (<i>Keywords: pool, stream, automatic</i>)				
KOctetsSupported		RangeOfInteger	0:MAX	D	[rfc2911] §4.4.33
	Specifies the allowable upper and lower bounds of the total size per Job in integral units of 1024 octets that this Printer will accept. (Was JobKOctetsSupported)				
MaxSaveInfoSupported		Integer	1:MAX	D	[prod-print1] §7.5
	Identifies the maximum number of SaveInfo member element collections that this Printer can accept in a job request.				
MediaColDatabase	Yes	Complex		D	[prod-print1] §7.6
	Identifies all of the Media supported by this Printer using a collection value for each which identifies the media characteristics. This element is not returned when 'all' is requested. (<i>Includes any of the MediaCol member elements</i>)				
MediaSheetsSupported		RangeOfInteger	0:MAX	D	[rfc2911] §4.4.35
	Specifies the upper and lower bounds for the number of media sheets allowed per job by this Printer. (Was JobMediaSheetsSupported)				
MultipleDocumentJobsSupported		boolean		D	[rfc2911] §4.4.16
	Indicates whether this Printer supports more than one Document per job, i.e., more than one SendDocument and/or SendUri request per job. A multi-Document per job Printer must implement this element and have a value of 'true'. A single Document per job Printer may either not support this element or support it with a value of 'false'.				
MultipleOperationTimeout		Integer	1:MAX	D	[rfc2911] §4.4.31
	Identifies the minimum time (in seconds) that this multi-Document per job Printer will wait between actions on an open job before timing out. The actions can add Document to the open Job or close the Job. Timeouts are handled in an implementation specific manner. Multi-Document per job Printers must implement this element. The recommended value is greater than 60 and less than 240.				
NaturalLanguageConfigured		String	Natural language	D	[rfc2911] §4.4.19
	Indicates the natural language of the elements with string syntax that were set by the Administrator or Manufacturer.				
OperationsSupported	Yes	String	type2 keyword	D	[rfc2911] §4.4.15

PWG Semantic Model

Element Name	Multivalued	Syntax	Constraint	Group*	reference
Description (values)					
					The set of supported actions for the Printer and Job. (Keywords: PrintJob, PrintUri, CreateJob, SendDocument, SendURI, ValidateJob, ValidateDocument, CancelJob, HoldJob, ReleaseJob, RestartJob, SetJobElements, SetDocumentElements, CancelDocument, DeleteDocument, GetJobs, GetPrinterElements, GetJobElements, GetDocuments, GetDocumentElements, GetPrinterSupportedValues, PausePrinter, ResumePrinter, PurgeJobs, DisablePrinter, EnablePrinter, SetPrinterElements).
PagesPerMinute		Integer	0:MAX	D	[rfc2911] §4.4.36
					Specifies the nominal number of pages per minute which may be generated by this Printer.
PagesPerMinuteColor		Integer	0:MAX	D	[rfc2911] §4.4.37
					Specifies the nominal number of pages per minute which may be generated by this Printer when printing color.
ParentPrintersSupported	Yes	String	Uri	D	[admin-ops] §7.2
					Contains the URI of the non-leaf Printer for which this Printer is the immediate subordinate.
PdlOverrideSupported		String	type2 keyword	D	[rfc2911] §4.4.28
					Expresses the ability of this Printer to (1) guaranteed, (2) attempt to, or (3) not attempt to override a Document's processing instructions with Job Processing Elements. (<i>Keywords: attempted, guaranteed, not-attempted</i>)
PrinterCurrentTime		String	DateTime [rfc1123]	S	[rfc2911] §4.4.30
					Indicates the current date and time. (example: Fri, 03 May 2002 08:49:37 GMT)
PrinterDetailedStatusMessages	Yes	String	Maxlength=1023	S	[prod-print2] §7.7
					Specifies additional detailed and technical information about this Printer for the technical staff.
PrinterDriverInstaller		String	Uri	D	[rfc2911] §4.4.8
					Intended for consumption by automata to locate the driver installer for this Printer object. (example: " http://www.company.com/printer/installerProgram ") Note: This element has not been used by any known implementation and is therefore deprecated.
PrinterInfo		String	Maxlength=127	D	[rfc2911] §4.4.6
					Descriptive information about this Printer object.(example: "Out of courtesy for others, please print only small (1-5 page) jobs at this printer")
PrinterIsAcceptingJobs		Boolean		S	[rfc2911] §4.4.23
					Indicates whether this Printer is currently able to accept jobs.
PrinterLocation		String	Maxlength=127	D	[rfc2911] §4.4.5
					Identifies the location of the device that this Printer represents. (<i>Example: Pete's Office</i>)
PrinterMakeAndModel		String	Maxlength=127	D	[rfc2911] §4.4.9

PWG Semantic Model

Element Name	Multivalued	Syntax	Constraint	Group*	reference
	Description (values)				
	Identifies the make and model of the device that this Printer object represents. (Example: "Xerox Phaser 7700", "HP LaserJet 1000", "Lexmark Optra Color 45")				
PrinterMessageFromOperator		String	Maxlength=127	D	[rfc2911] §4.4.25
	End user information for this Printer. (Example: "printer unavailable until 1pm due to preventive maintenance")				
PrinterMoreInfo		String	uri	D	[rfc2911] §4.4.7
	URI used to obtain information intended for end user consumption about this specific Printer. (Example: " http://www.company.com/printer/embeddedwebpage ")				
PrinterMoreInfoManufacturer		String	uri	D	[rfc2911] §4.4.10
	URI used to obtain more information for end user consumption about this type of device that this Printer represents. (Example: " http://www.xerox.com/go/xrx/template/012.jsp?Xcntry=USA&Xlang=en_US&prodID=7700 ", " http://www.lexmark.com/US/products/overview/0,1224,MjQ5fDE=,00.html ")				
PrinterName		String	Maxlength=127	D	[rfc2911] §4.4.4
	The end-user friendly name of this Printer object. (example: "Pete's Printer")				
PrinterState		String	type1 keyword	S	[rfc2911] §4.4.11
	Identifies the current state of the device(s) that this Printer represents (see Figure 4). (See "PrinterStateReasons" below) (Keywords: <i>idle, processing, stopped</i>)				
PrinterStateMessage		String	Maxlength=1023	S	[rfc2911] §4.4.13
	Information about the "printer-state" and "printer-state-reasons" elements in human readable text localized by the Printer according to the natural language supplied in the client's query request. (Example: "Printer stopped due to paper jam" for an English request)				
PrinterStateReasons	Yes	String	type2 keyword	S	[rfc2911] §4.4.12
	Augments the "printer-state" element to give more detailed information about this Printer's state. Each keyword value may have a suffix to indicate its level of severity. The three suffixes (levels) are: "Report" (least severe), "Warning", and "Error" (most severe). Keywords without suffixes are assumed to be "Error" (most severe). See reference for semantics of defined keywords. (Keywords: <i>other, none, connecting-to-device, cover-open, deactivated, developer-empty, developer-low, door-open, fuser-over-temp, fuser-under-temp, hold-new-jobs, input-tray-missing, interlock-open, interpreter-resource-unavailable, marker-supply-empty, marker-supply-low, marker-waste-almost-full, marker-waste-full, media-empty, media-jam, media-low, media-needed, moving-to-paused, opc-life-over, opc-near-eol, output-area-almost-full, output-area-full, output-tray-missing, paused, shutdown, spool-area-full, stopped-partly, stopping, timed-out, toner-empty, toner-low</i>)				
PrinterUpTime		integer	1:MAX	S	[rfc2911] §4.4.29

PWG Semantic Model

Element Name	Multivalued	Syntax	Constraint	Group*	reference
Description (values)					
The amount of time (in seconds) that this Printer has been up and running					
PrinterUriSupported	Yes	String	uri	D	[rfc2911] §4.4.1
Contains at least one URI for this Printer object. The PrinterUriSupported, UriAuthenticationSupported and the UriSecuritySupported are parallel elements. Each of these elements must have the same cardinality. The “i”th value of each of these elements describes the URI for the printer, the authentication mechanism used and the security method used. (<i>Example: ipp://www.company.com/printer</i>)					
QueuedJobCount		integer	0:MAX	S	[rfc2911] §4.4.24
The number of jobs that this Printer has accepted but has not yet completed.					
ReferenceUriSchemesSupported	Yes	String	UriScheme	D	[rfc2911] §4.4.27
Which URI schemes are supported by this Printer to retrieve Document This element must be supported if the Printer is capable of print by reference. (<i>Example: ftp, http</i>)					
SubordinatePrintersSupported	Yes	String	Uri	D	[admin-ops] §7.1
Contains the URI of the immediate subordinate Printers associated with this Printer.					
UriAuthenticationSupported	Yes	String	type2 keyword	D	[rfc2911] §4.4.2
The Client authentication mechanism that this Printer object uses to identify the user. (See PrinterUriSupported for additional information) (<i>Keywords: none, requesting-user-name, basic, digest and certificate</i>)					
UriSecuritySupported	Yes	String	type2 keyword	D	[rfc2911] §4.4.3
Identifies the security mechanisms used for accessing this Printer object. (See PrinterUriSupported for additional information) (<i>Keywords: none, ssl3, tls</i>)					
VersionsSupported	Yes	String	type2 keyword	D	[rfc2911] §4.4.14
The versions of the semantics that this Printer supports. (<i>Keywords: 1.0, 1.1, etc. .</i>)					
WhichJobsSupported	Yes	String	type2 keyword	D	[prod-print2] §7.8
Contains the set of values that this Printer supports for the WhichJobs operation element that the client may supply in the Get-Jobs operation as a job filter. (<i>Keywords: aborted, all, canceled, completed, not-completed, pending, pending-held, processing, processing-stopped</i>)					

625

626 **8 Status Strings**

627 This Appendix lists the status strings that the Printer returns in each action response.

PWG Semantic Model

628

Table 7 Status strings indicating some degree of success

Status String		Actions where status may occur
Reference	Description of status	
successful-ok	Any	
Rfc2911	Action succeeded and no requested element were substituted or ignored.	
successful-ok-conflicting-attributes	PrintJob, PrintUri, CreateJob, SendDocument, SendUri	
	Action succeeded but some elements were conflicting and have been substituted or ignored.	
successful-ok-ignored-or-substituted-attributes	PrintJob, PrintUri, CreateJob, SendDocument, SendUri	
	Action succeeded but some unsupported elements were ignored or substituted.	

629

630

Status String		Actions where status may occur
	Description of status	
The following status strings are returned when the Printer rejects the action indicating some error on the part of the Client:		
client-error-bad-request	Any	
	malformed syntax or constraint exceeded.	
client-error-forbidden	Any	
	The Printer understood the request, but is refusing to fulfill it for authentication and/or authorization reasons. The client should not try again even with credentials.	
client-error-not-authenticated	Any	
	The request requires user authentication. The client may try again with suitable authentication.	
client-error-not-authorized	Any	
	The requester is not authorized to perform the request. The Client should not try again.	
client-error-not-possible		
	The action cannot be performed, because of the state of the target object.	
client-error-timeout		
	The client did not produce a subsequent request within the time that the Printer was prepared to wait.	
client-error-not-found		
	The target object was not found.	
client-error-gone		
	The target object is no longer available.	
client-error-request-entity-too-large		
	The request and/or the Document Content is too large.	
client-error-request-value-too-long		
	An element value in the request is longer than the Printer supports.	

PWG Semantic Model

Status String	Actions where status may occur
Reference	Description of status
client-error-document-format-not-supported	
	The document format is not supported.
client-error-attributes-or-values-not-supported	
	An element and/or value is not supported and must be in order to carry out the request. The Printer must return the unsupported elements or values in the Unsupported Elements group.
client-error-uri-scheme-not-supported	
	The URI scheme is not supported.
client-error-charset-not-supported	
	The charset is not supported.
client-error-conflicting-attributes	
	Some supplied elements are conflicting. The Printer must return them in the Unsupported Elements group.
client-error-compression-not-supported	
	The compression of the Document Content is not supported.
client-error-compression-error	
	An error occurred when uncompressing the Document Content.
client-error-document-format-error	
	An error occurred when interpreting the Document Content.
client-error-document-access-error	
	An error occurred when the Printer attempted to access the Document Content through the URI supplied.
client-error-attributes-not-settable	
	The supplied element(s) are not settable

631

632

633

Status String	Actions where status may occur
Reference	Description of status
The following status strings are returned when the Printer rejects the action indicating some error on the part of the Printer:	

PWG Semantic Model

Status String	Actions where status may occur
Reference	Description of status
server-error-internal-error	
	An unexpected internal error occurred.
server-error-operation-not-supported	
	The Printer does not support the requested action.
server-error-service-unavailable	
	The Printer is unable to service the request at this time due to overloading or maintenance. The client should try again later as per the “message” Operation element.
server-error-version-not-supported	
	The Printer doesn’t support the requested major version of the protocol and returns the closest version that it does support.
server-error-device-error	
	The Printer encountered a device error that causes it to be unable to accept a new request. For example, a paper jam for a Printer that doesn’t spool and so cannot accept a new job submission until the jam is fixed.
server-error-temporary-error	
	A temporary error such as a buffer full write error, a memory overflow, or a disk full condition.
server-error-not-accepting-jobs	
	The Printer is not currently accepting jobs. Its “PrinterIsAcceptingJobs” Printer Description element is ‘false’.
server-error-busy	
	A temporary error indicating that the Printer is too busy processing jobs and/or other requests. A Client should try again later.
server-error-job-canceled	
	The job has been canceled by an operator or aborted by the system. For example, while the Client is transmitting the Document Content to the Printer.
server-error-multiple-document-jobs-not-supported	
	The Printer doesn’t support multiple document jobs and the client attempted to supply a second SendDocument or SendUri request. The Printer’s “MultipleDocumentJobsSupported” Printer Description element is ‘false’.
server-error-printer-is-deactivated	
	The Printer has been deactivated using the Deactivate-Printer operation and is only accepting the Activate-Printer

634

635

636

PWG Semantic Model

637 **9 Change Log**

- 638 5/16/02 PJZ original draft
- 639 5/23/02 TH re-organize draft with comments from Melinda Grant
- 640 5/26/02 TH detailed review of the draft
- 641 5/29/02 PJZ Incorporated comments prior to initial release
- 642 6/4/02 SAA Modified to split the Job Attributes into 3 categories:
- 643 1) Processing Attributes
- 644 2) Content Attributes
- 645 3) Job Attributes
- 646
- 647 The Processing Attributes were further split into 3 subcategories:
- 648 1) Rendering attributes
- 649 2) Imposition Attributes
- 650 3) Finishing Attributes
- 651 Added attributes from UPnP Print Basic service template: MediaSize, MediaType,
652 DeviceId attributes.
- 653 Removed references to Mandatory vs. Optional since a semantic model should not
654 dictate what is used or not used by the future solutions targeted at specific markets.
655 For example, UPnP picked specific attributes for the SOHO market and did not need
656 all of the Mandatory IPP attributes.
- 657 Modified Printer Description Attributes with the following:
- 658 1) Added in DeviceId.
- 659 2) Changed Document* to Content*.
- 660 3) Removed VersionsSupported and OperationsSupported since these are
661 dependent on the interface used in specific solutions.
- 662 6/17/02 PJZ Added high level description of PWG Action semantics and Printer state
663 transitions. Returned VersionsSupported and OperationsSupported.
- 664 8/16/02 PJZ Changed Content back to document, Added PWG5100.1, PWG5100.2,
665 PWG5100.3, PWG5100.4, job-progress to model. Filled out document object, added "Job Level"
666 subcategory to Processing attributes
- 667 9/1/02 PJZ Changes from email input and PWG meeting. Printer/Job/Document
668 Attribute groups broken out into State and Description groups
- 669 9/9/02 PJZ Final edits to ready document for review. Updated all figures and added
670 highlighting of sections to review.

PWG Semantic Model

671 9/16/02 PJZ Added more definitions and document actions. Incorporated the comments
672 from teleconference and TH mail note. Updated references.

673 9/27/02 TNH Version 0.11: Spell checked, corrected some misspelled attribute names,.
674 Finished moving Compression and DocumentFormat from the Processing to the Document
675 Description tables. Improved the attributes descriptions, especially those that are related to other
676 attributes. Added the attributes and values from [prod-print2]. Added several attributes from IPP
677 documents that were missing for some reason. Corrected a number of Maxlength values. Sorted
678 the values of JobStateReasons, DocumentStateReasons, and PrinterStateReasons, so easier to keep
679 track of. Add References: [adm-ops], [prod-print2].

680 9/30/02 PJZ Began conversion of status string section to table. Corrected and updated
681 figures. Removed detailed IPP encoding section. Added globalization section

682 10/07/02 PJZ Updated references. Added JobCoverFront, JobCoverBack, and natural
683 language elements. Reworked section 5.3.5 GetPrinterSettableAttributeValues. Corrected Action
684 table and section.

685 10/14/01 TNH Fixed some Figure caption problems. Instead of deprecating
686 AttributeFidelity, made it work with JobMandatoryAttributes. Added way to specify the member
687 attribute in a collection attribute (Attr.Member). Clarified PagesPerSubset as combining all Input
688 Documents into a single contiguous Input-Pages stream and then subsetting it into Output
689 Documents. Added GeneratedNaturalLanguageSupported from RFC 2911.

690 10/28/02 PJZ "XML"ified attributes and object & added IPP mapping information
691 describing change. Completed adding [admin-ops], [PWG5100.1]. Rationalized "Pages" and
692 "PageRanges". Changed "State" groups to "Status" to avoid name collision with "State" elements
693 (e.g. "JobState")

694

695 10 References

696 [adm-ops] Kugler, C, Hastings, T., Lewis, H., "Internet Printing Protocol (IPP): Job and Printer
697 Administrative Operations", July 17, 2001, < draft-ietf-ipp-ops-set2-03.txt >.

698 [doc-obj] Hastings, T., and P. Zehler, "Internet Printing Protocol (IPP): Document Object",
699 September 27, 2002, ftp://ftp.pwg.org/pub/pwg/ipp/new_DOC/IPP-Docment-Object.pdf,
700 work in progress to become IEEE-ISTO 5100.5-2001.

701 [ntfy] "Internet Printing Protocol/1.1: Event Notifications and Subscriptions", November 19, 2001,
702 Herriot, R., Hastings, T., Shepherd, M., deBry, R., Isaacson, S., Martin, J., and R.
703 Bergman,<draft-ietf-ipp-not-spec-08.txt>.

704 [prod-print2] Hastings, T., and D. Fullman, "Internet Printing Protocol (IPP): Production Printing
705 Attributes - Set 2", to become a PWG IEEE-ISTO standard, work in progress, August 21,
706 2002, [ftp://ftp.pwg.org/pub/pwg/ipp/new_PPE/pwg-ipp-prod-print-set2-draft-v0_1-](ftp://ftp.pwg.org/pub/pwg/ipp/new_PPE/pwg-ipp-prod-print-set2-draft-v0_1-020821.pdf)
707 [020821.pdf](ftp://ftp.pwg.org/pub/pwg/ipp/new_PPE/pwg-ipp-prod-print-set2-draft-v0_1-020821.pdf)

PWG Semantic Model

- 708 [PWG5100.1] IEEE-ISTO 5100.1-2001, "Internet Printing Protocol (IPP): "finishings" attribute
709 values extension", Hastings, T., and D. Fullman, February 5, 2001,
710 <ftp://ftp.pwg.org/pub/pwg/standards/pwg5100.1.pdf>
- 711 [PWG5100.2] IEEE-ISTO 5100.2-2001, "Internet Printing Protocol (IPP): output-bin attribute
712 extension", February 7, 2001, Hastings, T., and R. Bergman,
713 <ftp://ftp.pwg.org/pub/pwg/standards/pwg5100.2.pdf>
- 714 [PWG5100.3] IEEE-ISTO 5100.3-2001, "Internet Printing Protocol (IPP): Production Printing
715 Attributes - Set1", February 12, 2001, Ocke, K., Hastings, T.,
716 <ftp://ftp.pwg.org/pub/pwg/standards/pwg5100.3.pdf>
- 717 [PWG5100.4] IEEE-ISTO 5100.4-2001, "Internet Printing Protocol (IPP): Override Attributes for
718 Documents and Pages", February 7, 2001, Herriot, R., Ocke, K.,
719 <ftp://ftp.pwg.org/pub/pwg/standards/pwg5100.4.pdf>
- 720 [PWG5101.1] IEEE-ISTO 5101.1-2001 Media Standardized Names <work in progress>,
721 <ftp://ftp.pwg.org/pub/pwg/standards/pwg5101.1.pdf> , .doc, .rtf for standardized names
- 722 [rfc1123] RFC 1123 " Requirements for Internet Hosts -- Application and Support ", October 1989,
723 Branden, R. , <ftp://ftp.rfc-editor.org/in-notes/rfc1123.txt>
- 724 [rfc2046] RFC 2046 "Multipurpose Internet Mail Extensions (MIME) Part Two: Media Types",
725 November 1996, Freed, N. and N. Borenstein, <ftp://ftp.rfc-editor.org/in-notes/rfc2046.txt>
- 726 [rfc2048] RFC 2048 "Multipurpose Internet Mail Extension (MIME) Part Four: Registration
727 Procedures", November 1996, Freed, N., Klensin, J. and J. Postel, [ftp://ftp.rfc-editor.org/in-](ftp://ftp.rfc-editor.org/in-notes/rfc2048.txt)
728 [notes/rfc2048.txt](ftp://ftp.rfc-editor.org/in-notes/rfc2048.txt)
- 729 [rfc2911] RFC 2566 "Internet Printing Protocol/1.0 Model and Semantics", March 1999 and RFC
730 2911 "Internet Printing Protocol/1.1 Model and Semantics", September 2000, T. Hastings,
731 R. Herriot, R. Debry, S. Isaacson, P. Powell, <ftp://ftp.rfc-editor.org/in-notes/rfc2911.txt>
- 732 [rfc3380] "Internet Printing Protocol (IPP): Job and Printer Set Operations", September 2002,
733 Hastings, T., Herriot, R., Kugler, C., and H. Lewis, [ftp://ftp.rfc-editor.org/in-](ftp://ftp.rfc-editor.org/in-notes/rfc3380.txt)
734 [notes/rfc3380.txt](ftp://ftp.rfc-editor.org/in-notes/rfc3380.txt)
- 735 [rfc3381]"Internet Printing Protocol (IPP): Job Progress Attributes", September 2002, Hastings, T.,
736 Lewis, H., and R. Bergman, <ftp://ftp.rfc-editor.org/in-notes/rfc3381.txt>
- 737

Author's Addresses

738
739
740 Peter Zehler
741 Xerox Corporation
742 800 Phillips Road
743 Webster, NY 14580
744
745 Phone: 585 265-8755
746 Fax: 585-265-8871

PWG Semantic Model

747 e-mail: pzehler@crt.xerox.com

748

749 PWG Semantic Model Web Page: <http://www.pwg.org/sm/>

750 PWG Semantic Model Mailing List: sm@pwg.org

751

752 To subscribe to the sm mailing list, send the following email:

753 1) send it to majordomo@pwg.org

754 2) leave the subject line blank

755 3) put the following two lines in the message body:

756 subscribe sm

757 end

758

759 Implementers of this specification document are encouraged to join IPP Mailing List in order to
760 participate in any discussions of clarification issues and review of registration proposals for
761 additional attributes and values.

762

763 Other Participants:

Alan Berkema – HP

–Don Fullman - Xerox

David Hall - HP

Harry Lewis - IBM

Gail Songer - Netreon

William Wagner - NetSilicon/DPI

Lee Farrell - Canon Information Systems

Melinda Grant - HP

Tom Hastings - Xerox

–Ira McDonald – High North

Bob Taylor - HP

764

765 **11 Appendix A – UPnP Definitions**

766 **11.1 DeviceID**

767 The value of this variable MUST exactly match the IEEE 1284-2000 Device ID string, except the
768 length field MUST not be specified.. The value is assigned by the Printer vendor and MUST NOT
769 be localized by the Print Service.

770 The IEEE 1284-2000 Device ID is a length field followed by a case-sensitive string of ASCII
771 characters defining peripheral characteristics and/or capabilities. For the purposes of this
772 specification, the length bytes MUST NOT be included. The Device ID sequence is composed of a
773 series of keys and values of the form:

774 key: value {,value} repeated for each key

775 As indicated, each key will have one value, and MAY have more than one value. The minimum
776 necessary keys (case-sensitive) are MANUFACTURER, COMMAND SET, and MODEL. (These
777 keys MAY be abbreviated as MFG, CMD, and MDL respectively.) Each implementation MUST
778 supply these three keys and possibly additional ones as well. Each key (and each value) is a string
779 of characters. Any characters except colon (:), comma (,), and semi-colon (;) MAY be included as
780 part of the key (or value) string. Any leading or trailing white space (SPACE[x'20'], TAB[x'09'],

PWG Semantic Model

781 VTAB[x'0B'], CR[x'0D'], NL[x'0A'], or FF[x'0C']) in the string is ignored by the parsing program
782 (but is still counted as part of the overall length of the sequence).

783 An example ID String, showing optional comment and active command set keys and their
784 associated values (the text is actually all on one line):

785

786 MANUFACTURER:ACME Manufacturing;

787 COMMAND SET:PCL,PJL,PS,XHTML-Print+xml;

788 MODEL:LaserBeam 9;

789 COMMENT:Anything you like;

790 ACTIVE COMMAND SET:PCL;

791

792 (See IEEE 1284-2000 clause 7.6)

793 Note: One of the purposes of the DeviceId variable is to select a printer driver for those clients that
794 need a printer driver. The values of the COMMAND SET key are interpreted by the printer driver
795 provided by the vendor and so are vendor-defined, rather than being standardized.

796 **12 Appendix B – IPP Mapping**

797 ***12.1 Changes to remove some IPP specific aspects***

798 This section lists some changes to remove some IPP specific aspects from the PWG Semantic
799 Model.

- 800 1. IPP enumerations use their well-known string name instead of the integer enumeration.
801 This applies not only to IPP attributes but also to IPP Operations.
- 802 2. Any attribute name containing “ipp” has had the “ipp” removed.
- 803 3. All attribute and operation keywords have the substring “attribute” replaced with “element”.
- 804 4. All operation and attribute keyword names have had the first letter capitalized and the ‘-’
805 character removed and the character following the ‘-’ has been capitalized. (All mixed case
806 PWG Semantic Model keywords can be interpreted without regard to case.)
- 807 5. The attribute value keywords defined remain unchanged and are all lower case, except for
808 the ones that specify other attributes names (which are changed to be the mixed case
809 without hyphens).
- 810 6. The types of the attributes have been simplified. All keyword, text, name, DateTime, uri,
811 UriScheme, enum and mimeType types are represented by the simple string type.
- 812 7. The “1setOf X” types are represented as the base type and the “Multivalued” field in the
813 tables set to “Yes”. Integers and Boolean types remain the same. Any applicable
814 constraints placed on the attribute values has been noted in the tables.

PWG Semantic Model

815 The term “keyword” continues to be used for string values enumerated as part of the PWG Model.
816 The term “object” is sometimes changed to “data class”. The term “operation” has been changed to
817 “action” to use the term more frequently used with XML.

818 The following IPP attributes are not included: operation-id, attributes-charset, , page-overrides,
819 request-id, version-number

820 **12.2 Attribute Group Mapping**

821 IPP Actions may contain a number of parameters. The first parameter is always the Operation
822 Attributes for the Action. The IPP Operation Attributes have been mapped to the Printer and Job
823 Description Element Groups.

824 The IPP Printer Description Attributes map to the PWG Printer Status Elements and Printer
825 Description Elements. The IPP Job Description Attributes map to the PWG Job Status Elements
826 and Job Description Elements.

827 The IPP Job Template Attributes map to the PWG Job Processing Elements and Document
828 Processing Elements. IPP does not differentiate between the PWG Processing Elements subgroups
829 of Rendering, Imposition and Finishing Elements.

830