

# Mapping of IPP Attributes to JDF/1.1 Product Intent and Process Resources **(Non-color/imaging attrs = Hidden text)**

**Green highlighted text like this means the JDF extension has been edited into a copy of JDF/1.1a for review**

From: Claudia Alimpich, IBM, Tom Hastings, Don Fullman, Xerox

~~1916 December 2002~~ ~~613 January 2003~~

File: ippjdf-mapping-~~136-Jan-2003~~~~1916-Dec-2002~~.doc

**Formatted for legal size paper (8.5 x 14 inches)**

Version 0.~~25~~~~24~~

## Abstract

This document lists the subset of JDF/1.1 (plus extensions for JDF/1.2) for the Digital Printing Interoperability Conformance Specification (ICS). The ICS will contain both an Intent Interface subset and a Digital Printing combined process subset. To obtain a reasonable JDF/1.1 subset, this document maps IPP 1.1 Job Creation attributes and extensions to JDF 1.1 Product Intent, JDF/1.1 Digital Printing combined process, JDF/1.0 IDPrinting process, Job Ticket API (JTAPI), the Common Unix Printing System (CUPS), and the PODi PPML Job Ticket. A percentage of IPP covered by each of these other printing semantics is included. Finally, each IPP attribute is also described briefly with references to the detailed descriptions. **ISSUES needing action and proposed JDF extensions are highlighted like this.** Proposed extensions are also listed in Table 3 and Table 4.

## Status of this document:

This is an intermediate/rough working document, not a final edition.

## Table of Contents

1	Mapping of IPP attributes.....	2
2	Proposed clarifications and extensions to JDF/1.1 for JDF/1.2 needed by the Product Intent and/or Process Resource mappings .....	81
3	Suggested extensions to IPP needed by the JDF Product Intent and/or Process Resource subset chosen .....	83
4	CUPS Job Template extensions to IPP .....	83
5	Attributes for the proposed PDC document .....	84
6	References.....	85
7	Change Log.....	86
7.1	Changes to make version 0.3, September 24, 2002: .....	87
7.2	Changes to make version 0.4, September 28, 2002: .....	87
7.3	Changes to make version 0.5, October 5, 2002: .....	87
7.4	Changes to make version 0.6 October 14, 2002: .....	87
7.5	Changes to make version 0.7, October 16, 2002: .....	87
7.6	Changes to make version 0.8, October 18, 2002: .....	87
7.7	Changes to make version 0.9, October 28, 2002: .....	87
7.8	Changes to make version 0.90 (0.10), November 01, 2002: .....	88
7.9	Changes to make version 0.91 (0.11), November 08, 2002: .....	88
7.10	Changes to make version 0.92 (0.12), November 18, 2002: .....	88
7.11	Changes to make version 0.93 (0.13), November 18, 2002: .....	88
7.12	Changes to make version 0.94 (0.14), November 28, 2002: .....	88
7.13	Changes to make version 0.95 (0.15), December 02, 2002: .....	89
7.14	Changes to make version 0.96 (0.17), December 03, 2002: .....	89
7.15	Changes to make version 0.97 (0.18), December 06, 2002: .....	89
7.16	Changes to make version 0.971 (0.19), December 07, 2002: .....	90
7.17	Changes to make version 0.972 (0.20), December 10, 2002: .....	90
7.18	Changes to make version 0.21, December 16, 2002: .....	90

7.19 Changes to make version 0.22, December 17, 2002: .....90  
 7.20 Changes to make version 0.23, December 18, 2002: .....91  
 7.21 Changes to make version 0.24, January 6, 2003: .....91  
 7.22 Changes to make version 0.25, January 13, 2003: .....91

Table of Tables

Table 1 - Legend for the columns in Table 2 .....2  
 Table 2 - IPP Attribute Mapping Table .....5  
 Table 3 - Proposed clarifications and extensions to JDF/1.1 for JDF/1.2 needed by the *Product Intent* Resources .....81  
 Table 4 - Proposed clarifications and extensions to JDF/1.1 for JDF/1.2 needed by the *Process* Resources .....82  
 Table 5 - Suggested extensions to IPP Color & Imaging Specification needed by the JDF Product Intent and/or Process Resource subset chosen .....83  
 Table 6 - CUPS Job Template extensions to IPP .....83  
 Table 7 - Attributes for the proposed PDC document .....84

1 Mapping of IPP attributes

Table 2 lists all of the IPP Job attributes that a client can supply or a Printer can return in Job Creation operations. Table 1 is the legend that explains the columns in Table 2:

Table 1 - Legend for the columns in Table 2

Column heading	Totals	% IPP <sup>1</sup>	Description
IPP Attribute Name	251 <sup>2</sup> = 209 + 42 (S)	100	The name of the IPP attribute or collection member attribute. <ul style="list-style-type: none"> <li>(S) - Status Set by System. The IPP attribute that represents Status that is Set by the System, such as the “job-state” and “number-of-intervening-jobs” attributes, and cannot be supplied by the client in a Job Creation request.</li> <li>(M) - Multiple-document-handling affects semantics. The attribute whose effect depends on the "multiple-document-handling" attribute to specify whether the Input Document in multi-document jobs are combined into a single Output Document or are kept as separate Output Documents.</li> <li>(Mn) - Multiple-document-handling affects page numbering only. The attribute in which “multiple-document-handling” only affects whether the page numbers in the attribute are a single sequence 1:n for the concatenated documents or are separate sequences of 1:n, one for each document.</li> </ul> If an IPP attribute does not exist for a certain feature/function then a brief description of the feature/function will. <b>MS-WORD</b> Styles used: Member attribute names (members of collection attributes) (style: Normal Mem) and attribute values are indented (style: Normal Val). Double indenting for nested member attributes (style: Normal Mem1) and member attribute values (style: Normal Val1).
P (Priority)	H (High) = 94 M (Medium) = 19 L (Low) = 62 N (Never) = 45	37% 8% 25% 18%	The priority in which to include the feature/function in the definition of a job ticket for digital printing: <ul style="list-style-type: none"> <li>H (High) - It is imperative that the feature/function be included in the initial version of the job ticket for digital printing if the job ticket is to be useful.</li> <li>M (Medium) - The feature/function should be one of the first to be considered for the next version of the job ticket for digital printing. We will still review proposed JDF extensions for JDF/1.2 for these.</li> <li>L (Low) - The feature/function can be included in a later version of the job ticket for digital printing. We won't review JDF extensions for JDF/1.2.</li> <li>N (Never) - The feature/function will not be included in any version of the job ticket for digital printing. We won't review JDF extensions for JDF/1.2.</li> </ul>
JDF 1.1 Product Intent	90 (including 27 new	36%	The JDF 1.1 Product Intent Resource and JDF attribute using a subset of the XPath [xpath] notation. The following subset of the XPath expression notation is used to specify a JDF element or attribute: The JDF element or attribute usually occurs inside a JDF resource. Start the XPath expression at the resource level and show

<sup>1</sup> The % of IPP is the percent of the (last counted in version 0.94, November 29, 2002) IPP attributes, including collection member attributes, that can be supplied in a Job Creation operation request.

<sup>2</sup> The total of IPP attributes (last counted in version 0.94, November 29, 2002) includes counting the member attributes of the collection attributes.

Column heading	Totals	% IPP <sup>1</sup>	Description
	proposed)		<p>all the child relationships down to the element or attribute we are mapping to, qualified with predicates as needed. A parent-child relationship is represented with '/'. An element name is just the unadorned element name. An attribute name is prefixed with '@'. Example: RunList/LayoutElement/FileSpec/@URL is the URL attribute of the FileSpec resource element in the LayoutElement resource element in the RunList resource. A predicate is enclosed in '[']. So the meaning of: IDPrintingParams/JobSheet/Comment[@Name="job-recipient-name"] is the text field of the Comment element in the JobSheet resource element in the IDPrintingParams resource element when the value of the Name attribute in the Comment element is "job-recipient-name". For example, ComponentLink[@ProcessUsage="Good"]/@Amount is the Amount attribute of the ComponentLink element whose ProcessUsage attribute is set to "Good". (ComponentLink is a ResourceLink, not a Resource, so it's one of the unusual cases where we are not mapping into a resource.)</p> <ul style="list-style-type: none"> <li>• <b>Unknown</b> - Indicates that it has not yet been determined if a JDF Intent resource/attribute currently exists for the feature/function. This will be the case for most of the features/functions with a Priority of Medium or Low.</li> <li>• N/A - <b>Not Applicable</b> - It is not necessary that this feature/function be represented by a JDF Intent resource/attribute. This will be the case for the features/functions with a Priority of Never.</li> <li>• (P) - <b>Process</b>. The feature/function is part of the Intent Interface (what a Customer puts into a JDF ticket to give to a Print Shop) to be specified by the ICS but <b>does is</b> not currently <b>have a</b> defined using JDF/1.1a Product Intent <b>resource</b>. Instead, this feature will be represented in the JDF Intent subset using the corresponding Process resource <b>attached to insert in</b> the Product Intent node, thereby avoiding adding duplicative syntax to JDF and facilitating the mapping from the Intent subset to the DigitalPrinting combined process representation. <b>See JDF/1.1 section 4.1.4 "Specification of Process Specifics for Product Intent Nodes" for details and an example.</b></li> <li>• (S) - <b>Same</b>. The feature/function has the same semantics in the JDF 1.1 Product Intent and JDF 1.1 Process Resource.</li> <li>• (N) - <b>Needed New</b>. The JDF for the feature/function is not currently defined in the JDF 1.1 spec and needs to be added. <b>JDF Resources and attributes highlighted like this indicate the modified part of the proposed or approved JDF extension. Existing parts of an extension are not highlighted. Promoting an element is not highlighted in this table, though any change is so highlighted in the edited JDF/1.1a spec. See Table 3 and Table 4 for the status of the extension. The edited version of the JDF/1.1a spec with the proposed extension can be found:</b>  <a href="ftp://ftp.pwg.org/pwg/fsg/jobticket/IPP_Mapping/ippidf-mapping-latest.pdf">ftp://ftp.pwg.org/pwg/fsg/jobticket/IPP_Mapping/ippidf-mapping-latest.pdf</a>  <a href="ftp://ftp.pwg.org/pwg/fsg/jobticket/IPP_Mapping/ippidf-mapping-latest.doc">ftp://ftp.pwg.org/pwg/fsg/jobticket/IPP_Mapping/ippidf-mapping-latest.doc</a></li> </ul> <p>JDF attribute values are <i>not</i> italicized as in [JDF] and are <i>not</i> indented or single quoted.</p>
JDF 1.1 Process Resource	174 (including 22 new proposed)	69%	<p>The JDF 1.1 Process on the first line (or several Processes separated by commas, if more than one Processes uses the Resource), followed by the Resource, and JDF attribute using XPath notation (see explanation of XPath subset in the explanation above).</p> <ul style="list-style-type: none"> <li>• <b>Unknown</b> - Indicates that it has not yet been determined if a JDF Process resource/attribute currently exists for the feature/function. This will be the case for most of the features/functions with a Priority of Medium or Low.</li> <li>• N/A - <b>Not Applicable</b> - It is not necessary that this feature/function be represented by a JDF Process resource/attribute. This will be the case for the features/functions with a Priority of Never.</li> <li>• (S) - <b>Same</b>. The feature/function has the same semantics in the JDF 1.1 Product Intent and JDF 1.1 Process Resource.</li> <li>• (N) - <b>Needed New</b>. The JDF for the feature/function is not currently defined in the JDF 1.1 spec and needs to be added. <b>JDF Resources and attributes highlighted like this indicated the modified part of the proposed or approved JDF extension. Existing parts of an extension are not highlighted. Promoting an element is not highlighted in this table, though any change is so highlighted in the edited JDF/1.1a spec. See Table 3 and Table 4 for the status of the extension. The edited version of the JDF/1.1a spec with the proposed extension can be found:</b>  <a href="ftp://ftp.pwg.org/pwg/fsg/jobticket/IPP_Mapping/ippidf-mapping-latest.pdf">ftp://ftp.pwg.org/pwg/fsg/jobticket/IPP_Mapping/ippidf-mapping-latest.pdf</a>  <a href="ftp://ftp.pwg.org/pwg/fsg/jobticket/IPP_Mapping/ippidf-mapping-latest.doc">ftp://ftp.pwg.org/pwg/fsg/jobticket/IPP_Mapping/ippidf-mapping-latest.doc</a></li> </ul> <p>JDF attribute values are <i>not</i> italicized (<b>unlike as in</b> [JDF]) and are <i>not</i> indented or single quoted.</p>
OSDP JDF Spec	69	27%	<p>Whether or not the feature is in the "JDF Specification for Open Source Digital Printing" from Claudia Alimpich, version 1.2 [OSDP] and if it is what the feature/function is called in the JDF Spec for OSDP.</p> <ul style="list-style-type: none"> <li>• No - The feature/function is not currently in the JDF Spec for OSDP.</li> <li>• (X) - The feature/function is either currently included in the JDF Spec for OSDP or needs to be added.</li> </ul>
JTAPI	1.0 = 90 x.x = 121	36% 48%	<p>The version of JTAPI that the feature/function will be included in and the name of the JTAPI attribute.</p> <ul style="list-style-type: none"> <li>• 1.0 - The feature/function will be included in version 1.0 of the JTAPI.</li> </ul>

Column heading	Totals	% IPP <sup>1</sup>	Description
			<ul style="list-style-type: none"> <li>x.x - The feature/function is to be included in a future (currently undefined) release of the JTAPI.</li> <li>Never - The feature/function will never be included in the JTAPI.</li> </ul> <p><u>MS-WORD</u> Styles used: Normal JT attr - hanging indent 0.2 inches.</p>
CUPS	113 = 90 + 23 (S)	45%	The version of the Common Unix Printing System (CUPS) in which the IPP attribute is supported or No if the IPP attribute is not supported in any version of CUPS. See "(S)" explained above.
JDF APP F	89	35%	Whether or not the Appendix mapped the IPP attribute to JDF 1.0 IDPrinting combined process node <ul style="list-style-type: none"> <li>Yes - The IPP attribute was mapped from the IDPrinting process node in JDF 1.0.</li> <li>No - The IPP attribute was not mapped from the IDPrinting process node in JDF 1.0.</li> </ul>
PODi	1.1 = 20 EFI = 63	8% 25	Where the feature/function is included: <ul style="list-style-type: none"> <li>1.1 - The feature/function is currently included in the PODi PPML Job Ticket Specification Version 1.1.</li> <li>EFI - The feature/function is included in the "EFI Job Ticket Proposal" document.</li> </ul>
Cat (Category)	1 = 8 2 = 5 3 = 11 4 = 4 5 = 29 6 = 26 7 = 27 8 = 29 9 = 2 10 = 22 11 = 2 C	3% 2% 4% 2% 12% 10% 11% 12% 1% 9% 1%	The category that the feature/function belongs to. The possible categories are: <ul style="list-style-type: none"> <li>1 - Customer and billing info</li> <li>2 - Delivery of finished product - due date and shipping instructions, proofing approvals</li> <li>3 - Files being submitted to the shop - whatever info is necessary for an automated system to do the job</li> <li>4 - What to print - how many, subset of files</li> <li>5 - Media to use</li> <li>6 - RIPping parameters - generating images</li> <li>7 - Assembling printable images from source-file pages onto a sheet</li> <li>8 - Assembling sets of sheets and finishing instructions</li> <li>9 - Equipment to use</li> <li>10 - General comments, instructions, messages, and information</li> <li>11 - Proofing</li> <li>C - indicates a color or imaging attribute and is orthogonal to the numeric categories.</li> </ul>
IPP Attribute Description			<p>The IPP attribute name, the attribute syntax (data type) in parentheses with a size constraint for strings and integers, a code indicating the IPP object, followed by a brief description of the IPP attribute and what IPP document it is defined in (see References section 6). <b>WARNING: Do not attempt to implement from these brief descriptions. You MUST refer to each cited reference. For example, the IPP coordinate system is defined so the terms left, top, right, and bottom in attribute values and descriptions mean as if the document were portrait, i.e., left means the y-axis which is always the long edge and bottom means the x-axis which is always the short edge.</b></p> <p><b>In order to save space, some of the closely related attribute names indicate several alternative fields inside {} and separated by  . For example:</b> halftone-{graphics   images   text}</p> <p><b>Legend for codes in square brackets:</b></p> <p><b>JD</b> - Job Description attribute - initial value supplied by the client (in an Operation attribute of a Job Creation operation).</p> <p><b>JT</b> - Job Template<sup>3</sup> attribute - supplied by the client in a Job Creation operation.</p> <p><b>DD</b> - Document Description attribute (see [doc-obj]) - initial value supplied by the client (in a Operation attribute of a Document Creation operation).</p> <p><b>DT</b> - Document Template attribute - supplied by the client in a Document Creation operation.</p> <p><b>PO</b> - Page Override attribute - this attribute MAY also be supplied in a "page-overrides" attribute to affect ranges of pages.</p>

<sup>3</sup> In IPP, there are many attributes that are labeled as both Job Template (JT) and the new Document Template (DT). However, In the PWG Semantic Model [pwg-sm], an attribute is labeled either a Job Processing attribute or a Document Processing attribute, but is never labeled as both. Therefore, IPP attributes labeled with just JT map to PWG Job Processing attributes and IPP attributes labeled with either just DT or both JT and DT map to PWG Document Processing attributes.

Column heading	Totals	% IPP <sup>1</sup>	Description
			<p><b>JS</b> - Job Status attribute - set by the Printer, client cannot supply (returned by the Printer in a Job object query or Operation attribute). Also indicated by "(S)" in the "IPP Attribute Name" column.</p> <p><b>DS</b> - Document Status attribute - set by the Printer, client cannot supply (returned by the Printer in a Document object query or Operation attribute). Also indicated by "(S)" in the "IPP Attribute Name" column.</p> <p>- - indicates that there is no corresponding Job Status attribute or Document Status attribute.</p> <p>In attribute names <b>[job-]</b> indicates that the 'job-' prefix is kept for the IPP Job Status attribute name but is dropped for the corresponding IPP Document Status attribute name. A single description serves for both using "Job/Document" to indicate that the description applies to both the Job Status and the Document Status attribute. The entry in Table 2 uses the form of the name with the 'job-', since that form is the one in [RFC2911].</p> <p><u>MS-WORD</u> Styles used: IPP attribute values are bracketed with a single quote (') and indented (style: Normal Val). Member attributes are put in separate rows with no indentation (style: Normal), so that they line up with other entries in other columns.</p>
<a href="#">JDF/1.0 IDPrinting</a>	89	35%	<p><u>Specified the mapping to JDF/1.0 using the IDPrinting combined process. The mapping to IPP is specified in JDF/1.0 Appendix F. The first line is a JDF process. If the first line is not IDPrinting, then the specified process is combined with the IDPrinting combined process node. "N/A" indicates that there is no applicable mapping in JDF/1.0 (without an extension). Whether or not the Appendix mapped the IPP attribute to JDF 1.0 IDPrinting combined process node</u></p> <p><input type="checkbox"/> Yes - The IPP attribute was mapped from the IDPrinting process node in JDF 1.0.</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> No - The IPP attribute was not mapped from the IDPrinting process node in JDF 1.0.</li> </ul>

**Table 2 - IPP Attribute Mapping Table**

IPP Attribute Name	P	PODi	C at	JDF 1.1 Product Intent	JDF 1.1 Process Resource	OSDP JDF Spec	JTAPI	CU PS	IPP Attribute Description	JDF/1.0 IDPrinting
adjust-{cyan-red   magenta-green   yellow-blue}	H		C	<p>Add: ColorCorrectionParams to ColorIntent (N):</p> <p>ColorIntent/ColorCorrectionParams/</p> <p>@AdjustCyanRed</p> <p>@AdjustMagentaGreen</p> <p>@AdjustYellowBlue (integer (-100:100)) (N) (S)</p> <p>Add integer knob for Job Submitters who need quick and dirty last-minute fixes.</p> <p>ISSUE: Or should all</p>	<p>ColorCorrection</p> <p>ColorCorrectionParams</p> <p>/</p> <p>@AdjustCyanRed</p> <p>@AdjustMagentaGreen</p> <p>@AdjustYellowBlue (integer (-100:100)) (N) (S)</p> <p>Add integer knob for Job Submitters who need quick and dirty last-minute fixes.</p>				<p><b>adjust-{cyan-red   magenta-green   yellow-blue}</b> (integer(-100:100)) [JT, DT, PO] Increase or decrease the color along the Cyan/Red, Magenta/Green/ or Yellow/Blue axes while maintaining lightness <u>to be</u> applied at an implementation dependent point in the processing. [color&amp;img] §3.2.1</p>	TBD N/A

IPP Attribute Name	P	PODi	C at	JDF 1.1 Product Intent	JDF 1.1 Process Resource	OSDP JDF Spec	JTAPI	CU PS	IPP Attribute Description	JDF/1.0 IDPrinting
				of these AdjustXxxx "knobs" be done by inserting an incomplete Process node into the Product node. The Product node would contain a Waiting ColorCorrection process and an Incomplete ColorCorrectionParams process resource containing only the AdjustXxxx attribute. See JDF/1.1 section 4.1.4 "Specification of Process Specifics for Product Intent Nodes". Then ColorIntent would not need the ColorCorrectionParams process resource added to it.						
adjust-contrast	H	EFI Image Quality – Contrast	6 C	Add: ColorCorrectionParams to ColorIntent (N); ColorIntent/ColorCorrectionParams/ @AdjustContrast (integer (-100:100)) (N) (S)	ColorCorrection ColorCorrectionParams / @AdjustContrast (integer (-100:100)) (N) (S)	No (X)			<b>adjust-contrast</b> (integer(-100:100)) [JT, DT, PO] Increase or decrease contrast <u>to be applied at an implementation dependent point in the processing after applying the Source Profile before output color rendering.</u> [color&img] §3.2.2	N/A TBD
adjust-hue	M		C	Add: ColorCorrectionParams to ColorIntent (N); ColorIntent/ColorCorrectionParams/ @AdjustHue (integer (-180:180)) (N) (S)	ColorCorrection ColorCorrectionParams / @AdjustHue (integer (-180:180)) (N) (S) apply to all kinds of objects.			1.2	<b>New IPP attribute:</b> <b>adjust-hue</b> (integer(-180:180)) [JT, DT, PO] Increase or decrease hue by the specified number of degrees of the color circle <u>to be applied at an implementation dependent point in the processing after applying the Source Profile before output color rendering.</u> Mostly useful for synthetic color or single color pages or graphics. What about applying only	N/A

IPP Attribute Name	P	PODi	C at	JDF 1.1 Product Intent	JDF 1.1 Process Resource	OSDP JDF Spec	JTAPI	CU PS	IPP Attribute Description	JDF/1.0 IDPrinting
									to graphics? proposed to be added to [color&img].	
adjust-lightness	H	EFI Image Quality – Brightness	6 C	Add: ColorCorrectionParams to ColorIntent (N):  ColorIntent/ColorCorrectionParams/ @AdjustLightness (integer (-100:100)) (N) (S)	ColorCorrection ColorCorrectionParams / @AdjustLightness (integer (-100:100)) (N) (S)	No (X)			<b>adjust-lightness</b> (integer(-100:100)) [JT, DT, PO] Increase or decrease color lightness <u>while maintaining colorfulness to be applied at an implementation dependent point in the processing.</u> [color&img] §3.2.3	N/A TBD
<b>adjust-profile</b>  Abstract Profile for preference adjustment	M		C	Add: ColorCorrectionParams to ColorIntent (N):  ColorIntent/ColorCorrectionParams/ FileSpec/ [@ResourceUsage="AbstractProfile"] (N) Add this new file spec to allow specification of preferential color adjustment. (N) (S) <sup>4</sup>	ColorCorrection ColorCorrectionParams / FileSpec/ [@ResourceUsage="AbstractProfile"] (N) (S) Add this new file spec to allow specification of preferential color adjustment.				<b>Proposed new IPP attribute: adjust-profile</b> (uri) [JT, DT, PO] Identifies the <b>Abstract Profile (by URI) for preference adjustment that the Printer MUST fetch and apply</b> after applying the Source Profile before output color rendering, i.e., PCS to PCS'. PDL Objects that are already encoded in final device code values (e.g., actual Device CMYK) <b>MUST NOT</b> be affected.  Both the Abstract Profile and the adjustment knobs (integers) can be supplied and applied by the Printer.  One important use of this attribute would be for viewing environment adaptations and white point adjustment.  Propose to IPP WG for addition to IPP.	N/A
adjust-saturation	H		C	Add: ColorCorrectionParams to ColorIntent (N):  ColorIntent/ColorCorrectionParams/ @AdjustSaturation	ColorCorrection ColorCorrectionParams / @AdjustSaturation (integer(-100:100)) (N) (S)				<b>adjust-saturation</b> (integer(-100:100)) [JT, DT, PO] Increase or decrease the color saturation <u>to be applied at an implementation dependent point in the processing after applying the Source Profile before output color rendering.</u> [color&img] §3.2.4	N/A TBD

<sup>4</sup> For example, a customer might use a Photoshop plug-in to generate an abstract profile, after viewing the job color objects through a softproofing image path.

IPP Attribute Name	P	PODi	C at	JDF 1.1 Product Intent	JDF 1.1 Process Resource	OSDP JDF Spec	JTAPI	CU PS	IPP Attribute Description	JDF/1.0 IDPrinting
				(integer (-100:100)) (N) (S)						
anti-aliasing	M	(Anti-aliasing)	6 C	ISSUE: Should we do intent anti-aliasing with Process or add an AntiAliasing attribute to some Intent Resource? Which one?(P)	Rendering RenderingParams/ ObjectResolution/ <b>@AntiAliasing (N)</b> (NMTOKEN)	No (X)			<b>anti-aliasing</b> (type3 keyword) [JT, DT, PO] Indicates the anti-aliasing algorithm that the Printer object MUST apply to the rendered output images. [color&img] §4.1	<b>N/A/TBD</b>
'none'	M				None				'none'	
'standard'	M				SystemSpecified - the Default ISSUE: OK that SystemSpecified is the default value?				'standard'	
attributes-charset	N			Get from the <b>encoding=</b> XML attribute declaration in the XML prolog	Get from the <b>encoding=</b> XML attribute declaration in the XML prolog	No	<b>1.0 jt-charset</b>	1.1	<b>attribute-charset</b> (charset) [JT, DD] This attribute identifies the charset (coded character set and encoding method) used by any 'text' and 'name' attributes (1) that the client is supplying in this request and (2) that the Printer SHOULD return in any response.	Get from the encoding= XML attribute declaration in the XML prolog
'utf-8'									'utf-8'	
'us-ascii'									'us-ascii'	
'iso-8859-1'									'iso-8859-1'	
'iso-10646-ucs-2'									'iso-10646-ucs-2' Note: This value has been deprecated in both ISO10646 and unicode.	
attributes-natural-language	N			NodeInfo/ <b>@NaturalLang</b>	NodeInfo/ <b>@NaturalLang</b>	No	<b>x.x</b>	1.1	<b>attributes-natural-language</b> (naturalLanguage) [JD, DD] This attribute identifies the natural language used by any 'text' and 'name' attributes (1) that the client is supplying in this request and (2) that the Printer SHOULD return in any response.	IDPrintingParams/ <b>@AttributesNaturalLang</b>
'en-us'									'en-us'	<b>'en-us'</b>
<b>black-detection- {graphics   images   text}</b>	<b>H</b>	<b>EFL Image Quality - Black Detection</b>	<b>6 C</b>	<b>Add ColorSpaceConversionParams to ColorIntent (N)  ColorIntent</b>	<b>ColorSpaceConversion ColorSpaceConversionParams/ ColorSpaceConversionOp/ <b>@RGBGray2Black</b></b>				<b>black-detection-<del>{graphics   images   text}</del></b> (boolean) [JT, DT, PO] [Taken from JDF ColorSpaceConversionParams/ColorSpaceConversionOp/RGBGray2Black - which needs work] Controls what	Same as for the DigitalPrinting process. Use the ColorSpaceConversion process



IPP Attribute Name	P	PODi	C at	JDF 1.1 Product Intent	JDF 1.1 Process Resource	OSDP JDF Spec	JTAPI	CUPS	IPP Attribute Description	JDF/1.0 IDPrinting
				ColorSpaceConversionParams/ColorSpaceConversionOp/@RGBGray2Black (boolean) @SourceObjects [Text='text', LineArt or SmoothShades ='graphics', ImagePhotographic or ImageScreenShot = 'images']	(boolean) @SourceObjects [Text='text', LineArt or SmoothShades ='graphics', ImagePhotographic or ImageScreenShot = 'images'] ISSUE: Need to add threshold instead of boolean to JDF.				happens to gray values (R = G = B) when converting from RGB to CMYK for graphics, images, and text independently. In the case of MS Office applications and screen dumps, there are a number of gray values in the images and line art. Printers do not want to have CMY under the K (causes registration problems). Therefore, they prefer to have K only, so the Printer converts the gray values to K. ISSUE: so does the Printer skip over images when this attribute is true, or must the client supply false for images? Agree to add three attributes. Done	combined with the IDPrinting process.
black-detection-threshold	M		6 C	Add ColorSpaceConversionParams to ColorIntent (N) ColorIntent ColorSpaceConversionParams/ColorSpaceConversionOp/@RGBGray2Black (boolean) @RGBGray2BlackThreshold (number) @SourceObjects [Text='text', LineArt or SmoothShades ='graphics', ImagePhotographic or ImageScreenShot = 'images']	ColorSpaceConversion ColorSpaceConversionParams/ColorSpaceConversionOp/@RGBGray2Black (boolean) @RGBGray2BlackThreshold (number) @SourceObjects [Text='text', LineArt or SmoothShades ='graphics', ImagePhotographic or ImageScreenShot = 'images']				black-detection-threshold-{graphics   images   text} (integer(0:100)) [JT, DT, PO] A value between 0 and 100 which specifies the percentage threshold value above which the Printer must not convert gray (R = G = B) to black (K only) when RGBGray2Black is true. So a 0 value means convert only R = G = B = 0 (black) to K only. A 100 value means all values of R = G = B are converted to K if black-detection-{graphics   images   text} (boolean) is 'true'. ISSUE: Is black-detection-threshold-{graphics   images   text} (integer(0:100)) description OK?	N/A
black-overprint	H	1.1 Black Overprint	6 C	Designer may specify black-overprint on. Add AutomatedOverprintParams to ColorIntent (N)	Rendering RenderingParams/AutomatedOverprintParams/@OverPrintBlackText @OverPrintBlackLineArt	Black Overprint (X)			black-overprint (type2 keyword) [JT, DT, PO] Turn black overprint on color background on or off. For the 'black-overprint-on' value the Printer MUST place black toner on top of color toner. For the 'black-overprint-off' value the Printer MUST knock out the	IDPrinting RenderingParams/AutomatedOverprintParams/@OverPrintBlackText RenderingParams/

IPP Attribute Name	P	PODi	C at	JDF 1.1 Product Intent	JDF 1.1 Process Resource	OSDP JDF Spec	JTAPI	CUPS	IPP Attribute Description	JDF/1.0 IDPrinting
				<p><b>ColorIntent/ SeparationControlParams/ AutomatedOverprintParams/ @OverPrintBlackText @OverPrintBlackLine Art (N) (S)</b></p> <p><b>ISSUE:</b>  <b>SeparationControlParams contains only AutomatedOverprintParams and TransferFunctionControl. See "trc" below which uses TransferFunctionControl added to ColorIntent. So why did we agree to add both AutomatedOverprintParams and TransferFunctionControl to ColorIntent, when we could have just added SeparationControlParams to ColorIntent?</b></p>	<p>OR</p> <p>Separation SeparationControlParams/ AutomatedOverprintParams/ @OverPrintBlackText @OverPrintBlackLineArt (S)</p>				<p>color background, so that the black toner is not placed on top of color toner. For the 'black-overprint-pdl' value the Printer MUST use the overprint specified in the PDL document content. <b>Add black-overprint-pdl to IPP.</b>[color&amp;img] §3.33</p>	<p>AutomatedOverprintParams/ @OverPrintBlackLineArt</p>
'black-overprint-off'	N			N/A	N/A				'black-overprint-off'	
'black-overprint-on'	H			true	true				'black-overprint-on'	
'black-overprint-pdl'	H			false	false				'black-overprint-pdl'	
color-depth-yyy	L		C	N/A	<p>Rendering RenderingParams/ @ColorantDepth                      Note: In order to control the ColorantDepth by colorant, partition with PartIDKeys="Separation" and specify a separate color for each partition.</p>				<p><b>color-depth-yyy</b> (integer(2:MAX)) [JT, DT, PO] Specifies the color depth (bits per pixel) that the Printer MUST use for colorant "yyy" depending on the colorants supported by the Printer.                      Values of "yyy" include: black, cyan, magenta, yellow, red, green, blue, cardinal, royal, ruby, violet, and brown. [color&amp;img] §3.4</p>	<p>IDPrinting RenderingParams/ @ColorantDepth</p>

IPP Attribute Name	P	PODi	C at	JDF 1.1 Product Intent	JDF 1.1 Process Resource	OSDP JDF Spec	JTAPI	CU PS	IPP Attribute Description	JDF/1.0 IDPrinting
					ISSUE: Is partitioning with PartIDKeys="Separation" the way to specify different color depths for different colors?					
color-destination-profile-back	H		C	<p>Print shop customers need to be able to specify Add: ColorSpaceConversionParams to ColorIntent (N):</p> <p>ColorIntent/ColorSpaceConversionParams/ FileSpec [@ResourceUsage="FinalTargetDevice"] (S)</p> <p>Note: Partition with PartIDKeys="Side" to get different Profiles for front and back of sheets.</p>	<p>ColorCorrection ColorCorrectionParams / FileSpec [@ResourceUsage="FinalTargetDevice"]</p> <p>or</p> <p>ColorSpaceConversion, Proofing, SoftProofing ColorSpaceConversionParams/ FileSpec [@ResourceUsage="FinalTargetDevice"] (S)</p> <p>ISSUE: Do we really need the ColorSpaceConversion for our mapping and subset for use with the DigitalPrinting process too?</p> <p>Note: Partition with PartIDKeys="Side" to get different Profiles for front and back of sheets.</p> <p>ISSUE: What is the difference between ColorCorrection and ColorSpaceConversion?</p> <p>ISSUE: Do we need to specify both in the ICS?</p> <p>ISSUE: Can both processes be used with</p>				<p><b>color-destination-profile-back</b> (type3 keyword   name(MAX)) [JT, DT, PO] Specifies the Destination Color Space Profile that the Printer is to use for the back side of the output media. [color&amp;img] §3.5.1</p>	<p><a href="#">ColorCorrection</a> <a href="#">ColorCorrectionParams/</a> <a href="#">ColorSpaceConversionParams/</a> FileSpec [@ResourceUsage="FinalTargetDevice"]</p>

IPP Attribute Name	P	PODi	C at	JDF 1.1 Product Intent	JDF 1.1 Process Resource	OSDP JDF Spec	JTAPI	CU PS	IPP Attribute Description	JDF/1.0 IDPrinting
					FinalTargetDevice in the same Job Ticket?					
'system-specified' <i>any name</i>									'system-specified' <i>any name</i>	
color-destination-profile-front	H		C	Print shop customers need to be able to specify Add: ColorSpaceConversionParams to ColorIntent (N); ColorIntent/ColorSpaceConversionParams/ FileSpec [ @ResourceUsage="FinalTargetDevice" ] (S)  Note: Partition with PartIDKeys="Side" to get different Profiles for front and back of sheets.	ColorCorrection ColorCorrectionParams / FileSpec [ @ResourceUsage="FinalTargetDevice" ]  or ColorSpaceConversion, Proofing, SoftProofing ColorSpaceConversionParams/ FileSpec [ @ResourceUsage="FinalTargetDevice" ] (S)  Note: Partition with PartIDKeys="Side" to get different Profiles for front and back of sheets.				<b>color-destination-profile-front</b> (type3 keyword   name(MAX)) [JT, DT, PO] Specifies the Destination Color Space Profile that the Printer is to use for the front side of the output media. [color&img] §3.5.2	<a href="#">ColorCorrection</a> <a href="#">ColorCorrectionParams/</a> <a href="#">ColorSpaceConversionParams/</a> FileSpec [ @ResourceUsage="FinalTargetDevice" ]
'system-specified' <i>any name</i>									'system-specified' <i>any name</i>	
color-effects-type	H	1.1 Color Mode EFI Color – Color Mode	6 C	ColorIntent/ @ColorStandard	DigitalPrinting, ColorSpaceConversion ColorantControl/ @ProcessColorModel	Process Color Model (X)			<b>color-effects-type</b> (type2 keyword) [JT, DT, PO] Indicates whether the Printer is to render a color document in full color or using an algorithm that maps the full range of colors to alternate values, such as gray scale or monochrome. [color&img] §3.6	<a href="#">IDPrinting</a> ColorantControl/ @ProcessColorModel
'monochrome-grayscale'				Monochrome ISSUE: Use color depth to distinguish between monochrome and gray scale or add GrayScale value to ColorStandard attribute?	DeviceGray				'monochrome-grayscale'	<a href="#">DeviceGray</a>
'color'				CMYK ISSUE: What does	DeviceCMYK				'color'	<a href="#">DeviceCMYK</a>

IPP Attribute Name	P	PODi	C at	JDF 1.1 Product Intent	JDF 1.1 Process Resource	OSDP JDF Spec	JTAPI	CU PS	IPP Attribute Description	JDF/1.0 IDPrinting
				Consumer of JDF assume if ColorIntent resource is omitted? Does the Print Shop have to interrogate the PDL?						
color-emulation	H		C	ColorIntent/ @ColorStandard  AND/OR  Add: ColorSpaceConversionParams to ColorIntent (N):  ColorIntent/ ColorSpaceConversionParams/ FileSpec [@ResourceUsage="EmulationProfile"] (N) (S)  If both supplied, the Profile gives the details of the ColorStandard value.	<b>DigitalPrinting</b> Ink/ @Family  OR should we use: ColorIntent/ @ColorStandard ISSUE: Which one of the above are we going to pick for the ICS?  AND/OR be used in combination with:  ColorSpaceConversion, Proofing, SoftProofing <b>ColorSpaceConversionParams/</b> FileSpec/ [@ResourceUsage="EmulationProfile"] (N)				<b>color-emulation</b> (type3 keyword   name (MAX)) [JT, DT, PO] Causes the Printer to emulate the output of a different color-printing device. [color&img] §3.7	<b>IDPrinting</b> Ink/@Family  ColorSpaceConversion, Proofing, SoftProofing <b>ColorSpaceConversionParams/</b> FileSpec/ [@ResourceUsage="EmulationProfile"] (N) Specify new values for @ResourceUsage = "EmulationProfile"
'none'				Values of ColorStandard: CMYK	ISSUE: Specify new values for @ResourceUsage = "EmulationProfile" (N) TBD				'none' - No emulation is applied in the printer; the Printer's native color information is used.	TBD
'swop'				SWOP Same as: ICC CGATS TR 001 (N)	TBD				'swop' - Emulate the CMYK SWOP (i.e. Standard Web Offset Press) ink color gamut when printed on coated media (see [SWOP] for technical specifications and overviews).	TBD
'euroscale'				ISSUE: Is this the correct equivalent: ICC OF COM PO P1 F61 FOGRA coated?? (N)	TBD				'euroscale' - Emulate the European ink color gamut standard for offset presses when printed on coated media (European equivalent to the US SWOP standard [SWOP] – has	TBD

IPP Attribute Name	P	PODi	C at	JDF 1.1 Product Intent	JDF 1.1 Process Resource	OSDP JDF Spec	JTAPI	CU PS	IPP Attribute Description	JDF/1.0 IDPrinting
									<a href="#">been superseded by the FOGRA European Press Standard of the German Graphic Arts Research Institute).</a>	
'japan-color'				ISSUE: What value to use: Japan-coated?? (N)	TBD				'japan-color' - Emulate the color gamut of the combined/common Dinippon and Toyo Inks standard when printed on coated media.	TBD
'enhanced-swop'				ISSUE: But GRACOL is being proposed to be deprecated because it doesn't specify a specific subset: GRACOL	TBD				'enhanced-swop' - Emulate a more saturated version of the CMYK SWOP [SWOP] color gamut when printed on coated media.	TBD
'euroscale-matte'				ISSUE: Is this the correct equivalent: ICC OF COM PO P2 F61 FOGRA-matte?? (N)	TBD				'euroscale-matte' - Emulate the color gamut of European inks placed on matte finish media.	TBD
'euroscale-uncoated'				ISSUE: Is this the correct equivalent: ICC OF COM PO P4 F60 FOGRA-uncoated?? (N)	TBD				'euroscale-uncoated' - Emulate the color gamut of European inks placed on uncoated media.	TBD
compression Note: This is document compression.	H <sup>5</sup>		3	RunList/ LayoutElement/ FileSpec/ @Compression (S)	LayoutPreparation RunList/ LayoutElement/ FileSpec/ @Compression (S)	No (X) Document Compression	<b>1.0 job-compression</b> <b>x.x document-compression</b>	1.1	<b>compression</b> (type2 keyword) [JD, DD] Compression algorithm used on the Document Data for this Job/Document, if any. (Keywords: none, deflate, gzip, compress) [RFC2911] §4.4.32	RunList/ LayoutElement/ FileSpec/ @Compression
'none'										
'deflate'										
'gzip'										
'compress'										
copies (M)	H	1.1 Number of Copies: Quantity	4	ComponentLink[@ProcessUsage="Good"] /@Amount (S)	DigitalPrinting ComponentLink /@ProcessUsage="Go	Number of Copies (X)	<b>1.0 job-copies</b> <b>x.x document-copies</b>	1.1	<b>copies</b> (integer(1:MAX)) [JT <sup>6</sup> , DT] The number of copies of the Output Document(s) to be printed.	ComponentLink[@ProcessUsage="Good"]/

<sup>5</sup> At a minimum the "none" value for compression must be supported.

<sup>6</sup> The IPP "copies" attribute is an *extensive* attribute, so its effect when supplied at the job level is not always inherited by the documents in a multi-document job. Instead, its effect depends on the value of the "multiple-document-handling" Job Template attribute. The 'single-document' and 'single-document-new-sheet' values produce copies of the job as a whole with the multiple input documents concatenated into a single output document for each job copy. The 'separate-document-uncollated-copies' value produce N copies of the first input document followed by N copies of the second input document, etc. The 'separate-document-collated-copies' produce N successive job copies, each job copy consisting of 1 copy of the first document followed by 1 copy of the second document, etc. In the PWG Semantic Model [pwg-sm] there are two separate attributes: JobCopies and Copies which affect the job as a whole and individual documents, respectively, so that the MultipleDocumentHandling is no longer needed.

IPP Attribute Name	P	PODi	C at	JDF 1.1 Product Intent	JDF 1.1 Process Resource	OSDP JDF Spec	JTAPI	CU PS	IPP Attribute Description	JDF/1.0 IDPrinting
		EFI Finishing - Copies			od”]/ @Amount (S)				[RFC2911] §4.2.5	@Amount
cover-back (M) note: cover could be printed or preprinted/blank	H	EFI Media - Back Cover	5	<b>Printed cover:</b> MediaIntent, LayoutIntent/ @Sides RunList/ InsertSheet/ @SheetType @SheetUsage @Pages (S)  <b>Preprinted/blank cover:</b> RunList/ @Pages, InsertSheet/ @SheetUsage @SheetType, Media (S)  <b>ISSUE: Should there be a way to specify Covers as Product Description at a high level? (N)</b>	<b>Printed cover:</b> DigitalPrinting DigitalPrintingParams/ Media LayoutPreparationParams/ @Sides RunList/ InsertSheet/ @SheetType @SheetUsage @Pages (S)  <b>Preprinted/blank cover:</b> LayoutPreparation RunList/ @Pages InsertSheet/ @SheetUsage @SheetType, Media (S)	Covers (Media, Sides, Start First Page) (X)	<b>1.0</b> <b>see xxx-media</b> <b>see xxx-sides</b> <b>see xxx-force-pages</b> <b>see po-pages</b> <b>see insert-sheet-media</b> <b>see insert-sheet-pages</b> <b>see insert-sheet-position</b>	1.2	<b>cover-back</b> (collection) [JT <sup>7</sup> , DT] The back cover to apply to the Output Document. [prod-print] §3.1	<b>IDPrinting</b> IDPrintingParams/ Cover [@CoverType=“Back”]
cover-type									<b>cover-type</b> (type2 keyword) Indicates if covers are requested and which sides will contain print stream pages. (Keywords: no-cover, print-none, print-front, print-back, print-both) [prod-print] §3.1.2	IDPrintingParams/ Cover [@CoverType=“Back”]
‘print-none’									‘print-none’	[@Frontside=false @Backside=false]
‘print-front’									‘print-front’	[@Frontside=true @Backside=false]
‘print-back’									‘print-back’	[@Frontside=false @Backside=true]
‘print-both’									‘print-both’	[@Frontside=true @Backside=true]

<sup>7</sup> The “cover-back” and “cover-front” Job Template attributes are affected by the value of “multiple-document-handling” which controls whether a multi-document job is producing a single Output Document or separate Output Documents.

IPP Attribute Name	P	PODi	C at	JDF 1.1 Product Intent	JDF 1.1 Process Resource	OSDP JDF Spec	JTAPI	CU PS	IPP Attribute Description	JDF/1.0 IDPrinting
media OR:									<b>media</b> (type3 keyword   name(MAX)) The descriptive name or the name of the input tray containing the media to use for the back cover. See “media” on page 42. [prod-print] §3.1.1	See IPP “media” attribute on page 42.
media-col									<b>media-col</b> (collection) <b>Characteristics of the media to use for the back cover.</b> See “media-col” on page 44. [prod-print] §3.1.1	See IPP “media-col” attribute on page 44.
cover-front (M) note: cover could be printed or preprinted/blank	H	EFI Media – Front Cover	5	see cover-front	see cover-back	see cover-back	<b>1.0 see cover-back</b>	1.2	<b>cover-front</b> (collection) [JT, DT] The front cover to apply to the Output Document. [prod-print] §3.1	IDPrintingParams/Cover [@CoverType=“Front”]
cover-type									<b>cover-type</b> (type2 keyword) Indicates if covers are requested and which sides will contain print stream pages. prod-print] §3.1.2	IDPrintingParams/Cover [@CoverType=“Front”]
‘print-none’									‘print-none’	[@Frontside=false @Backside=false]
‘print-front’									‘print-front’	[@Frontside=true @Backside=false]
‘print-back’									‘print-back’	[@Frontside=false @Backside=true]
‘print-both’									‘print-both’	[@Frontside=true @Backside=true]
media									<b>Name of the media to use for the front cover.</b> [prod-print] §3.1.1	See IPP “media” attribute on page 42.
media-col									<b>Characteristics of the media to use for the front cover.</b> [prod-print] §3.1.1	See IPP “media-col” attribute on page 44.
current-page-order (S)	N			N/A	N/A	No	<b>x.x</b>	1.2	<b>current-page-order</b> (type2 keyword) [JS, DS] Indicates the page order of the pages in the document data for this Job/Document. The Printer set this value set from the supplied “page-order-received” Template attribute and updates the value if the Printer reverses the pages of the Document. See also the “page-delivery” Template attribute. (Keywords: 1-to-n-order, n-to-1-order) [prod-print] §4.1	NeN/A
date-time-at-completed (S)	N			N/A	<b>AuditPool/Audit/</b>	No	<b>x.x</b>	1.1	<b>date-time-at-completed</b> (dateTime) [JS, DS] Indicates the date and time	NeN/A



IPP Attribute Name	P	PODi	C at	JDF 1.1 Product Intent	JDF 1.1 Process Resource	OSDP JDF Spec	JTAPI	CU PS	IPP Attribute Description	JDF/1.0 IDPrinting
					ProcessRun/ @End				at which this Job/Document completed. (example: Fri, 03 May 2002 08:49:37 GMT) [RFC2911] §4.3.14.7	
date-time-at-creation (S)	L			Unknown	AuditPool/ Created/ @TimeStamp	Job Creation Date/Time	x.x job-create-date-time	1.1	<b>date-time-at-creation</b> (dateTime) [JS, DS] Indicates the date and time at which this Job/Document was created. (example: Fri, 03 May 2002 08:49:37 GMT) [RFC2911] §4.3.14.5	NeN/A
date-time-at-processing (S)	N			N/A	AuditPool/ Audit/ ProcessRun/ @Start	No	x.x	1.1	<b>date-time-at-processing</b> (dateTime) [JS, DS] Indicates the date and time at which this Job/Document first began processing. (example: Fri, 03 May 2002 08:49:37 GMT) [RFC2911] §4.3.14.6	NeN/A
detailed-status-message (S)	N						Never		<b>detailed-status-message [JS, DS]</b> Provides additional more detailed technical and implementation-specific information about the operation. The Printer NEED NOT provide localized versions. [RFC2911] §3.1.6.3	JMF/ Response/ Notification/ Comment or JMF/ Response/ Notification/ NotificationDetails/ Comment
document-format	H		3	RunList/ FileSpec/ @MimeType (S)	LayputPreparation RunList/ FileSpec/ @MimeType (S)	Document File Format (X)	<b>1.0 job-document-format</b> <b>1.0 document-format</b>	1.1	<b>document-format</b> (mimeMediaType) [JD, DD] The Document format (i.e., PDL) for this Document. The value "application/octet-stream" has a special meaning. This value is used to indicate that a Printer is capable of auto-sensing the format of the Document. [RFC2911] §3.2.1.1	RunList/ LayoutElement/ FileSpec/ @MimeType
'text/plain'									'text/plain'	
'text/plain; charset=US-ASCII'									'text/plain; charset=US-ASCII'	
'application/postscript'									'application/postscript'	
'application/vnd.hp-PCL'									'application/vnd.hp-PCL'	
'image/tiff'									'image/tiff'	
'application/pdf'									'application/pdf'	
'application/octet-stream'									'application/octet-stream'	
document-name	L		10	Unknown	Unknown	No (X)	x.x	1.1	<b>document-name</b> (name(MAX)) [JD, DD] Name for the this Document to be used in an implementation specific	RunList/ LayoutElement/ FileSpec/

IPP Attribute Name	P	PODi	C at	JDF 1.1 Product Intent	JDF 1.1 Process Resource	OSDP JDF Spec	JTAPI	CU PS	IPP Attribute Description	JDF/1.0 IDPrinting
									manner. [RFC2911] §3.2.1.1	<a href="#">@UserFileNameMimeType</a>
document-natural-language	N		3	N/A	<a href="#">LayoutElement/FileSpec/@DocumentNaturalLangN/A</a>	No (X)	1.0 job-document-natural-language x.x document-document-natural-language	1.1	<b>document-natural language</b> (naturalLanguage) [JD, DD] Identifies the Natural Language of this Document [RFC2911] §3.2.1.1	<a href="#">YesLayoutElement/FileSpec/@DocumentNaturalLang</a>
document-number (S)	L			Unknown	Unknown		x.x		<b>document-number</b> (integer(0:MAX)) [-, DS] The order of this Document within the Job starting at a base of 1. [doc-obj] §6.1	N/A
document-overrides (M)	H	See specific attributes for category.		Partition using DocIndex to specify document overrides. (S)  See individual feature/function that is valid at the document level	Partition using DocIndex to specify document overrides. (S)  See individual feature/function that is valid at the document level	(X)	<b>Never (use Document object)</b>	No ??	<b>document-overrides</b> (collection) [JT] Provides for the overriding of processing instructions on a document basis. Applied to job, see PageOverrides for overrides supplied at the document level. [override] §5.1	To specify IPP Page or Document overrides, a JDF file must use the partitioning mechanism described in the section <a href="#">Subsets of Resources</a> . <a href="#">See JDF/1.0 App F.18 using the indicated partition keys:</a>
input-documents						Yes??	<b>Never</b>		<b>input-documents</b> (1setOf rangeOfInteger(MAX)) Specifies which range of Input Documents to apply document override processing. [override] §5.1.1	<a href="#">RunIndexYes??</a>
document-copies						No	<b>Never</b>		<b>document-copies</b> (1setOf rangeOfInteger(MAX)) Specifies which copies of an Output Document to apply these document override attributes. (Example: {{document-copies=1:1, sides=single-sided, media=transparency}, document-copies=2:10, sides=two-sided-long, media=na-letter}} prints the first document copy on transparencies and the remaining copies on two-sided letter paper) [override] §5.1.3	<a href="#">DocCopiesNo</a>
document-format						Yes	<b>Never</b> use document		<b>document-format</b> (mimeType) Specifies the document format for the	<a href="#">RunList/LayoutElement/</a>

IPP Attribute Name	P	PODi	C at	JDF 1.1 Product Intent	JDF 1.1 Process Resource	OSDP JDF Spec	JTAPI	CU PS	IPP Attribute Description	JDF/1.0 IDPrinting
							object' document-format		Input Document override processing. [override] §5.1.4	<a href="#">FileSpec/</a> <a href="#">@MimeType</a> <a href="#">Yes</a>
document-name						No	<b>Never</b>		<b>document-name</b> (name (MAX)) Specifies the document name for the Input Document override processing.. [override] §5.1.5	<a href="#">RunList/</a> <a href="#">LayoutElement/</a> <a href="#">FileSpec/</a> <a href="#">@UserFileName</a> <a href="#">No</a>
compression						No	<b>Never</b>		<b>compression</b> (type3 keyword) Specifies the compression for the Input Document override processing. [override] §5.1.6	<a href="#">N/A</a> <a href="#">No</a>
document-natural-language						No	<b>Never</b>		<b>document-natural-language</b> (naturalLanguage) Specifies the natural language for the Input Document override processing [override] §5.1.7	<a href="#">LayoutElement/</a> <a href="#">FileSpec/</a> <a href="#">@DocumentNaturalLang</a> <a href="#">No</a>
page-ranges						Yes	<b>Never</b> use document object's document-output-pages		<b>page-ranges</b> (1setOf rangeOfInteger (1:MAX)) Specifies the range of pages to be printed in the Document sets. [override] §5.1.8	<a href="#">Yes</a> <a href="#">Runlist</a>
<any other document (DT) attr.> OR:						Yes??	<b>Never</b> see corresponding document (DT) attribute		<any other document (DT) attr.>	Yes
output-documents						Yes??	<b>Never</b>		<b>output-documents</b> (1setOf rangeOfInteger(MAX)) Specifies which range of Output Documents to apply document override processing. [override] §5.1.2	<a href="#">DocIndex</a> <a href="#">Yes??</a>
document-copies						No	<b>Never</b>		<b>See “document-copies” member attribute above.</b>	<a href="#">DocCopies</a> <a href="#">No</a>
<any other document (DT) attr.>						Yes??	<b>Never</b>		<any other document (DT) attr.>	Yes
document-state (S)	L			<b>Unknown</b>	<b>Unknown</b>		<b>x.x</b>		<b>document-state</b> (type1 enum) [-, DS] The current state of this Document. See also “document-state-reasons” attribute below. [doc-obj] §6.3.2	
'pending'									'pending'	
'processing'									'processing'	
'canceled'									'canceled'	
'aborted'									'aborted'	
'completed'									'completed'	

IPP Attribute Name	P	PODi	C at	JDF 1.1 Product Intent	JDF 1.1 Process Resource	OSDP JDF Spec	JTAPI	CU PS	IPP Attribute Description	JDF/1.0 IDPrinting
document-state-message (S)	L			Unknown	Unknown		x.x		<b>document-state-message</b> (text(MAX)) [-, DS] Specifies information about the "document-state" and "document-state-reasons" attributes of this Document in human readable text. The Printer localizes the text according to the natural language supplied in the client's query request. (example: "Document completed successfully with warnings" for an English request) [doc-obj] §6.7	
document-state-reasons (S)	L			Unknown	Unknown		x.x		<b>document-state-reasons</b> (1setOf type2 keyword) [-, DS] Provides additional information about this Document's current state. (Keywords: none, aborted-by-system, canceled-at-device, canceled-by-operator, canceled-by-user, completed-successfully, completed-with-errors, completed-with-warnings, compression-error, document-access-error, document-format-error, incoming, interpreting, outgoing, printing, queued, queued-for-marker, queued-in-device, resources-are-not-ready, resources-are-not-supported, spooling, streaming, submission-interrupted, transforming, unsupported-compression, unsupported-document-format, warnings-detected) [doc-obj] §6.5	
document-uri	H	1.1 PPML file EFI Document List	3	RunList/ FileSpec/ @URL (S)	LayputPreparation RunList/ LayoutElementFileSpec / @URL (S)	Document File Name (X)	<b>1.0 document-uri</b>	1.1	<b>document-uri</b> (uri) [DD] Specifies the URI reference to the document data to be printed. The Printer fetches the data subsequent to the Document Creation operation (print-by-reference). [RFC2911] §3.2.2	RunList/ LayoutElement/ FileSpec/ @URL
edge to edge printing	H		C	LayoutIntent/ @NonPrintableMargins (N) (NumberList)	DigitalPrinting DigitalPrintingParams/ @NonPrintableMargins (N) (NumberList)  NumberList size of non-		<b>1.0 job-edge-to-edge</b>		<b>ISSUE: Change IPP name from bleed-edge-printing to: edge-to-edge</b> (type2 keyword) [JT, DT, PO] Indicates whether or not the printer should allow page image data to be printed to all edges of the paper, and print beyond the edges of the	

IPP Attribute Name	P	PODi	C at	JDF 1.1 Product Intent	JDF 1.1 Process Resource	OSDP JDF Spec	JTAPI	CU PS	IPP Attribute Description	JDF/1.0 IDPrinting
					printable margin in points, OK?  ISSUE: Or should NonPrintableMargins be added to RenderingParams instead?				normal printable area. [color&img] §4.2	
'none'	H				omit from ticket				'none'	
'all'	H				"0 0 0 0"				'all'	
feed-orientation	H		9	N/A	MediaLink/ @Orientation	No (X)	1.0 job-feed-orientation x.x document-feed-orientation		feed-orientation (type3 keyword) [JT, DT] Specifies the media edge which is fed into the print engine from the paper tray. [prod-print2] §5.1	MediaLink/@Orientation
'long-edge-first'									'long-edge-first'	
'short-edge-first'									'short-edge-first'	
finishings (M)	H	1.1 Stapling EFI Stapler Mode	8	BindingIntent/ @BindingType, /SaddleStitching, /SideStitching, /CornerStitching @NumberOfStitches @ReferenceEdge (N) (S)  ISSUE: Propose to rename StitchNumber to NumberOfStitches.  ISSUE: Add a BindingType=Stitch (N)	Stitching StitchingParams/ @StitchType @ReferenceEdge @NumberOfStitches (S)	Stapling & Stitching (X)	1.0 job-stitching x.x document-stitching x.x po-stitching 1.0 stitching-count 1.0 stitching-reference-edge 1.0 stitching-stitch-type	1.1	finishings (1setOf type2 enum) [JT <sup>8</sup> , DT, PO] Identifies the finishings that the Printer uses for each copy of the Output Document. The coordinate system (left, top, right, bottom) is relative to the edges as if the document were portrait, so left is the y-axis and bottom is the x-axis. [RFC2911] §4.2.6, [finishing] §2, [finishing2] §3.	Yes
'none'									'none'	
'bale'	N			N/A	N/A	No	Never	1.1	'bale'	Yes
bale - Turn off	N						Never		'none', else 'xxx'  = 'bale-yyy'	
'bind'	H		8	BindingIntent/ @BindingType=SystemSpecified (N) (S)	Binding (N) BindingParams/ @BindingType=System	Binding (X)	1.0 job-binding	1.1	'bind'	Yes

<sup>8</sup> The IPP "finishings" and "finishings-col" attributes are *extensive* attributes, so their effect when supplied at the job level is not always inherited by the documents in a multi-document job. Instead, their effect depends on the value of the "multiple-document-handling" Job Template attribute. The 'single-document' and 'single-document-new-sheet' cause the finishing to be applied to each job copy as a whole. The 'separate-documents-collated-copies' and 'separate-document-uncollated-copies' values cause the finishing to be applied to each document. In the PWG Semantic Model [pwg-sm] there are two separate attributes: JobFinishings and Finishings and also JobFinishingsCol and FinishingsCol which affect the job as a whole and individual documents, respectively, so that the MultipleDocumentHandling attribute is no longer needed.

IPP Attribute Name	P	PODi	C at	JDF 1.1 Product Intent	JDF 1.1 Process Resource	OSDP JDF Spec	JTAPI	CUPS	IPP Attribute Description	JDF/1.0 IDPrinting
					Specified (N) (S)					
binding - Turn off	L		8	N/A	Binding (N) BindingParams/ @NoOp (N)	Binding (X)	1.0 job-binding x.x document-binding x.x po-binding 1.0 binding-type=NONE		'none', else 'xxx'  = 'bind-yyy'	
'bind-left', 'bind-right', 'bind-bottom', 'bind-top'	H	EFI Binding	8	BindingIntent/ @BindingType (S)  ISSUE: Add a BindingType=System Specified. (N)	Binding (N) BindingParams/ @BindingType @BindingSide (N) (S) (enumeration) Left, Right, Bottom, Top	Binding (X)	1.0 job-binding x.x document-binding x.x po-binding 1.0 binding-side x.x binding-type	No	'bind-left', 'bind-right', 'bind-bottom', 'bind-top'	Yes
'booklet-maker'	M	1.1 Bookletmaking	7 8	Same as above	Same as Product Intent	NumberUp (X)  Stapling & Stitching (X) Folding (X)	1.0 see xxx-number-up 1.0 see xxx-stitching 1.0 see xxx-folding	No	'booklet-maker', 'booklet-fold-staple' <sup>9</sup>	Yes
cover Note: Use cover-front and cover-back	N		5	see cover-back & cover-front	see cover-back & cover-front	Covers (X)	1.0 see cover-front & cover-back	1.1	See "cover-front" and "cover-back"	Yes
fold catalog	H <sup>10</sup>	1.1 Folding EFI Finishing - Folding	8	FoldingIntent/ @FoldingCatalog (S)  ISSUE: What FoldingCatalog values should be supported?	Folding FoldingParams/ @FoldCatalog @DescriptionType (S)	Folding (X)	1.0 job-folding x.x document-folding x.x po-folding 1.0 folding-type	1.1	'fold-xxx' value of "finishings" attribute	Yes
SystemSpecified									'fold'	
									'fold-c-short-in-thirds-sheet'	
									'fold-z-short-in-thirds-sheet',	
									'fold-z-short-sheet'	
									'booklet-fold'	
folding - Turn off	H	1.1 Folding	8	N/A	Folding FoldingParams/ @NoOp	Folding (X)	1.0 job-folding x.x document-folding x.x po-folding 1.0 folding-type=NONE		'none', else 'xxx'  = 'fold-yyy'	
Folding - complex (no	L		8	Unknown	Folding	Folding (X)	x.x folding-		No IPP attribute. See "finishings"	

<sup>9</sup> The "finishings" = 'booklet-fold-staple' is the same as 'booklet-maker', but without trimming.

<sup>10</sup> Only support specific folding catalogs (e.g z-fold, saddle-fold, etc.)

IPP Attribute Name	P	PODi	C at	JDF 1.1 Product Intent	JDF 1.1 Process Resource	OSDP JDF Spec	JTAPI	CU PS	IPP Attribute Description	JDF/1.0 IDPrinting
IPP attribute exists)					FoldingParams [@DescriptionType="FoldProc"]/ Fold/ @From @To @Travel		<b>amount-to-fold</b> <b>x.x folding-direction-to-fold</b> <b>x.x folding-edge-to-fold</b> <b>1.0 folding-fold-type</b>		= fold-xxx	
Hole Pattern Catalog				HoleMakingIntent/ @HoleType (S)	HoleMaking HoleMakingParams/ @HoleType (S)				'punch-xxx' value of "finishings" attribute which can be pre-punched or punched by the Printer depending on implementation.	
system specified	H	1.1 HoleMaking		without any attributes  <b>ISSUE: HoleType needs to be changed to optional (add ?) or add SystemSpecified as a value.</b>	without any attributes  <b>ISSUE: HoleType needs to be changed to optional (add ?) or add SystemSpecified as a value.</b>	Punching & Hole Making (X)	<b>1.0 job-hole-making</b> <b>x.x document-hole-making</b> <b>x.x po-hole-making</b>	1.1	'punch'	Yes
two holes	H			<i>R2-generic</i>	<i>R2-generic</i>			1.1	'punch-2-hole'	
three holes	H			<i>R3-generic</i>	<i>R3-generic</i>			1.1	'punch-3-hole'	
four holes	H			<i>R4-generic</i>	<i>R4-generic</i>			1.1	'punch-4-hole'	
hole making - Turn off	H	1.1 HoleMaking	8	N/A	HoleMaking HoleMakingParams/ @NoOp	Punching & Hole Making (X)	<b>1.0 job-hole-making</b> <b>x.x document-hole-making</b> <b>x.x po-hole-making</b> <b>1.0 hole-making-count=0</b>		'none', else 'xxx'  = 'punch-yyy'	
Hole making that allows specification of number of holes and reference edge	H	1.1 HoleMaking	8	HoleMakingIntent/ @HoleType @HoleReferenceEdge (S)	HoleMaking HoleMakingParams/ @HoleType @HoleReferenceEdge (S)	Punching & Hole Making (X)	<b>1.0 job-hole-making</b> <b>x.x document-hole-making</b> <b>x.x po-hole-making</b> <b>1.0 hole-making-count</b> <b>1.0 hole-making-reference-edge</b>		No IPP attribute  Note: hole-making-count maps to punch-2-hole, punch-3-hole, punch-4-hole.	
'jog-offset'	H	1.1 Jogging	8	N/A	DigitalPrinting DigitalPrintingParams/ Disjointing/	Jog Offset (X)	<b>1.0 job-jog-offset</b> <b>x.x document-</b>	No	'jog-offset'	Yes

IPP Attribute Name	P	PODi	C at	JDF 1.1 Product Intent	JDF 1.1 Process Resource	OSDP JDF Spec	JTAPI	CU PS	IPP Attribute Description	JDF/1.0 IDPrinting
					@OffsetDirection		job-offset			
jog offset - Turn off	H	1.1 Jogging	8	N/A	DigitalPrinting Component/ Disjointing/ @OffsetDirection or DigitalPrintingParams/ Disjointing/ @OffsetDirection	Jog Offset (X)	1.0 job-jog-offset=NONE x.x document-jog-offset		'none', else 'xxx'  = 'jog offset'	
'edge-stitch'									'edge-stitch'	
'edge-stitch-bottom'									'edge-stitch-bottom'	
'edge-stitch-left'									'edge-stitch-left'	
'edge-stitch-right'									'edge-stitch-right'	
'edge-stitch-top'									'edge-stitch-top'	
'saddle-stitch'									'saddle-stitch'	
'staple-bottom-left'									'staple-bottom-left'	
'staple-bottom-right'									'staple-bottom-right'	
'staple-dual-bottom'									'staple-dual-bottom'	
'staple-dual-left'									'staple-dual-left'	
'staple-dual-right'									'staple-dual-right'	
'staple-dual-top'									'staple-dual-top'	
'staple-top-left'									'staple-top-left'	
'staple-top-right'									'staple-top-right'	
'trim'	H	1.1 Trimming	8	N/A	Trimming TrimmingParams/ @TrimmingType=SystemSpecified	Trimming (X)	1.0 job-trimming x.x document-trimming	1.1	'trim'	Yes
trimming - Turn off	H	1.1 Trimming	8	N/A	Trimming TrimmingParams/ @NoOp	Trimming (X)	1.0 job-trimming=false x.x document-trimming=false		'none', else 'xxx'  = 'trim'	
finishings-col (M)	L		8	Unknown				1.2	<b>finishings-col</b> (collection) [JT, DT, PO] Enables an end user to specify detailed finishing options not possible with the "finishings" attribute for the Output Document. [prod-print] §3.2	Yes
finishing-template			8		No	No			<b>finishing-template</b> (name(MAX)) A string specifying some particular finishing operation for the Output Document. [prod-print] §3.2.1	No
stitching			8				1.0 job-stitching		<b>stitching</b> (collection) Provides detailed stitching parameters. [prod-	



IPP Attribute Name	P	PODi	C at	JDF 1.1 Product Intent	JDF 1.1 Process Resource	OSDP JDF Spec	JTAPI	CU PS	IPP Attribute Description	JDF/1.0 IDPrinting
									print] §3.2.2	
stitching-reference-edge			8		Stitching StitchingParams/ @ReferenceEdge	Yes Stitching (X)	<b>1.0 stitching-reference-edge</b>		<b>stitching-reference-edge</b> (type2 keyword) Specifies the stitching reference edge of the output media. [prod-print] §3.2.2.1	
'bottom'					<i>Bottom</i>				'bottom'	
'top'					<i>Top</i>				'top'	
'left'					<i>Left</i>				'left'	
'right'					<i>Right</i>				'right'	
stitching-offset			8			No (X)	<b>x.x stitching-offset</b>		<b>stitching-offset</b> (integer (0:MAX)) The perpendicular distance from the reference edge to the stitching axis in hundredths of a millimeter. [prod-print] §3.2.2.2	
stitching-locations			8			No (X)	<b>x.x stitching-positions</b>		<b>stitching-locations</b> (1setOf integer(0:MAX)) The distance along the stitching axis where a stitch will be placed in hundredths of a millimeter. [prod-print] §3.2.2.3	
Stitching - complex	L		8	Unknown	Stitching StitchingParams/ @Angle @StitchPositions	Stapling & Stitching (X)	<b>1.0 stitching-angle</b> <b>x.x stitching-positions</b>		IPP has stitching-reference-edge, stitching-offset, and stitching-locations, but not angle. See "finishings-col".	
font-name-requested	N		3 6	N/A	Interpreting, SoftProofing FontPolicy/ @PreferredFont	No (X)	<b>x.x</b>		<b>font-name-requested</b> (name(MAX)) [JT, DT, PO] Specifies the font name if the document data is in a format that does not have inherent font information (e.g., 'text/plain'), otherwise, this attribute is ignored. [prod-print2] §5.2	
font-size-requested	N		3 6	N/A	N/A	No (X)	<b>x.x</b>		<b>font-size-requested</b> (integer (1:MAX)) [JT, DT, PO] Specifies the font size in points (1/72 of an inch) if the document data is in a format that does not have inherent font information (e.g., 'text/plain'), otherwise, this attribute is ignored. [prod-print2] §5.3	
force-front-side	H	EFI Media – Chapter Starts	7	RunList/ @Pages	LayoutPreparation RunList/	Start First Page (X)	<b>1.0 job-force-pages</b>	1.2	<b>force-front-side</b> (1setOf integer(1:MAX)) [JT <sup>11</sup> , DT, PO]	Yes

<sup>11</sup> The effect of the IPP "force-front-side" attribute when supplied at the job level of a multi-document job depends on the value of the "multiple-document-handling" Job Template attribute. For the 'single-document' and 'single-document-new-sheet' values, the pages are numbered as a single set from 1 to n for the job as a whole. For the 'separate-documents-collated-copies' and 'separate-document-uncollated-copies' values, the pages are numbered from 1 to n for each document separately.

IPP Attribute Name	P	PODi	C at	JDF 1.1 Product Intent	JDF 1.1 Process Resource	OSDP JDF Spec	JTAPI	CU PS	IPP Attribute Description	JDF/1.0 IDPrinting
note: This is only for front side, need back side as well.				InsertSheet/ @SheetType @SheetUsage (S)	@Pages InsertSheet/ @SheetType @SheetUsage (S)		x.x document-force-pages		Forces the specified pages to be printed on the front side of a sheet of media. The pages of the output document start at 1. [prod-print] §3.3	
halftone-{graphics   images   text}	H	1.1 Screen EFI Image Quality – Screening	6 C	(N) We need to provide a means for the customer to specify the halftone “look” – often the halftone used is a visible attribute of the finished piece.  Define a new Intent Resource so that a span of numeric values can be specified:  ScreeningIntent/ ScreenIntentSelector/ @AMLineFrequency Span ? (NumberSpan) @FMMacroDotsPerInchSpan ? (NumberSpan) @ScreeningFamilySpan an (StringSpan = Name, LowestFrequency, MediumMiddleFrequency, HighestFrequency) @ScreeningType ? (enumeration = AM, FM, adaptive-system-defined) @SourceObjects (enumerations) @SpotFunctionSpan ? (NameSpan)	Screening ScreeningParams/ ScreenSelector/ @DotSize @Frequency @ScreeningFamily @ScreeningType @SourceObjects  Rendering RenderingParams/ ObjectResolution/ @Resolution @SourceObjects  Proofing, SoftProofing ProofingParams/ @Resolution  PreviewGeneration PreviewGenerationParams/ @Resolution  Preflight PSToPDFConversionParams/ @InitialResolution	Screening (X) Family			<b>halftone-{graphics   images   text}</b> (type2 keyword   name(MAX)) [JT, DT, PO] Specify the halftone screens to be used by the Printer to render graphics, image, and text objects, respectively, within color or black and white documents. Screens are implementation-specific with different line frequencies, angles, and spot functions implied by each keyword value. Numeric keyword values are <i>approximate</i> , i.e., nominal values. [color&img] §4.3, 4.4, 4.5.	
				ISSUE: how say none?	ISSUE: how say none?				none	
				ScreeningType =	ScreeningType = AMFM				low-frequency-dot	

IPP Attribute Name	P	PODi	C at	JDF 1.1 Product Intent	JDF 1.1 Process Resource	OSDP JDF Spec	JTAPI	CU PS	IPP Attribute Description	JDF/1.0 IDPrinting
				AMFM ScreeningFamilySpa n=LowestFrequency SpotFunction = SimpleDot   Round   CosineDot   Ellipse	ScreeningFamily=Low estFrequency SpotFunction = SimpleDot   Round   CosineDot   Ellipse					
				ScreeningType = AMFM ScreeningFamilySpa n=MiddleFrequency SpotFunction = SimpleDot   Round   CosineDot   Ellipse	ScreeningType = AMFM ScreeningFamily=Mid leFrequency SpotFunction = SimpleDot   Round   CosineDot   Ellipse				mid-frequency-dot	
				ScreeningType = AMFM ScreeningFamilySpa n=HighestFrequenc y SpotFunction = SimpleDot   Round   CosineDot   Ellipse	ScreeningType = AMFM ScreeningFamily=High estFrequency SpotFunction = SimpleDot   Round   CosineDot   Ellipse				high-frequency-dot	
				N/A	N/A				highest-frequency-dot	
				ScreeningType = AM ScreeningFamilySpa n=LowestFrequency SpotFunction=Line	ScreeningType = AM LowestFrequency SpotFunction=Line				low-frequency-line	
				ScreeningType = AM ScreeningFamilySpa n=MiddleFrequency SpotFunction=Line	ScreeningType = AM MiddleFrequency SpotFunction=Line				mid-frequency-line	
				N/A	N/A				high-frequency-line	
				ScreeningType = AM ScreeningFamilySpa n=HighestFrequenc y SpotFunction=Line	ScreeningType = AM HighestFrequency SpotFunction=Line				highest-frequency-line	
				ScreeningType = FM FMMacroDotsPerInc hSpan= 138~162	ScreeningType = FM DotSize = 2540/150 = 16.9				150-dpi	
				ScreeningType = FM AMLineFrequencySp an= 163~187	ScreeningType = FM DotSize = 2540/175 = 14.5				175-dpi	
				ScreeningType = FM AMLineFrequencySp an= 188~212	ScreeningType = FM DotSize = 2540/200 = 16.9				200-dpi	

IPP Attribute Name	P	PODi	C at	JDF 1.1 Product Intent	JDF 1.1 Process Resource	OSDP JDF Spec	JTAPI	CU PS	IPP Attribute Description	JDF/1.0 IDPrinting
				ScreeningType = AM FMMacroDotsPerInc hSpan= 150~249	ScreeningType = AM Frequency = 200				200-lpi	
				ScreeningType = AM FMMacroDotsPerInc hSpan= 250~349	ScreeningType = AM Frequency = 300				300-lpi	
				ScreeningType = AM FMMacroDotsPerInc hSpan= 550~649	ScreeningType = AM Frequency = 600				600-lpi	
				ScreeningType = FM FMMacroDotsPerInc hSpan= nnn~nnn	ScreeningType = FM DotSize = nnn				Other n-dpi values are possible.	
				ScreeningType = AM FMMacroDotsPerInc hSpan= nnn~nnn	ScreeningType = AM Frequency = nnn				Other n-n-lpi values are possible.	
highlight-colorant	M		C	ColorIntent/ ColorPool/ Color/ @ColorName (S)  ISSUE: Add new values to Appendix A.2.8  See also highlight-map-color	<b>DigitalPrinting</b> Ink/ @Family @InkName or Ink/ @ColorName and ColorPool/ Color/ @ColorName (S) ISSUE: Add new values to Appendix A.2.8			<b>highlight-colorant</b> (type3 keyword   name(MAX)) [JT, DT, PO] Specifies the color of the toner that the Printer MUST use as the highlight color when printing the document in highlight color mode. [color&img] §3.8  ISSUE: Add JDF values to IPP.		
				Values of Color/ @ColorName: NoColor	Values of Color/ @ColorName: NoColor				none	
				N/A ??	N/A ??				other	
				Black	Black				black	
				Blue	Blue				blue	
				Brown	Brown				brown	
				Buff	Buff				buff	
				Gold	Gold				gold	
				Cardinal	Cardinal				cardinal	
				Cyan	Cyan				cyan	
				Goldenrod	Goldenrod				goldenrod	
				Gray	Gray				gray	
				Magenta	Magenta				magenta	
				Green	Green				green	
				Ivory	Ivory				ivory	

IPP Attribute Name	P	PODi	C at	JDF 1.1 Product Intent	JDF 1.1 Process Resource	OSDP JDF Spec	JTAPI	CU PS	IPP Attribute Description	JDF/1.0 IDPrinting
				MultiColor New in JDF 1.1	MultiColor New in JDF 1.1				multicolor	
				Mustard New in JDF 1.1	Mustard New in JDF 1.1				mustard	
				Orange	Orange				orange	
				Pink	Pink				pink	
				Red	Red				red	
				Royal	Royal				royal	
				Ruby	Ruby				ruby	
				Silver	Silver				silver	
				Turquoise	Turquoise				turquoise	
				Violet	Violet				violet	
				White	White				white	
					Yellow				yellow	
highlight-colorant-mismatch	L		C	Unknown	Unknown				<b>highlight-colorant-mismatch</b> (type3 keyword   name(MAX)) [JT, DT, PO] Specifies the action to be taken by the Printer if the desired highlight colorant is not currently loaded on the printer. Values are: abort, use-ready, hold, stop. [color&img] §3.9	
highlight-map	L		C	N/A	ColorSpaceConversion ColorSpaceConversion Params/ ColorSpaceConversion Op/ @HighlightMap (N) New attribute providing a selection of highlight mapping algorithms.				<b>highlight-map</b> (type3 keyword   name(MAX)) [JT, DT, PO] Specifies the algorithm that the Printer MUST use for mapping colors defined in the full color space to a color in the highlight color space. [color&img] §3.10	
'pictorial'									'pictorial'	
'presentation'									'presentation'	
'object-based'									'object-based'	
'color-to-highlight'									'color-to-highlight'	
'exact-color'									'exact-color'	
'color-tables'									'color-tables'	
highlight-map-color	M		C	(P) We need to allow the customer to select which color is to be mapped to the highlight colorant. Add ColorSpaceConversionParams ColorSpac	ColorSpaceConversion ColorantControl/ ColorantAlias/ @ReplacementColorantName (string) @SeparationSpec				<b>highlight-map-color</b> (type3 keyword   name(MAX)) [JT, DT, PO] Specifies the color in the source document that is to be mapped by the Printer to the highlight colorant (see "highlight-colorant" attribute) when printing the document in highlight color mode. This value is used as an	

IPP Attribute Name	P	PODi	C at	JDF 1.1 Product Intent	JDF 1.1 Process Resource	OSDP JDF Spec	JTAPI	CUPS	IPP Attribute Description	JDF/1.0 IDPrinting
				<p>eSubstitute ? and ColorantAlias ? to ColorIntent as follows. Promote as their own resources, so can be reused:</p> <p>ColorIntent/ColorantAlias/@ReplacementColorantName (string) SeparationSpec/* @Name (string)</p> <p>OR</p> <p>ColorIntent/ColorSpaceSubstitute / PDLResourceAlias @SeparationSpec/+ @Name (string)</p> <p>ISSUE: What about the new CMYKValue attribute added to ColorSpaceSubstitute which has the CMYKColor data type?</p>	<p>OR</p> <p>ColorantControl/ColorSpaceSubstitute/@PDLResourceAlias/@SeparationSpec/+ @Name (string)ColorSpaceConversionParams/ColorSpaceConversionOp/@SourceCS</p> <p>ISSUE: Don't we need more here to get highlight-map-color?</p> <p>ISSUE: What about the new CMYKValue attribute added to ColorSpaceSubstitute which has the CMYKColor data type?</p>				input parameter to the highlight mapping algorithm specified by the "highlight-map" attribute. Values: see "colorant-value" [color&img] §3.11	
imposition-template	L		7	LayoutIntent/Layout/@Name	DigitalPrinting, Imposition Layout/@Name	No ? (X)	Never	1.2	<b>imposition-template</b> (type3 keyword   name(MAX)) [JT, DT, PO] Specifies imposition method for laying out finished page images onto the surface of output media. Keywords: none, signature [prod-print] §3.4	Yes
impressions-completed-current-copy (S) (M)	N			N/A	N/A	No	Never	No	<b>impressions-completed-current-copy</b> (integer(0:MAX)) [JS, DS] The number of impressions completed for the current copy of (1) the current Document of this Job or (2) this Document. The Printer sets this	No

IPP Attribute Name	P	PODi	C at	JDF 1.1 Product Intent	JDF 1.1 Process Resource	OSDP JDF Spec	JTAPI	CU PS	IPP Attribute Description	JDF/1.0 IDPrinting
									value to 0 at the beginning of each Document copy and each Document. The current Document is identified by the value of the “sheet-completed-document-number” Description attribute. The current copy is identified by the value of the “sheet-completed-copy-number” Description attribute. [job-prog] §4.4	
insert-sheet	H	EFI Media – Inserts	58		LayoutPreparation  Note: It has been proposed for JDF 1.2 to move InsertSheet out of RunList.	Insert Sheet (X)	<b>1.0 job-insert-sheets</b> <b>x.x document insert-sheets</b>	1.2	<b>insert-sheet</b> (1setOf collection) [JT <sup>12</sup> , DT, PO] Specifies how Insert Sheets are to be inserted into the sequence of media sheets that are produced for each copy of the documents. [prod-print] §3.5	Yes
insert-after-page-number (Mn)	H			RunList/ @Pages InsertSheet/ @SheetType @SheetUsage (S)	RunList/ @Pages InsertSheet/ @SheetType @SheetUsage (S)		<b>1.0 insert-sheet-pages</b> <b>1.0 insert-sheet-position</b>		<b>insert-after-page-number</b> (integer(0:MAX)) Specifies the input page after which the Insert Sheet will be placed. [prod-print] §3.5.1	
insert-count	L			RunList/ @PageCopies (S)	RunList/ @PageCopies (S)		<b>1.0 insert-sheet-count</b>		<b>insert-count</b> (integer(0:MAX)) Specifies the number of Insert Sheet to insert. [prod-print] §3.5.2	
media OR:	H			N/A	RunList/ InsertSheet/ Media/ Location/ @LocationName		<b>1.0 insert-sheet-media</b>		<b>media</b> (type3 keyword   name(MAX)) The descriptive name or the name of the input tray containing the media to use for the insert sheet. See “media” on page 42. [prod-print] §3.5.3	See IPP “media” attribute on page 42.
media-col	H			RunList/ InsertSheet/ Media (S)	RunList/ InsertSheet/ Media (S)		<b>1.0 insert-sheet-media</b>		<b>media-col</b> (collection) <b>Characteristics of the media to use for the insert sheet.</b> See “media-col” on page 44. [prod-print] §3.5.3	See IPP “media-col” attribute on page 44.
ipp-attribute-fidelity  note: Use with “job-mandatory-attributes” attribute	H <sup>13</sup>		10	@SettingsPolicy	@SettingsPolicy	No (X)	<b>see jt-mandatory-attributes</b>	1.1	<b>ipp-attribute-fidelity</b> (boolean) [JD] Allows a user to control whether or not the Printer MUST honor <i>all</i> supplied Job Template and Document Template attributes in the Job Creation operation. For a ‘true’ value the Printer MUST reject the job submission if any of the supplied	IDPrintingParams/ @IDPAttributeFidelity

<sup>12</sup> The effect of the IPP “insert-sheet” attributes when supplied at the job level of a multi-document job depends on the value of the “multiple-document-handling” Job Template attribute. For the ‘single-document’ and ‘single-document-new-sheet’ values, the pages are numbered as a single set from 1 to n for the job as a whole. For the ‘separate-documents-collated-copies’ and ‘separate-document-uncollated-copies’ values, the pages are numbered from 1 to n for each document separately.

<sup>13</sup> Consider only supporting SettingsPolicy at the JDF Node level and not at the Resource level (which is contrary to the JDF 1.1 spec)

IPP Attribute Name	P	PODi	C at	JDF 1.1 Product Intent	JDF 1.1 Process Resource	OSDP JDF Spec	JTAPI	CUPS	IPP Attribute Description	JDF/1.0 IDPrinting
									attribute values are unsupported. For a 'false' value the Printer MUST accept the job submission and do best effort. Default = 'false' [RFC2911] §15.1 See also "job-mandatory-attributes" attribute.	
Job ticket author name	L		10	Unknown	Unknown	No (X)	x.x jt-author-name	No	No IPP attribute	No
job-account-id	H	EFI General/ Account Info -  Account/Project Information EFI Billing Info	1	CustomerInfo/ @BillingCode (S)	CustomerInfo/ @BillingCode (S)	Billing Code (X)	1.0 job-billing-code	1.2	<b>job-account-id</b> (name(MAX)) [JT <sup>14</sup> ] Account associated with the job. [prod-print] §3.6  <b>Note: Not sure if this is the same as BillingCode</b>	Yes
job-accounting-sheets	L		158			No (X)	x.x	1.2	<b>job-accounting-sheets</b> (collection) [JT] Specifies the accounting sheet for this Job. [prod-print] §3.8	
job-accounting-sheets-type	L			LayoutIntent/ Layout/ InsertSheet [@SheetType="AccountingSheet"] [@SheetUsage="Trailer"]	LayoutPreparation LayoutPreparationParams/ InsertSheet [@SheetType="AccountingSheet"] [@SheetUsage="Trailer"]				<b>job-accounting-sheets-type</b> (type3 keyword   name(MAX)) Specifies the accounting sheet format for a job. (keywords: none, standard) [prod-print] §3.8.1	Yes
media OR:	L								<b>media</b> (type3 keyword   name(MAX)) The descriptive name or the name of the input tray containing the media to use for the job accounting sheet. See "media" on page 42. [prod-print] §3.5.3	See IPP "media" attribute on page 42.
media-col	L								<b>media-col</b> (collection) <b>Characteristics of the media to use for the cover.</b> See "media-col" on page 44. [prod-print] §3.5.3	See IPP "media-col" attribute on page 44.
job-accounting-output-bin	L								<b>job-accounting-output-bin</b> (type3 keyword   name(MAX)) Specifies the output bin where the accounting sheet is to be placed. Values: See "output-bin" attribute. [prod-print] §3.8.3	No
job-accounting-user-id	L		1	CustomerInfo/	CustomerInfo/	No (X)	x.x	1.2	<b>job-accounting-user-id</b>	Yes

<sup>14</sup> The "job-account-id" is termed a Job Description attribute instead of a Job Processing attribute by the PWG Semantic Model [pwg-sm].



IPP Attribute Name	P	PODi	C at	JDF 1.1 Product Intent	JDF 1.1 Process Resource	OSDP JDF Spec	JTAPI	CU PS	IPP Attribute Description	JDF/1.0 IDPrinting
				@CustomerID	@CustomerID				(name(MAX)) [JT <sup>15</sup> ] Specifies the User ID associated with the "job-account-id". [prod-print] §3.7	
job-client-id  note: This attribute does not currently exist in IPP.	L		10	Unknown	JDF/ @JobID	Job ID	x.x job-client-id		No IPP attribute. but "job-client-id" does exist in the PWG Job Monitoring MIB - V1.0 (RFC 2707). <b>ISSUE: Add "job-client-id" (name(MAX)) [JD] to IPP?</b>	
job-collation-type (S) <sup>16</sup>	N			N/A	N/A	No	Never	No	<b>job-collation-type</b> (type2 enum) [JS, -] Identifies the collation type of this Job. The Printer sets the value from the submitted "sheet-collate" and "multiple-document-handling" Job Template attributes. (Keywords: other, unknown, uncollated-sheets, uncollated-documents, collated-documents). [job-prog] §4.1	No
Job Comment or description of job	H		10	Comment/ [@Name="JobDescription"] (N) (S)	Comment/ [@Name="JobDescription"] (N) (S)	Comment/ Description of Job (X)	1.0 job-comment		No IPP attribute. <b>Propose "job-comment" text(MAX) Operation and Job Description attribute to add to IPP.</b>	
job-detailed-status-messages (S)	N			N/A	N/A	No	Never	1.1	<b>[job-]detailed-status-message</b> (1setOf text (MAX)) [JS, DS] Specifies additional detailed and technical information about this Job/Document. Intended for use by the system administrator or other experienced technical persons and so is not localized by the Printer. (example: "PostScript error: stack overflow") [RFC2911] §4.3.10	No
job-document-access-errors (S)	N			N/A	N/A	No	Never	1.1	<b>[job-]document-access-errors</b> (1setOf text(MAX)) [JS, DS] Information about each Document access error for this Job/Document encountered by the Printer. (example: "(404) http://www.company.com/pub/fileToPrint.pdf") [RFC2911] §4.3.11	No
job-error-sheet	L		1			No (X)	x.x	1.2	<b>job-error-sheet</b> (collection) [JT]	Yes

<sup>15</sup> The "job-accounting-user-id" is termed a Job Description attribute, instead of a Job Processing attribute, by the PWG Semantic Model [pwg-sm].

<sup>16</sup> The IPP "job-collation-type" Job Description attribute has values of 'none', which the Printer sets from the two Job Template attributes: "multiple-document-handling" and "sheet-collate". For the FSG Job Ticket API, the "job-collation-type" should be both the input and the Description attribute, possibly with some additional values.

IPP Attribute Name	P	PODi	Cost	JDF 1.1 Product Intent	JDF 1.1 Process Resource	OSDP JDF Spec	JTAPI	CUPS	IPP Attribute Description	JDF/1.0 IDPrinting
			58						Specifies the error sheet for a job. [prod-print] §3.9	
job-error-sheet-type	L			LayoutIntent/ Layout/ InsertSheet [@SheetType="Error Sheet"] [@SheetUsage="Trailer"]	LayoutPreparation LayoutPreparationParams/ InsertSheet [@SheetType="ErrorSheet"] [@SheetUsage="Trailer"]				<b>job-error-sheet-type</b> (type3 keyword   name(MAX)) Specifies the error sheet format for a job. (Keywords: none, standard) [prod-print] §3.9.1	
job-error-sheet-when	L								<b>job-error-sheet-when</b> (type2 keyword) Specifies when the accounting sheet is produced for a job. (Keywords: on-error, always) [prod-print] §3.9.2	
media OR:	L								<b>media</b> (type3 keyword   name(MAX)) The descriptive name or the name of the input tray containing the media to use for the error sheet. See "media" on page 42. [prod-print] §3.5.3	See IPP "media" attribute on page 42.
media-col	L								<b>media-col</b> (collection) <b>Characteristics of the media to use for the cover.</b> See "media-col" on page 44. [prod-print] §3.5.3	See IPP "media-col" attribute on page 44.
job-hold-until	H		10	N/A			<b>1.0 job-hold</b>	1.1	<b>job-hold-until</b> (type3 keyword   name(MAX)) [JT] Specifies the named time period during which the Job must become a candidate for printing. [RFC2911] §4.2.2	Yes
indefinite - Turn off 'indefinite'	H				JDF/ [@Activation="Hold"]	HoldJob for indefinite (X)			'no-hold'	
	L					No, otherwise (X)			Values: day-time, evening, night, weekend, second-shift, third-shift	
job-hold-until-time	L		10	Unknown	Unknown	(X)	<b>x.x</b>	1.2 ?	<b>job-hold-until-time</b> (dateTime) [JT] Specifies the date and time after which the Job must become a candidate for printing. (example: Fri, 03 May 2002 08:49:37 GMT) [prod-print2] §5.4	
job-id (S)	L			Unknown	Unknown		<b>x.x job-id</b>	1.1	<b>job-id</b> (integer(1:MAX)) [JS, - <sup>17</sup> ] The Printer generates and sets this attribute to the ID of this Job, which is	<any JDF node>/ JobID Job Phase/

<sup>17</sup> The IPP "job-id" Job Description attribute corresponds to the (new) "document-number" Document Description attribute.

IPP Attribute Name	P	PODi	C at	JDF 1.1 Product Intent	JDF 1.1 Process Resource	OSDP JDF Spec	JTAPI	CU PS	IPP Attribute Description	JDF/1.0 IDPrinting
									unique for this Printer. [RFC2911] §4.3.2	QueueEntryID
job-impressions	L		3 1 0	Unknown	Unknown	No ? (X)	Never	1.1	<b>[job-]impressions</b> (integer(0:MAX) [JD, DT] The total size of this Job/Document in number of impressions. [RFC2911] §4.3.17.2, [doc-obj] §6	TBD
job-impressions-completed (S)	N			N/A	N/A	No	Never	No	<b>[job-]impressions-completed</b> (integer(0:MAX)) [JS, DS] The number of impressions completed for this Job/Document so far. [RFC2911] §4.3.18.2	No
job-k-octets	N			N/A	N/A	No	Never	1.1	<b>[job-]k-octets</b> (integer(0:MAX) [JD, DT] The total size of this Job/Document in integral units of 1024 octets. [RFC2911] §4.3.17.1, [doc-obj] §6	TBD
job-k-octets-processed (S)	N			N/A	N/A	No	Never	1.1	<b>[job-]k-octets-processed</b> (integer(0:MAX)) [JS, DS] The total number of octets processed in integral units of 1024 octets so far for this Job/Document. [RFC2911] §4.3.18.1	No
job-mandatory-attributes	H		1 0	@SettingsPolicy	@SettingsPolicy  Note: To conform to JDF spec, must support ettingsPolicy down to Resource level.	No (X)	<b>1.0 jt-mandatory-attributes</b> <sup>18</sup>	No	<b>job-mandatory-attributes</b> (1setOf type2 keyword) [JD] Allows a user to list which Job Template and Document Template attributes the Printer MUST honor. The Printer MUST reject the job submission if <i>any</i> of the listed attributes contain values that the Printer does not support. All of the remaining supplied attributes are best effort. This attribute is ignored if "attribute-fidelity" is supplied with a 'true' value. (See [RFC2911] §15.1 ) (Keywords: none and any Job and Document Template attribute names. Member attributes of collection attributes are named as <i>attr-name.member-name</i> . For example, 'job-sheets-col.media') NOTE: New attribute to align fidelity with FSG and	No

<sup>18</sup> Values of jt-madatory-attributes supported for 1.0 will be None and All; x.x for the values that are specific attribute names.

IPP Attribute Name	P	PODi	C at	JDF 1.1 Product Intent	JDF 1.1 Process Resource	OSDP JDF Spec	JTAPI	CU PS	IPP Attribute Description	JDF/1.0 IDPrinting
job-media-sheets	L		3 1 0	Yes? LayoutIntent/ @Pages	Unknown	No ? (X)	x.x	1.1	PSI work. [doc-obj] §6.2.2 <b>[job-]media-sheets</b> (integer(0:MAX) [JD, DT] The total size of this Job/Document in media sheets . [RFC2911] §4.3.17.3, [doc-obj] §6	TBD
job-media-sheets-completed (S)	N			N/A	N/A	No	x.x	1.1	<b>[job-]media-sheets-completed</b> (integer(0:MAX)) [JS, DS] The media-sheets completed marking and stacking for this Job/Document so far. [RFC2911] §4.3.18.3	No
job-message-from-operator (S)	N			N/A	N/A	No	Never	1.1	<b>job-message-from-operator</b> (text(MAX)) [JD] Message to the end user indicating the reasons for any management action taken on a this job. (Example: "Job canceled due to length", "Pick job up in mailbox") Note: The natural language is not localized by any recipient, since this message is generated by a human. [RFC2911] §4.3.16	No
job-message-to-operator	H	EFI General/ Account Info – Instructions	1 0	N/A	JDF/ Comment/ [@Name="MessageTo Operator"] (N)	No (X)	1.0 <b>job- message-to- operator</b>	1.2	<b>job-message-to-operator</b> (text(MAX)) [JT <sup>19</sup> ] Message from the end user to indicate something about the processing of the job. Note: The natural language is not localized by any recipient, since this message is generated by a human. (example: "Call 555-1234 before running this job") [prod-print] §3.10	Yes
job-more-info (S)	N			N/A	N/A	No	Never	1.1	<b>[job-]more-info</b> (uri) [JS, DS] URI used to obtain information intended for end user consumption about this specific Job/Document. (example: "http://www.company.com/printer/emb ededjobpage") [RFC2911] §4.3.4	No
job-name	H		1 0	CustomerInfo/ @CustomerJobName (S) (a common element for any node)	CustomerInfo/ @CustomerJobName (S) (a common element for any node)	Job Name (X)	1.0 <b>job-name</b>	1.1	<b>job-name</b> (name(MAX)) [JD] The Printer sets this to the client-supplied end-user friendly name for the Job, else the Printer must generate a name from other information. (example: "license agreement memo") [RFC2911] §4.3.5	CustomerInfo/ @CustomerJobNa me (a common element for any node)
job-originating-user-name	N			N/A	N/A	No	Never	1.1	<b>job-originating-user-name</b>	No

<sup>19</sup> The "job-message-to-operator" is termed a Job Description attribute, instead of a Job Processing attribute, by the PWG Semantic Model [pwg-sm].

IPP Attribute Name	P	PODi	C at	JDF 1.1 Product Intent	JDF 1.1 Process Resource	OSDP JDF Spec	JTAPI	CU PS	IPP Attribute Description	JDF/1.0 IDPrinting
(S)									(name(MAX)) [JS, -] The Printer sets this attribute to the most authenticated printable name that it can obtain (example: "John Doe", \authDomain\John Doe") [RFC2911] §4.3.6	
job-password	L		10	Unknown	Unknown	No (X)	x.x		<b>job-password</b> (octetString (255)) [JD] Contains a password supplied by the client encrypted according to method specified by the client in the "job-password-encryption" attribute. The password provides a mechanism for the user to perform a Secure Print. The Printer places the Job in the 'pending-held' state with the 'job-password-wait' value in the Job's "job-state-reasons" attribute. Then the user enters the password locally at the Printer. If the password matches, the Printer removes the 'job-password-wait' value, moves the Job to the 'pending' state, and schedules the Job to run next. [prod-print2] §4.1	
job-password-encryption	L		10	Unknown	Unknown	No (X)	x.x		<b>job-password-encryption</b> (type3 keyword   name(MAX)) [JD] Specifies the type of encryption that the client is used for the supplied value of the JobPassword attribute. (Keywords: none, md2, md4, md5, sha) [prod-print2] §4.2	
job-phone-number	H		1	CustomerInfo/Contact (S)	CustomerInfo/Contact (S)	No (X)	1.0 <b>Note: Specific attributes need to added here. Should there be a Contact object added to JTAPI?</b>		<b>job-phone-number</b> (text(127)) [JT <sup>20</sup> ] Contains the contact telephone number for the job. [prod-print2] §5.5	CustomerInfo/Contact
job-printer-make-and-model (S)	N			N/A	N/A	No	x.x	1.2?	<b>job-printer-make-and-model</b> (text(127)) [JS, -] Identifies the make and model of the output device which	No

<sup>20</sup> The "job-phone-number" attribute is termed a Job Description attribute, instead of a Job Processing attribute, by the PWG Semantic Model [pwg-sm].

IPP Attribute Name	P	PODi	C at	JDF 1.1 Product Intent	JDF 1.1 Process Resource	OSDP JDF Spec	JTAPI	CU PS	IPP Attribute Description	JDF/1.0 IDPrinting
note: Works with job-save-disposition									saved this Job according to the “job-save-disposition” Job Template attribute. [prod-print2] §6.1	
job-printer-uptime (S)	N			N/A	N/A	No	<b>Never</b>	1.1 ?	<b>job-printer-up-time</b> (integer(1:MAX)) [JS, DS] The amount of time (in seconds) that the Printer has been up and running. These Job/Document State attributes are an alias for the “printer-up-time” Printer State attribute for use by the client in a Job/Document query response to compare with the TimeAtCreation, TimeAtProcessing, and TimeAtCompleted State attributes. [RFC2911] §4.3.14.4	No
job-printer-uri (S)	N			N/A	N/A	No	<b>x.x</b>	1.1	<b>job-printer-uri</b> (uri) [JS] The URI of the (logical) Printer (or queue) to which the Job was submitted. [RFC2911] §4.3.3	No
job-priority	M		10	NodeInfo/ @JobPriority	NodeInfo/ @JobPriority	Job Priority (X)	<b>1.0 job-priority</b>	1.1	<b>job-priority</b> (integer(1:100) [JT] Priority for scheduling the Job. A higher value specifies a higher priority. [RFC2911] §4.2.1	Yes
job-recipient-name	L		10	Unknown	Unknown	No (X)	<b>x.x</b>	??	<b>job-recipient-name</b> (name(MAX)) [JT <sup>21</sup> ] Contains the name of the person that is to receive the output of the job and is commonly printed on the job sheet. It may also be used to reference a data base containing delivery instructions for the recipient. [prod-print2] §5.6	Yes
job-save-disposition	L		10	Unknown	DigitalPrinting DigitalPrintingParams/ @osdp:DeliveryMethod ISSUE: Needs to find a JDF/1.1a mapping or JDF/1.2 extension	Delivery Method (X)	<b>x.x</b>		<b>job-save-disposition</b> (collection) [JT] Specifies that the Printer is to save the job as a file that can be re-printed on demand anytime in the future using the Print-URI operation (see [RFC2911] section 3.2.2). [prod-print2] §5.7	
save-disposition-type									<b>save-disposition</b> (type3 keyword) Specifies whether the Printer MUST print and/or save the job. [prod-print2] §5.7.1.1	
‘none’									‘none’	

<sup>21</sup> The “job-recipient-name” attribute is termed a Job Description attribute, instead of a Job Processing attribute, by the PWG Semantic Model [pwg-sm].

IPP Attribute Name	P	PODi	C at	JDF 1.1 Product Intent	JDF 1.1 Process Resource	OSDP JDF Spec	JTAPI	CU PS	IPP Attribute Description	JDF/1.0 IDPrinting
'save-only'									'save-only'	
'print-save'									'print-save'	
save-info									<b>save-info</b> (1setOf collection) Contains sets of attributes that each tell the Printer how to create each copy of the saved job. [prod-print2] §5.7.1.2	
save-location									<b>save-location</b> (uri) Specifies the path to the directory as a URI where the Printer saves the Document Data and other Job information. Example: 'ftp://printhost.printco.com/var/spool/jobdir/' or 'file:///job-repository/jobdir/' [prod-print2] §5.7.1.2.3.1	
save-name									<b>save-name</b> (name(MAX)) Specifies the name of the saved job in the directory specified by the "save-location" member attribute. The value may be a relative path. Example: if "save-location" is 'ftp://printhost.printco.com/var/spool/jobdir/' or 'ftp://printhost.printco.com/var/spool/jobdir/' and "save-name" is 'c/d', the resulting saved job URI is 'ftp://printhost.printco.com/var/spool/jobdir/c/d'. [prod-print2] §5.7.1.2.3.2	
save-document-format									<b>save-document-format</b> (mimeMediaType) Indicates the document format in which the Printer is to save the job content (Document Data). Values are any document format that the Printer supports, except 'application/octet-stream'. See DocumentFormat Document Description attribute. [prod-print2] §5.7.1.2.3.3	
job-sheet-message	H		10	N/A	LayoutPreparation LayoutPrepatationParams/ InsertSheet/ Sheet/ Surface/ MarkObject/ JobField/	No (X)	<b>1.0 job-separator-sheets</b> <b>1.0 separator-sheet-message</b>	1.2	<b>job-sheet-message</b> (text(MAX)) [JT] Conveys a message that the Printer prints on the job sheet. [prod-print] §3.12	Yes

IPP Attribute Name	P	PODi	C at	JDF 1.1 Product Intent	JDF 1.1 Process Resource	OSDP JDF Spec	JTAPI	CU PS	IPP Attribute Description	JDF/1.0 IDPrinting
					[@ShowList="UserText"]/ @UserText					
job-sheets note: Use job-sheets-col	N		8	see job-sheet-col	see job-sheet-col	Start, Separator/Slip, End Sheets (X)	<b>Never</b>	1.1	<b>job-sheets</b> (type3 keyword   name(MAX)) [JT] Specifies which job start/end sheet(s), will be printed with a job. (Keywords: none, standard, job-start-sheet, job-end-sheet, job-both-sheets, first-print-stream-page) [RFC2911] §4.2.3, [prod-print] §6.2	Yes
job-sheets-col	H		58			Yes	<b>1.0 job-separator-sheets</b>	1.2	<b>job-sheets-col</b> (collection) [JT] Allows the client to specify the media for the JobSheet. [prod-print] §3.11	Yes
job-sheets	H			LayoutIntent/ InsertSheet/ @SheetType @SheetUsage (S) <b>ISSUE: Should there be a way to specify a banner sheet as a high level Product Description?</b>	LayoutPreparation LayoutPreparationParams/ InsertSheet/ @SheetType @SheetUsage (S) <b>ISSUE: Should be a way to specify that isWaste is false for job-sheet and separator_sheet.</b>	Start, Separator/Slip, End Sheets (X)	<b>1.0 separator-sheet-type</b>		<b>job-sheets</b> (type3 keyword   name(MAX)) Specifies which job start/end sheet(s), will be printed with a job. [prod-print] §3.11.1	
none	H			??	??				<b>'none'</b>	
standard	H			<i>JobSheet</i>	<i>JobSheet</i>				<b>'standard'</b>	
media OR:	H			N/A	InsertSheet/ Media/ Location/ @LocationName		<b>1.0 separator-sheet-media</b>		<b>media</b> (type3 keyword   name(MAX)) The descriptive name or the name of the input tray containing the media to use for the job sheet. See "media" on page 42. [prod-print] §3.5.3	See IPP "media" attribute on page 42.
media-col	H			InsertSheet/ MediaIntent (S)	InsertSheet/ Media (S)		<b>1.0 separator-sheet-media</b>		<b>media-col</b> (collection) <b>Characteristics of the media to use for the job sheet.</b> See "media-col" on page 44. [prod-print] §3.5.3	See IPP "media-col" attribute on page 44.
job-state (S)	L			N/A	<b>AuditPool/ Audit/ ProcessRun/ @EndStatus</b>	No	<b>x.x</b>	1.1	<b>job-state</b> (type1 enum) [JS, <sup>-22</sup> ] The current state of this Job. See also JobStateReasons attribute below. (Keywords: pending, pending-held, processing, processing-stopped, canceled, aborted, completed) [RFC2911] §4.3.7	No
'pending-held'									'pending-held'	

<sup>22</sup> The IPP "job-state" Job Description attribute corresponds to the (new) "document-state" Document Description attribute.



IPP Attribute Name	P	PODi	C at	JDF 1.1 Product Intent	JDF 1.1 Process Resource	OSDP JDF Spec	JTAPI	CU PS	IPP Attribute Description	JDF/1.0 IDPrinting
'pending'									'pending'	
'processing'									'processing'	
'processing-stopped'									'processing-stopped'	
'canceled'									'canceled'	
'aborted'									'aborted'	
'completed'									'completed'	
job-state-message (S)	N			N/A	AuditPool/ Audit/ ProcessRun/ Comment [@Attribute="EndStatus"]	No	x.x	1.1	<b>[job-]state-message</b> (text(MAX)) [JS, <sup>23</sup> ] Specifies information about the "job-state" and "job-state-reasons" attributes in human readable text localized by the Printer according to the natural language supplied in the client's query request. (example: "Job completed successfully with warnings" for an English request) [RFC2911] §4.3.9	No
job-state-reasons (S) work this in 2003 to incorporate image state and color workflow primitives	L			N/A	Unknown?? JDF ISSUE: Need software interpretable codes for common processing and completion reasons.	No	x.x	1.1	<b>job-state-reasons</b> (1setOf type2 keyword) [JS, <sup>24</sup> ] Provides additional information about this Job's current state. (Keywords: none, aborted-by-system, canceled-at-device, canceled-by-operator, canceled-by-user, completed-successfully, completed-with-errors, completed-with-warnings, compression-error, document-access-error, document-format-error, incoming, interpreting, job-data-insufficient, job-hold-until-specified, job-password-wait, job-restartable, job-resuming, job-saved-successfully, job-save-error, job-saving, job-scheduling, job-suspended, job-suspended-by-operator, job-suspended-by-system, job-suspended-by-user, job-suspending, outgoing, printer-stopped, printer-stopped-partly, printing, processing-to-stop-point, proof-print-wait, queued, queued-for-marker, queued-in-device, resources-are-not-ready, resources-are-not-supported, service-	No

<sup>23</sup> The IPP "job-state-message" Job Description attribute corresponds to the (new) "document-state-message" Document Description attribute.

<sup>24</sup> The IPP "job-state-reasons" Job Description attribute corresponds to the (new) "document-state-reasons" Document Description attribute.

IPP Attribute Name	P	PODi	C at	JDF 1.1 Product Intent	JDF 1.1 Process Resource	OSDP JDF Spec	JTAPI	CU PS	IPP Attribute Description	JDF/1.0 IDPrinting
									off-line, spooling, streaming, submission-interrupted, transforming, unsupported-compression, unsupported-document-format, warnings-detected) [RFC2911] §4.3.8, [adm-ops] §9.1, [override] §7.1, [prod-print] §6.1, [prod-print2] §8.3.1	
job-uri (S)	N			N/A	N/A	No	x.x	1.1	<b>job-uri</b> (uri) [JS, - <sup>25</sup> ] The Printer generates and sets this attribute to a globally unique URI for this Job. (Example: ipp://www.company.com/printer/jobs/22). [RFC2911] §4.3.1	<any JDF note>/@JobID
job-warnings-count (S)	N			N/A	N/A	No	Never	No	<b>[job-]warnings-count</b> (integer(0:MAX)) [JS, DS] The total number of warnings that a Printer has generated while processing and printing this Job/Document. [override] §6.1	No
last-document	L		10	Unknown	Unknown	No (X)	x.x		<b>last-document</b> (boolean) [DD] Has a 'true' value if this Document is the last Input Document for the Job. [RFC2911] §4.2.11	
media  Note: Use input-tray values only.  OR:	H		5				See media-col	1.1	<b>media</b> (type3 keyword   name(MAX)) [JT, DT, PO] The descriptive name of the medium or the name of the input tray that contains the media that the Printer uses for impressions of the Job, that is, the media that the Printer prints on. These values do <i>not</i> represent the media after folding or slitting. The media does not have to be currently loaded into an input tray, in which case it will require operator intervention in order to process the job. [RFC2911] §4.2.11	IDPrintingParams/MediaIntent [@HoleCount=0]/Comment [@Name="media-key"] OR Media [@HoleCount=0@Dimension=dim@Media Type=medtyp]/Comment [@Name="media-key"] OR IDPrintingParams/MediaSource/Media [@HoleCount=0

<sup>25</sup> The IPP "job-uri" Job Description attribute does not have a corresponding Document Description attribute. The "job-uri" has proved problematic enough and not really needed.

IPP Attribute Name	P	PODi	C at	JDF 1.1 Product Intent	JDF 1.1 Process Resource	OSDP JDF Spec	JTAPI	CUPS	IPP Attribute Description	JDF/1.0 IDPrinting
										@Dimension= <i>dim</i> @MediaType= <i>medtyp</i> / Comment [@Name="media-key"]
Input tray name	H	1.1 Media Source EFI Media Source Input Tray		N/A  Note: Can't specify input tray name as a Product Description.	DigitalPrinting DigitalPrintingParams/ Media/ Location/ @LocationName Note: Use the Media attribute in DigitalPrintingParams because that is the media that is to be used whether loaded or not, rather than Media input to DigitalPrinting process which must be loaded before the process can run.	Input Tray Name (X)	<b>1.0 media-input-tray-name</b> <sup>26</sup>		Input tray names: [RFC2911]: , , , , , , , [prod-print]: , , 'tray-2', ...	No
									'top' [RFC2911]	
									'middle' [RFC2911]	
									'bottom' [RFC2911]	
									'envelope' [RFC2911]	
									'large-capacity' [RFC2911]	
									'main' [RFC2911]	
									'side' [RFC2911]	
									'bypass-tray' [prod-print]	
									'tray- <i>n</i> ' <i>n</i> = 1, 2, ... [prod-print]	
					DigitalPrintingParams/ @ManualFeed = true				'manual' [RFC2911]	
Descriptive Name	L						<b>See media-key</b>		Descriptive media names: Examples: [RFC2911]: 'na-letter-white', 'na-letter', 'letter', 'na-letter-transparent', 'iso-a4-white', 'iso-a4', 'iso-a4-transparent' [prod-print]: 'plain', 'pre-punched', 'transparency', 'letterhead', 'heavyweight', 'recycled', 'bond', 'labels', 'pre-printed',	

<sup>26</sup> media-input-tray-name is mapped to IPP media attribute when no other media attributes are set.

IPP Attribute Name	P	PODi	C at	JDF 1.1 Product Intent	JDF 1.1 Process Resource	OSDP JDF Spec	JTAPI	CU PS	IPP Attribute Description	JDF/1.0 IDPrinting
									'custom/' [pwg5101.1]: na_letter_8.5x11in, iso_a4_210x297mm, na_monarch_3.875x7.5in Installation defined names	
media-col	H	1.1 Media Selection	5	MediaIntent	DigitalPrinting Media	Media (X)	<b>1.0 job-media x.x document-media x.x po-media</b>	1.2	<b>media-col</b> (collection) [JT, DT, PO] Enables a client end user to submit a list of media characteristics to the Printer as a way to more completely specify the media to be used than the "media" attribute provides. See "media" description. [prod-print] §3.13	IDPrintingParams/ MediaIntent OR Media OR IDPrintingParams/ MediaSource/ Media
media-back-coating	M		5 C	MediaIntent/ @BackCoatings (EnumerationSpan) (S): <u>the default.</u>	Media/ @BackCoatings (Enumeration) (S)	Yes (X)	<b>1.0 media-back-coating</b>	1.2	<b>media-back-coating</b> (type3 keyword   name(MAX)) Indicates the pre-process coating applied to the back of the media. (Keywords: none, glossy, high-gloss, semi-gloss, satin, matte) [prod-print] §3.13.10	Yes
<u>'glossy'</u>				<u>Glossy</u>	<u>Glossy</u>				<u>'glossy'</u>	
<u>'high-gloss'</u>				<u>HighGloss</u>	<u>HighGloss</u>				<u>'high-gloss'</u>	
<u>'matte'</u>				<u>Matte</u>	<u>Matte</u>				<u>'matte'</u>	
<u>'none'</u>				<u>None</u>	<u>None</u>				<u>'none'</u>	
<u>'satin'</u>				<u>Satin</u>	<u>Satin</u>				<u>'satin'</u>	
<u>'semi-gloss'</u>				<u>Semigloss</u>	<u>Semigloss</u>				<u>'semi-gloss'</u>	
media-brightness	H		5 C	MediaIntent/ @Brightness (S)	Media/ @Brightness (S)		<b>x.x</b>		Brightness reflectance percentage. <b>Not an IPP member attribute. Need a new IPP "media-brightness" (integer(0:100) member attribute.</b> Brightness is the percentage reflectance of blue-white light at 457 nm per ISO Brightness defined in ISO 2470. JDF ISSUE: The JDF spec needs to be clarified – it is ambiguous because it only states percent reflectance.	
media-color	H		5 C	MediaIntent/ @MediaColor (S)	Media/ @MediaColorName (S)	Yes (X)	<b>1.0 media-color</b>	1.2	<b>media-color</b> (type3 keyword   name(MAX)) Indicates the desired color of the media being specified. . (Keywords: no-color, white, pink,	Yes

IPP Attribute Name	P	PODi	C at	JDF 1.1 Product Intent	JDF 1.1 Process Resource	OSDP JDF Spec	JTAPI	CU PS	IPP Attribute Description	JDF/1.0 IDPrinting
									yellow, blue, green, buff, goldenrod, red, gray, ivory, orange) [prod-print] §3.13.4 <b>JDF ISSUE: Refer to TAPPI spec for media color?</b>	
media-front-coating	M		5 C	MediaIntent/ @FrontCoatings (EnumerationSpan) (S)	Media/ @FrontCoatings (enumeration) (S)	Yes (X)	<b>1.0 media-front-coating</b>	1.2	<b>media-front-coating</b> (type3 keyword   name(MAX)) Indicates the pre-process coating applied to the front of the media. (Keywords: none, glossy, high-gloss, semi-gloss, satin, matte) [prod-print] §3.13.10	Yes
'glossy'				Glossy	Glossy				'glossy'	
'high-gloss'				HighGloss	HighGloss				'high-gloss'	
'matte'				Matte	Matte				'matte'	
'none'				None	None				'none'	
'satin'				Satin	Satin				'satin'	
'semi-gloss'				Semigloss	Semigloss				'semi-gloss'	
media-grain	M		5 C	(N) LayoutIntent/ @FinishedGrainDirection ? (enumeration) Values: ParallelToBind, PerpendicularToBind, SystemSpecified <b>ISSUE: Or should FinishedGrainDirection be in MediaIntent instead?-</b>  For bound materials a designer needs to specify the grain direction (usually parallel to the binding).	Media/ @GrainDirection	No (X)	<b>x.x</b>		<b>media-grain</b> (type3 keyword   name(MAX)) Indicates the grain of the media. Note: grain affects the curl and the folding of the medium. (Keywords: x-direction, y-direction) [prod-print2] §8.4.2	
media-hole-count	H		5	MediaIntent/ @HoleType (S)	Media/ @HoleType (S)	Yes (X)	<b>1.0 media-hole-count</b>	1.2	<b>media-hole-count</b> (integer(0:MAX)) Indicates the number of pre-drilled holes in the desired media. [prod-print] §3.13.6	Yes
media-info	H	EFI MediaName	5	Comment/ @Name="Description" (S)	Media/Comment/ @Name="Description" (S)	No (X)	<b>x.x media-description</b>	1.2	<b>media-info</b> (text(255)) Specifies information that helps describe the media instance. Intended for human consumption. [prod-print] §3.13.3	Yes

IPP Attribute Name	P	PODi	C at	JDF 1.1 Product Intent	JDF 1.1 Process Resource	OSDP JDF Spec	JTAPI	CU PS	IPP Attribute Description	JDF/1.0 IDPrinting
media-key	H		5	MediaIntent/ @DescriptiveName (S)	Media/ @DescriptiveName (S)  Note: CIP4 is considering adding Media Catalog.	Yes (X)	<b>1.0 media-name</b>	1.2	<b>media-key</b> (type3 keyword   name(MAX)) The name of the media represented as a keyword or name. Values are the same as the keyword and name values for the Media Document Processing attribute and represent the same media, except for media size and input tray keywords. [prod-print] §3.13.1	Yes
media-material	L		5	Unknown	Unknown	No (X)	<b>x.x</b>		<b>media-material</b> (type3 keyword   name(MAX)) The material of the media. (Keywords: aluminum, dry-film, paper, polyester, wet-film) [prod-print2] §8.4.3	
media-order-count	H	EFI Media – Tabs	5	MediaIntent/ @MediaSetCount (S)	Media/ @SetCount (S)	Yes (X)	<b>1.0 media-set-count</b>	1.2	<b>media-order-count</b> (integer(1:MAX)) Indicates the number of sheets, within an ordered sequence of sheets; after which the sequence begins to repeat. [prod-print] §3.13.7	Yes
media-pre-printed	H		5	MediaIntent/ @Preprinted (S)	Media/ @Preprinted (S)	Yes (X)	<b>x.x</b>	1.2	<b>media-preprinted</b> (type3 keyword   name(MAX)) Indicates the pre-printed characteristics of the desired media. (Keywords: blank, pre-printed, letter-head) [prod-print] §3.13.5	Yes
media-recycled	M		5	MediaIntent/ @Recycled	Media/ @Recycled	Yes (X)	<b>1.0 media-recycled</b>	1.2	<b>media-recycled</b> (type3 keyword   name(MAX)) Indicates the recycled characteristics of the media. (Keywords: none, standard) [prod-print] §3.13.11	Yes
media-size	H	EFI Media Dimensions EFI Media Landscape	5	MediaIntent/ @Dimensions (S)  Note: LayoutIntent/ @Dimensions @FinishedDimensions (z-axis must always be set to 0).  Note: @Dimensions is needed for spreads.	Media/ @Dimensions (S)	Yes (X)	<b>see below</b>	1.2	<b>media-size</b> (collection) Explicitly specifies the numerical media width and height dimensions that the Printer prints on before folding, slitting, and trimming. [prod-print] §3.13.8	Yes
x-dimension	H		5	see media-size above	see media-size above	Yes (X)	<b>1.0 media-x-dimension</b>	1.2	<b>x-dimension</b> (integer(0:MAX)) Size of the media in hundredths of a millimeter along the y-axis of the	Yes

IPP Attribute Name	P	PODi	C at	JDF 1.1 Product Intent	JDF 1.1 Process Resource	OSDP JDF Spec	JTAPI	CU PS	IPP Attribute Description	JDF/1.0 IDPrinting
									medium, i.e., the short (=bottom) edge. [prod-print] §3.13.8.1	
y-dimension	H		5	see media-size above	see media-size above	Yes (X)	<b>1.0 media-y-dimension</b>	1.2	<b>y-dimension</b> (integer(0:MAX)) Size of the media in hundredths of a millimeter along the y-axis of the medium, i.e., the long (=left) edge. [prod-print] §3.13.8.2	Yes
media-thickness	M		5	Unknown	Unknown	Yes (X)	<b>x.x</b>		<b>media-thickness</b> (integer(1:MAX)) The thickness of the media in units of one hundredth of a millimeter. This unit is equivalent to 1/2540 th of an inch. [prod-print2] §8.4.4	
media-tooth	M		5	Unknown	Unknown	No (X)	<b>x.x</b>		<b>media-tooth</b> (type3 keyword   name(MAX)) The tooth (or roughness) of the media. Note: the tooth of a medium is particularly important for those marking engines that use pens (e.g. plotters) to mark the medium. (Keywords: fine, medium, coarse) [prod-print2] §8.4.1	
media-type	H		5	MediaIntent/ @UserMediaType @MediaType (S)  ISSUE: Reconsider renaming User MediaType to MediaTypeDetails. ISSUE: Consider adding more of the values of Media/@MediaTypeDetails to UserMediaType.	Media/ @MediaTypeDetails/ @MediaType (S)	Yes (X)	<b>1.0 media-type</b>	1.2	<b>media-type</b> (type3 keyword   name(MAX)) The medium type that the Printer uses for all impressions of the Job. [prod-print] §3.13.2, [pwg5101.1] §3	Yes
'stationery'									'stationery'	
'stationery-coated'									'stationery-coated'	
'stationery-inkjet'									'stationery-inkjet'	
'stationery-preprinted'									'stationery-preprinted'	
'stationery-letterhead'									'stationery-letterhead'	
'stationery-prepunched'									'stationery-prepunched'	
'stationery-fine'									'stationery-fine'	
'stationery-heavyweight'									'stationery-heavyweight'	

IPP Attribute Name	P	PODi	C at	JDF 1.1 Product Intent	JDF 1.1 Process Resource	OSDP JDF Spec	JTAPI	CU PS	IPP Attribute Description	JDF/1.0 IDPrinting
heavyweight'										
'stationery-lightweight'									'stationery-lightweight'	
'transparency'									'transparency'	
'envelope'									'envelope'	
'envelope-plain'									'envelope-plain'	
'envelope-window'									'envelope-window'	
'continuous'									'continuous'	
'continuous-long'									'continuous-long'	
'continuous-short'									'continuous-short'	
'tab-stock'									'tab-stock'	
'pre-cut-tabs'									'pre-cut-tabs'	
'full-cut-tabs'									'full-cut-tabs'	
'multi-part-forms'									'multi-part-forms'	
'labels'									'labels'	
'multi-layer'									'multi-layer'	
'screen'									'screen'	
'screen-paged'									'screen-paged'	
'photographic'									'photographic'	
'photographic-glossy'									'photographic-glossy'	
'photographic-high-gloss'									'photographic-high-gloss'	
'photographic-semi-gloss'									'photographic-semi-gloss'	
'photographic-satin'									'photographic-satin'	
'photographic-matte'									'photographic-matte'	
'photographic-film'									'photographic-film'	
'back-print-film'									'back-print-film'	
'cardstock'									'cardstock'	
'roll'									'roll'	
media-weight-metric	H		5	MediaIntent/ @Weight (S)	Media/ @Weight (S)	Yes (X)	<b>1.0 media-weight</b>	1.2	<b>media-weight-metric</b> (integer(0:MAX)) Indicates the weight of the desired media rounded to the nearest whole number of grams per square meter. [prod-print] §3.13.9	Yes
media-input-tray-check	M			Unknown	Unknown	No (X)	<b>1.0 media-input-tray-name<sup>27</sup></b>	1.2	<b>media-input-tray-check</b> (type3 keyword   name(MAX)) [JT, DT, PO] Indicates that the characteristics of the media in the identified input tray must match the characteristics of the media identified by the "media" or "media-col" attribute. [prod-print]	No

<sup>27</sup> media-input-tray-name is mapped to IPP media-input-tray-check when other media attributes are also set.



IPP Attribute Name	P	PODi	C at	JDF 1.1 Product Intent	JDF 1.1 Process Resource	OSDP JDF Spec	JTAPI	CU PS	IPP Attribute Description	JDF/1.0 IDPrinting
									§3.14	
'none'									'none'	
<i>any "media" Input Tray Name - see above</i>									<i>any "media" Input Tray Name - see above</i>	
multiple-document-handling	H	See specific attributes for category.		Partition using DocIndex and DocRunIndex for separate document and RunIndex for single document. (S)	Partition using DocIndex and DocRunIndex for separate document and RunIndex for single document. (S)	Yes (is covered by the individual attributes) (X)	<b>x.x</b> see document individual attributes	1.1	<b>multiple-document-handling</b> (type2 keyword) [JT] Controls whether Input Document in multi-document jobs are combined into a single Output Document or are kept as separate Output Document. Useful in combination with "cover-back", "cover-front", "finishings", "finishings-col", and "copies" Job Template attributes and for controlling the placement of one or more print-stream pages into impressions and onto media sheets for multi-document Jobs <sup>28</sup> . (Keywords: single-document, separate-document-uncollated-copies, separate-document-collated-copies, single-document-new-sheet) [RFC2911] §4.2.4	Yes
notify-xxx attributes:	L		2	Unknown		Notification (X)	<b>1.0 job-notifications</b>  This needs more work. Tom will provide descriptions for each notify-xxx attribute.  Which attributes are required by IPP?  See IANA uri schemes.	1.2	notify-xxx [JD] Specifies one or more complete Event Notification Subscriptions. Each Subscription includes the Events of interest, the Delivery Method, the Notification Recipient, any additional attributes and/or user data to be delivery with the Event Notification.	
notify-recipient-uri					NodeInfo/NotificationFilter/ @osdp:Locator @osdp:ChannelType	Yes	<b>1.0 notification-send-to</b>		notify-recipient-uri	No

<sup>28</sup> The IPP "multiple-document-handling" attribute has been made unnecessary in the PWG Semantic Model by introducing the JobFinishings, JobFinishingsCol, and JobCopies Job Processing attributes to handle the cases of combining multiple Input Documents into a single Output Document. So Finishings, FinishingsCol, and Copies are Document Processing attributes that are intended to handle the separate Output Documents cases. Need to do the same for CoverFront and CoverBack.

IPP Attribute Name	P	PODi	C at	JDF 1.1 Product Intent	JDF 1.1 Process Resource	OSDP JDF Spec	JTAPI	CU PS	IPP Attribute Description	JDF/1.0 IDPrinting
notify-pull-method					@Types	No	1.0 notification-delivery-type		notify-pull-method	
notify-events						Yes	1.0 notification-events		notify-events	
notify-attributes						No			notify-attributes	
notify-user-data					Comment/ @Name=Description	Yes?	1.0 notification-comment		notify-user-data	
notify-charset						No	1.0 notification-language		notify-charset	
notify-natural-language					Comment/ @Language	Yes			notify-natural-language	
notify-time-interval						No			notify-time-interval	
notify-lease-duration						No			notify-lease-duration	
notify-subscription-id (S)						No			notify-subscription-id (S)	
notify-sequence-number (S)						No			notify-sequence-number (S)	
notify-lease-expiration-time (S)						No			notify-lease-expiration-time (S)	
notify-printer-up-time (S)						No			<a href="#">notify-printer-up-time (S)</a>	
notify-printer-uri (S)						No			<a href="#">notify-printer-uri (S)</a>	
notify-job-id (S)						No			<a href="#">notify-job-id (S)</a>	
notify-subscriber-name (S)						No			<a href="#">notify-subscriber-name (S)</a>	
number-of-documents (S)	N			N/A	N/A	No	x.x	1.1	<b>number-of-documents</b> (integer(0:MAX)) [JS, -] The number of Documents in this Job. [RFC2911] §4.3.12	No
number-of-intervening-jobs (S)	N			N/A	N/A	No	x.x	1.1	<b>number-of-intervening-jobs</b> (integer(0:MAX)) [JS, -] The number of jobs that are "ahead" of this Job assuming the current scheduled order. [RFC2911] §4.3.15	No
number-up	H	1.1 Bookletmaking	7	LayoutIntent/ @NumberUp/ @... (N)  ISSUE: Description of LayoutIntent needs to be clarified in JDF spec and in doing so new attributes may be added (e.g. presentation direction).	LayoutPreparation LayoutPreparationParams/ @NumberUp/PageCell/ FitPolicy/ @SizePolicy=FitToPage	Number Up (X)	1.0 job-number-up x.x document-number-up x.x po-number-up	1.1	<b>number-up</b> (integer(1:MAX)) [JT, DT, PO] Indicates the number of Input pages that the Printer is to image on one Finished Page Image. [RFC2911] §4.2.9	Yes
operation-id	N			N/A	N/A	No	Never	1.1	<b>operation-id</b> (type2 enum) [ ] Indicates which operation this request	No

IPP Attribute Name	P	PODi	C at	JDF 1.1 Product Intent	JDF 1.1 Process Resource	OSDP JDF Spec	JTAPI	CU PS	IPP Attribute Description	JDF/1.0 IDPrinting
opi-image-insertion	H		C	Add ImageViewingStrategy attribute to ProofingIntent: (N)  ProofingIntent/ProofItem/@ImageViewingStrategy (string) ISSUE: Why a string, instead of NMTOKEN? (N)	Proofing, SoftProofing ProofingParams/ @ImageViewingStrategy (string) ISSUE: Origination and Prepress CIP4 WG is revamping ProofingParams, check with them. So perhaps OPI image insertion should be done with the updated Preflight process?				is. [RFC2911] §3.1.2 <b>opi-image-insertion</b> (type2 keyword) [JT, DT, PO] Indicates the type of high resolution Open Prepress Interface (OPI) [OPI] image insertion to be performed by the Printer at RIP time for PostScript [PostScript] and PDF [PDF] documents. Such high resolution images may be stored in the print system, on the client, <del>on</del> or a network server. [color&img] §4.6.1	
				<del>NoImages – Default value.</del>	<del>NoImages – Default value.</del>				<del>ISSUE: Should we add a 'no-image' value to IPP? No.</del>	
'do-not-insert'				<del>OmitReference – Displays only images actually embedded in the file.</del>	<del>OmitReference – Displays only images actually embedded in the file.</del>				'do-not-insert'	
'insert'				<del>UseProxies – Displays images embedded in the file and proxy versions of referenced data.</del>	<del>UseProxies – Displays images embedded in the file and proxy versions of referenced data.</del>				<del>'insert' Agreed: add an 'embedded-and-insert' value to IPP</del>	
				<del>UseReplacements – Displays embedded images plus the full resolution version of referenced images.</del>	<del>UseReplacements – Displays embedded images plus the full resolution version of referenced images.</del>				<del>Agreed: add an 'insert' value to IPP. ISSUE: Should we add an 'embedded-and-insert' value to IPP?</del>	
opi-image-pre-scan	M H		C	N/A	JDF ISSUE: Or should OPI image pre-scan be done with the updated Preflight process? Add ImagePreScanStrategy to LayoutPreparationParams (N):  LayoutPreparation				<b>opi-image-pre-scan</b> (type2 keyword) [JT, DT, PO] Indicates whether or not the Printer is to pre-scan the document data in order to validate that OPI [OPI] images referenced within the document are accessible and, optionally, to pull them to the Printer, before processing the job, i.e., before RIPping or marking. [color&img] §4.6.2	

IPP Attribute Name	P	PODi	C at	JDF 1.1 Product Intent	JDF 1.1 Process Resource	OSDP JDF Spec	JTAPI	CU PS	IPP Attribute Description	JDF/1.0 IDPrinting
					LayoutPreparationParams/ @ImagePreScanStrategy					
'no-pre-scan'					NoPreScan				'no-pre-scan'	
'pre-scan'					PreScan				'pre-scan'	
'pre-scan-and-gather'					PreScanAndGatherSystemSpecified				'pre-scan-and-gather'	
									omit the attribute and take the Printer's default: "opi-image-pre-scan-default".	
orientation-requested	H		7	LayoutIntent/ @FinishedDimensions ISSUE: What about Dimensions? Question: MediaIntent/ @Dimensions should agree? ISSUE: Should this be mapped to the deprecated: FinishedPage-Orientation?		No (X)	x.x See page-rotation	1.1	<b>orientation-requested</b> (type2 enum) [JT, DT, PO] The desired orientation for printed pages for document formats that don't have a built-in orientation. [RFC2911] §4.2.10 See "page-rotation" and the explanation of the IPP coordinate system in Table 1.	Yes
'portrait'									'portrait'	
'landscape'									'landscape'	
'reverse-landscape'									'reverse-landscape'	
'reverse-portrait'									'reverse-portrait'	
original-requesting-user-name	H			CustomerInfo/ [ContactType=Customer] Person/ @FirstName @LastName (S)	CustomerInfor/ [ContactTYpe=Customer]/ Person/ @FirstName @LastName (S)				original-requesting-user-name (name(MAX)) [JD, -] Specifies the user name of the original user, i.e., corresponds to the "requesting-user-name" operation attribute that the original client supplied in the first request. The "requesting-user-name" operation attribute (see [RFC2911] §3.2.1.1) is updated by each client to be itself on each hop, i.e., the "requesting-user-name" is the client forwarding the request, not the original client. The "job-originating-user-name" Job Description attribute remains as the authenticated original user, not the parent Printer's	

IPP Attribute Name	P	PODi	C at	JDF 1.1 Product Intent	JDF 1.1 Process Resource	OSDP JDF Spec	JTAPI	CU PS	IPP Attribute Description	JDF/1.0 IDPrinting
									authenticated host, and is forwarded by each client without changing the value. [adm-ops] §11.7.2.2	
output-bin	M		8	N/A	DigitalPrinting DigitalPrintingParams/ @OutputBin	Output Bin Name (X)	<b>1.0 job-output-bin-name</b> <b>x.x document-output-bin-name</b> <b>x.x po-output-bin-name</b>	No	<b>output-bin</b> (type3 keyword   name(MAX)) [JT, DT] Specifies the output bin where the job is to be delivered. Note: N in keyword values is replaced by a cardinal number. [output-bin] §2.1	Yes
'top'	M				<i>Top</i>				'top'	
'middle'	M				<i>Middle</i>				'middle'	
'bottom'	M				<i>Bottom</i>				'bottom'	
'side'	M				<i>Side</i>				'side'	
'left'	M				<i>Left</i>				'left'	
'right'	M				<i>Right</i>				'right'	
'center'	M				<i>Center</i>				'center'	
'rear'	M				<i>Rear</i>				'rear'	
'face-up'	M				<i>FaceUp</i>				'face-up'	
'face-down'	M				<i>FaceDown</i>				'face-down'	
'fit-media' - <b>Printer selects output bin based on the size of the media.</b>	M				<i>FitMedia</i>				<b>Printer selects output bin based on the size of the media.</b> <b>ISSUE: Should we propose to IPP WG?</b>	
'large-capacity'	M				<i>LargeCapacity</i>				'large-capacity'	
'mailbox-N'	M				<i>Mailbox-N</i>				'mailbox-N'	
'my-mailbox'	M				<i>N/A</i>				'my-mailbox'	
'stacker-N'	M				<i>Stacker-N</i>				'stacker-N'	
'tray-N'	M				<i>Tray-N</i>				'tray-N'	
system-specified	M				<i>SystemSpecified</i>				<b>omitted attribute</b>	
default	M				Default = <i>SystemSpecified</i>				<b>"output-bin-default" Printer attribute</b>	
output-device-assigned (S)	N			N/A	N/A	No	<b>x.x</b>	1.1	<b>output-device-assigned</b> (name(127)) [JS, -] Identifies the output device to which the Printer has assigned this Job (Example: "Pete's Printer") [RFC2911] §4.3.13	No
page-delivery	H	1.1 Sheet Order & Face Up/Down	8	Specify page order in RunList	DigitalPrinting DigitalPrintingParams/ @PageDelivery	Page Delivery (X)	<b>1.0 job-page-delivery</b>	1.2	<b>page-delivery</b> (type2 keyword) [JT, DT] Indicates whether the pages of the job are to be delivered to the output bin or finisher in the same page order as the original document and face up or face down. See the "page-order-received" Job Template	Yes

IPP Attribute Name	P	PODi	C at	JDF 1.1 Product Intent	JDF 1.1 Process Resource	OSDP JDF Spec	JTAPI	CU PS	IPP Attribute Description	JDF/1.0 IDPrinting
									attribute and the “current-page-order” Document Description attributes. [prod-print] §3.15	
‘same-order-face-up’					<i>SameOrderFaceUp</i>				‘same-order-face-up’	
‘same-order-face-down’					<i>SameOrderFaceDown</i>				‘same-order-face-down’	
‘reverse-order-face-up’					<i>ReverseOrderFaceUp</i>				‘reverse-order-face-up’	
‘reverse-order-face-down’					<i>ReverseOrderFaceDown</i>				‘reverse-order-face-down’	
fan-fold					<i>FanFold</i>				not an IPP value. <b>ISSUE: Should we proposed ‘fan-fold’ to IPP WG? What is the semantics of ‘fan-fold’?</b>	
system-specified					<i>SystemSpecified</i>				‘system-specified’ - depends on other attributes	
default					Default = <i>SystemSpecified</i>				“page-delivery-default” Printer attribute.	
page-order-received	L <sup>29</sup>		3	LayoutPreparation RunList/ LayoutElement/ FileSpec/ <a href="#">@Sorted</a> <a href="#">PageOrder(S)</a>	LayoutPreparation RunList/ LayoutElement/ FileSpec/ <a href="#">@Sorted</a> <a href="#">PageOrder(S)</a>	No (X)	<b>x.x</b>	1.2	<b>page-order-received</b> (type2 keyword) [JT <sup>30</sup> , DT] Indicates the order of pages in the document data as supplied with the job. [prod-print] §3.16	<a href="#">LayoutElementProduction</a> <a href="#">LayoutElement/</a> <a href="#">FileSpec/</a> <a href="#">@PageOrderYes</a>
‘1-to-n-order’					<i>Ascending</i>				‘1-to-n-order’	<a href="#">Ascending</a>
‘n-to-1-order’					<i>Descending</i>				‘n-to-1-order’	<a href="#">Descending</a>
page-overrides (M)	H	See specific attributes for category.		Partition using DocIndex and DocRunIndex or RunIndex to specify page overrides. (S)  See individual feature/function that is valid at the page level	Partition using DocIndex and DocRunIndex or RunIndex to specify page overrides. (S)  See individual feature/function that is valid at the page level	Yes (X)	<b>x.x job-page-overrides</b> <b>x.x document-page-overrides</b>	No ??	<b>page-overrides</b> (1setOf collection) [JT, DT] Provides for the overriding of processing instructions on a page basis. [override] §5.2	<a href="#">To specify IPP Page or Document overrides, a JDF file must use the partitioning mechanism described in the section Subsets of Resources. See JDF/1.0 App F.18 using the indicated partition keys:Yes</a>
input-documents OR “output-documents, but not BOTH	H					Yes			<b>input-documents</b> (1setOf rangeOfInteger(MAX)) Specifies the ranges of input documents for page override processing. [override] §5.2.1	<a href="#">RunIndex</a>
output-documents	L					No			<b>output-documents</b> (1setOf rangeOfInteger(MAX)) Specifies the	<a href="#">DocIndex</a>

<sup>29</sup> The default of page-order-received is 1 to n which is reader order.

<sup>30</sup> The IPP “page-order-received” Job Template attribute is mapped to the PageOrderReceived Document Description attribute in the PWG Semantic Model [pwg-sm].

IPP Attribute Name	P	PODi	C at	JDF 1.1 Product Intent	JDF 1.1 Process Resource	OSDP JDF Spec	JTAPI	CU PS	IPP Attribute Description	JDF/1.0 IDPrinting
									ranges of output documents for page override processing. [override] §5.2.2	
document-copies	L					No			<b>document-copies</b> (1setOf rangeOfInteger(MAX)) Specifies the ranges of output document copies for page override processing. [override] §5.2.3	<a href="#">DocCopies</a>
pages (Mn)	H					Yes	<b>x.x po-pages</b>		<b>pages</b> (1setOf rangeOfInteger(MAX)) Specifies a range of pages in the document data to which the “page-overrides” are to be applied. Note: the “page-ranges” Document Template attribute may be supplied as one of the Template attributes to apply to the ranges of pages specified by “pages” in which case “page-ranges” indicates which pages are to be actually output. [override] §5.2.4	<a href="#">DocRunIndex</a>
<any other Page Override [PO] attributes>	?					Yes??			<b>any other Job Template attributes that affect pages (flagged with ‘PO’ in this column) such as “media” or “media-col” ()</b>	
page-ranges (Mn)	H		4	<a href="#">RunList/@PagesRunListLink/</a> <a href="#">@RunIndex</a> <a href="#">@DocIndex</a> and <a href="#">@DocRunIndex (S)</a>	<a href="#">LayoutPreparationRunListLink/</a> <a href="#">@RunIndex</a> <a href="#">@DocIndex</a> and <a href="#">@DocRunIndex (S)</a> ISSUE: Why isn't this simply <a href="#">RunList/@Pages?</a>	Range of Pages to Process (X)	<b>1.0 job-output-pages</b> <b>x.x document-output-pages</b>	1.1	<b>page-ranges</b> (1setOf rangeOfInteger(1:MAX)) [JT, DT, PO] Specifies a range of pages in the document data to be output. The remaining pages may still need to be processed, but not output, depending on document format. [RFC2911] §4.2.7	<a href="#">RunList/</a> <a href="#">@Pages</a> <b>Yes</b>
page-rotation	H	EFI Media Landscape	7	N/A ISSUE: Why would LayoutIntents cause a rotation of the page image?	LayoutPreparation LayoutPreparationParams/ @Rotate	Rotate Page (X)	<b>1.0 job-page-rotation</b> <b>x.x document-page-rotation</b> <b>x.x po-page-rotation</b>	??	page-rotation (type3 keyword   name(MAX)) [JT, DT, PO] Specifies a rotation transformation of input page images consisting of rotation and repositioning so that the lower left corner of the rotated image coincides with the lower left corner of the original image. No scaling is done. Rotation is done before any “number-up” or “imposition-template” transformations are applied. [color&img] §4.7 See “orientation-requested” and the explanation of the IPP coordinate system in Table 1..	<a href="#">IDPrinting</a> <a href="#">IDPrintingParams/</a> <a href="#">IDPLLayout/</a> <a href="#">@Rotate</a> <b>Yes</b> <a href="#">(number)</a>

IPP Attribute Name	P	PODi	C at	JDF 1.1 Product Intent	JDF 1.1 Process Resource	OSDP JDF Spec	JTAPI	CU PS	IPP Attribute Description	JDF/1.0 IDPrinting
'rotate-0'	H				<i>Rotate0</i>				'rotate-0'	<u>0</u>
'rotate-90'	H				<i>Rotate90</i>				'rotate-90'	<u>90</u>
'rotate-180'	H				<i>Rotate180</i>				'rotate-180'	<u>180</u>
'rotate-270'	H				<i>Rotate270</i>				'rotate-270'	<u>270</u>
pages-per-subset (Mn)	L		4	Unknown	Unknown	No (X)	x.x	No	<b>pages-per-subset</b> (1setOf integer(1:MAX)) [JT <sup>31</sup> ] Combines all of the Input Pages of all of the Input Documents into a single stream of Input-Pages. Then the Printer partitions that single stream into contiguous subsets of Input-Pages according to the list of integers. If there are more Input Pages when the Printer reaches the end of the integer list, the Printer cycles through the integer list. Each subset is defined to be an Output-Document. [override] §5.3	Yes
pdl-init-file	N		6	N/A	N/A Same as PDLResourceAlias?	No	Never		<b>pdl-init-file</b> (1setOf collection) [JT, DT] Controls initialization of the Printer's Page Description Language (PDL) interpreter. The Printer performs the initialization before processing each Input Document when "multiple-document-handling" is 'separate-documents-collated-copies' or 'separate-documents-uncollated-copies' and before the first Input Document when "multiple-document-handling" is 'single-document' or 'single-document-new-sheet'. [prod-print2] §5.8	NeN/A
pdl-init-file-location	N								<b>pdl-init-file-location</b> (uri) [JT, DT] Contains an Absolute URI [RFC 2396] that specifies the path to the directory where the initialization file to be sent to the Printer's PDL interpreter will be found. Examples: 'ftp://printhost.printco.com/var/spool/jobinitfiledir/initfile1' or 'file:///jobinitfiledir/initfile1'. [prod-	

<sup>31</sup> The IPP "pages-per-subset" attribute can only be used when the "multiple-document-handling" Job Template attribute is 'separate-documents-collated-copies' or 'separate-documents-uncollated-copes', since the purpose of the "pages-per-subset" attribute is to produce separate output documents for each subset. Otherwise, the Printer MUST ignore the "pages-per-subset" attribute. Both the "pages-per-subset" and the "multiple-document-handling" are Job level only and cannot be Document Template attributes.



IPP Attribute Name	P	PODi	C at	JDF 1.1 Product Intent	JDF 1.1 Process Resource	OSDP JDF Spec	JTAPI	CU PS	IPP Attribute Description	JDF/1.0 IDPrinting
									print2] §5.8.1.1	
pdl-init-file-name	N								<b>pdl-init-file-name</b> (name(MAX)) [JT, DT] Specifies the name of the initialization file within the directory specified by the PdlInitFileLocation member attribute that the Printer is to send to its PDL interpreter prior to processing the document. For example, if the PdlInitFileLocation is 'file:///jobinitfiledir/initfile1' or 'file:///jobinitfiledir/initfile1/' and the PdlInitFileName is 'a/b', then the URL for the saved job is 'file:///jobinitfiledir/initfile1/a/b' [prod-print2] §5.8.1.2	
pdl-init-file-entry	N								<b>pdl-init-file-entry</b> (name(MAX)) [JT, DT] Specifies an entry point within the init file at which the PDL interpreter starts. [prod-print2] §5.8.1.3	
Person to contact in case of problems	H		1	CustomerInfo/Contact/@... (S)	CustomerInfo/Contact/@... (S)		<b>1.0</b> Note: Specific attributes need to be added here. Should there be a Contact object added to JTAPI?		There is no IPP attribute	
presentation-direction-number-up	L		7	UnknownN/A	UnknownN/A unless use the deprecated: IDPrinting IDPrintingParams/ IDPLLayout/ PresentationDirectionNumberUp	No (X)	x.x	1.2	<b>presentation-direction-number-up</b> (type2 keyword) [JT, DT, PO] Specifies the placement order of the page images on a Finished-Page Image with the "number-up" attribute. [prod-print] §3.17	IDPrinting IDPrintingParams/ IDPLLayout/ PresentationDirectionNumberUp <sup>32</sup> Yes
'toright-tobottom'					ToRightToBottom				'toright-tobottom'	ToRightToBottom
'tobottom-toright'					ToBottomToRight				'tobottom-toright'	ToBottomToRight
'toleft-tobottom'					ToLeftToBottom				'toleft-tobottom'	ToLeftToBottom
'tobottom-toleft'					ToBottomToLeft				'tobottom-toleft'	ToBottomToLeft
'toright-totop'					ToRightToTop				'toright-totop'	ToRightToTop
'totop-toright'					ToTopToRight				'totop-toright'	ToTopToRight
'toleft-totop'					ToLeftToTop				'toleft-totop'	ToLeftToTop
'totop-toleft'					ToTopToLeft				'totop-toleft'	ToTopToLeft
printer-resolution	H		6	N/A See halftone.	DigitalPrinting	No (X)	<b>1.0 job-printer-</b>	1.1	<b>printer-resolution</b> (resolution) [JT,	Yes

<sup>32</sup> The JDF/1.0 Appendix F incorrectly refers to "presentation-direction" which was renamed to "presentation-direction-number-up" in IEEE-ISTO 5100.3.

IPP Attribute Name	P	PODi	C at	JDF 1.1 Product Intent	JDF 1.1 Process Resource	OSDP JDF Spec	JTAPI	CU PS	IPP Attribute Description	JDF/1.0 IDPrinting
			C	<p>(P or N?) There does not appear to be a way to specify resolution for Product Intent. However, the print buyer or designer may desire to specify printer resolution, especially because certain settings are suitable for certain types of work and are suited for particular desired quality levels.</p> <p>ISSUE: Should we use the (P) approach here with DigitalPrinting/DigitalPrintingParams/@Resolution (XYPair)?</p>	<p>DigitalPrintingParams/ @Resolution (XYPair)</p> <p>OR</p> <p>Rendering RenderingParams/ ObjectResolution/ @Resolution (XYPair)</p> <p>OR</p> <p>Screening ScreeningParams/ ScreenSelector/ @ScreeningFamily @SourceObjects=All</p> <p>Proofing, SoftProofing ProofingParams/ @Resolution (XYPair)</p> <p>PreviewGeneration PreviewGenerationParams/ @Resolution (XYPair)</p> <p>Preflight PSToPDFConversionParams/ @InitialResolution</p> <p>Trapping TrappingDetails/ @ObjectResolution/ Resolution (XYPair)</p>		<b>resolution</b>		DT, PO] The resolution that <u>the</u> Printer uses for the Job in cross-feed and feed direction in units of dpi or dpcm. [RFC2911] §4.2.12	
printer-uri	H		9	N/A (P)	<p>DigitalPrinting Device/@DeviceID</p> <p>ISSUE: Better mapping and a URL: &lt;any JDF node&gt;/</p>	Destination or Physical Printer Requested (X)	<b>1.0 job-destination-uri</b> <b>x.x document-destination-</b>	1.1	<b>printer-uri</b> (uri) [JD] Specifies the URL of this Printer. The client supplies this attribute in every request. [RFC2911] §3.1.5	<any JDF node>/ NodeInfo/ @Route

IPP Attribute Name	P	PODi	C at	JDF 1.1 Product Intent	JDF 1.1 Process Resource	OSDP JDF Spec	JTAPI	CU PS	IPP Attribute Description	JDF/1.0 IDPrinting
					NodeInfo/ @Route		uri x.x po- destination- uri			
print-quality	M		6 C	(P or N? Need to be able to specify from user  ISSUE: Why not add PrintQuality defined in InterpretingParams to ProofingIntent/ProofItem? OR use Rainer's suggestion to use: ProductionIntent/@PrintPreference  Note: not including the CostEffective value in ICS.	Interpreting InterpretingParams/ @PrintQuality Note: DigitalPrintingParams/ @PrintQuality is deprecated in JDF/1.1. ISSUE: Check what's the difference between the two PrintQuality attributes. Note: Quality may already be baked into the image data so quality decisions are made in the interpreter.	No (X)	1.0 job-print- quality x.x document- print-quality	1.1	print-quality (type2 enum) [JT, DT, PO] The print quality that the Printer uses for the Job. [RFC2911] §4.2.13	Yes
'draft'				Fastest – Request for the most time effective manufacturing process. Cost and Quality may be sacrificed for a fast turnaround time.	Draft				'draft'	
'normal'				Balanced – Request for a manufacturing process that balances the requirements for cost, speed and quality. The default.	Normal				'normal'	
'high'				HighestQuality – Request for the manufacturing process which will result in the highest quality.	High				'high'	
Proofing (other than simple	L		2	Unknown	Unknown		x.x		No IPP attribute	

IPP Attribute Name	P	PODi	C at	JDF 1.1 Product Intent	JDF 1.1 Process Resource	OSDP JDF Spec	JTAPI	CU PS	IPP Attribute Description	JDF/1.0 IDPrinting
"print a proof")			1 1 C							
proof-print Only need to be able to specify that a proof is to be printed and approved.	H		2 1 1 C	ProofingIntent/ ProofItem/ @ProofType=Page (enumeration) (S)	Proofing ProofingParams/ ProofType = Page (enumeration) (S)  note Origination and Prepress CIP4 WG is revamping ProofingParams, check with them.	No (X)	x.x		<b>proof-print</b> (collection) [JT] Specifies the attributes for zero or more proof prints of the job that are to be printed prior to the printing the full run of the job. (Includes Media/MediaCol and any other Job Processing attributes). [prod-print2] §5.9	
proof-print-copies	L			ProofingIntent/ ProofItem/ @Amount (IntegerSpan)	Unknown				<b>proof-print-copies</b> (integer (0:MAX)) [JT] Specifies the attributes for zero or more proof prints of the job that are to be printed prior to the printing the full run of the job. If the value is zero, no proof job is produced. After the proof job(s) are completed, the Printer sets ProofPrintCopies to zero. puts the Job in the 'pending-held' state, and adds the 'proof-print-wait' value to the Job's JobStateReasons. After examining the proof print job output, the user can print the full run of the job by using the Release-Job action (see [RFC2911] section 3.3.6). (Includes Media/MediaCol and any other Job Processing attributes). [prod-print2] §5.9.1.1	
media  OR:	L			N/A	N/A				<b>media</b> (type3 keyword   name(MAX)) The descriptive name or the name of the input tray containing the media to use for the proof job. See "media" on page 42. [prod-print] §3.5.3	See IPP "media" attribute on page 42.
media-col	L			Use the job's MediaIntent	Proofing Media				<b>media-col</b> (collection) <b>Characteristics of the media to use for the proof job.</b> See "media-col" on page 44. [prod-print] §3.5.3	See IPP "media-col" attribute on page 44.
proof-print-contact	H	EFI Approvals	2 1 1 C	ProofingIntent/ ApprovalParams/ ApprovalPerson/ Contact /@... (N) (S)	Approval ApprovalParams/ ApprovalPerson/ Contact/@... (S)	No (X)	x.x <b>Should there be a Contact object added</b>		<b>IPP extension:</b> <b>proof-print-contact</b> (text(MAX)) Specifies the name, address and/or phone number of the person to	

IPP Attribute Name	P	PODi	C at	JDF 1.1 Product Intent	JDF 1.1 Process Resource	OSDP JDF Spec	JTAPI	CU PS	IPP Attribute Description	JDF/1.0 IDPrinting
							<b>to JTAPI?</b>		<b>contact to approve the proof print.</b>	
Range of pages in job/document to include when generating the job ticket	M		4	Unknown	LayoutPreparation RunList/ @Pages	Range of Pages (X)	<b>1.0 job-include-pages x.x document-include-pages</b>		No IPP attribute  Note: Should this be added to IPP?	
rendering-intent-{graphics   images   text}	H	EFI Color – Rendering Style	6 C	Add <b>ColorSpaceConversionParams</b> to ColorIntent (N):  <b>ColorIntent</b> ColorSpaceConversionParams/ ColorSpaceConversionOp/ @DestinationRenderingIntent (N) @[@SourceObjects=LineArt SmoothShades   ImagePhotographic ImageScreenShot   Text] [@SourceCS= [@SourceObjects=LineArt SmoothShades   ImagePhotographic ImageScreenShot   Text] @DestinationRenderingIntent (enumeration) (N) <b>Note:</b> <b>RenderingIntent</b> <b>Deprecated in JDF/1.2.</b>	ColorSpaceConversion, Proofing, SoftProofing ColorSpaceConversion Params/ ColorSpaceConversion Op/ <b>@DestinationRenderingIntent (N)</b> @[@SourceObjects=LineArt SmoothShades   ImagePhotographic ImageScreenShot   Text]  <b>Issue: IPP “rendering-intent-xxx” maps to DestinationRenderingIntent, not SourceRenderingIntent, right?</b>	No (X)		<b>rendering-intent-{graphics   images   text}</b> (type2 keyword) [JT, DT, PO] Specifies the rendering intent of a color document for text, graphics, and images. [color&img] §3.12		
‘saturation’				Values of <b>DestinationRenderingIntent</b> (enumeration) Saturation	Values of ProofRenderingIntent, <b>SourceRenderingIntent</b> (N); <b>DestinationRenderingIntent</b> (N): (enumeration) Saturation				‘saturation’	
‘perceptual’				Perceptual – The default.	Perceptual – The default.				‘perceptual’	
‘relative-colorimetric’				RelativeColorimetric	RelativeColorimetric				‘relative-colorimetric’	
‘absolute-colorimetric’				AbsoluteColorimetric	AbsoluteColorimetric				‘absolute-colorimetric’	
‘pure-text’				ISSUE: Add ext?	ISSUE: Add ext?				‘pure-text’	
‘blended-pictorial-and-graphics’				ISSUE: Add ext?	ISSUE: Add ext?				‘blended-pictorial-and-graphics’	
‘automatic’				ISSUE: Add ext?	ISSUE: Add ext?				‘automatic’	

IPP Attribute Name	P	PODi	C at	JDF 1.1 Product Intent	JDF 1.1 Process Resource	OSDP JDF Spec	JTAPI	CU PS	IPP Attribute Description	JDF/1.0 IDPrinting
default				Perceptual - The default	Perceptual - The default				“rendering-intent-{graphics   images   text}-default” Printer attribute	
request-id	N		10	Unknown	Unknown	No	Never	No	<b>request-id</b> (integer(1:MAX)) [OP] Specifies an ID generated by the client to identify this request. The Printer returns this same ID in the response to each request. [RFC2911] §3.1.2	No
requesting-user-name	H		10	N/A	AuditPool/ Created/ @Author	Job Created By (X)	<b>1.0 job-create-user-name</b>	1.1	<b>requesting-user-name</b> (name(MAX)) [OP] Specifies the name of the requesting user. Used by the Printer in case there is not a more secure authentication mechanism. See “original-requesting-user-name”. [RFC2911] §3.2.1.1	AuditPool/ Created/ @Author
resample-method	??		C	Unknown	<b>ImageReplacement</b> ImageCompression- Params/ @ImageDownsampleType  ISSUE: How do these values map: Average – The program averages groups of samples to get the new downsampled value. Subsample – The program picks the middle sample from a group of samples to get the new downsampled value.				<b>resample-method (type2 keyword) [JT, DT, PO]</b> specifies the transformation that the Printer MUST apply when converting an image (i.e. bit map) from one resolution to another resolution (higher or lower) for printing. The choice of resample-method does not affect the resolution of text or synthetic/vector graphic objects within the job to be printed. It is only applied to images (i.e. bit maps) embedded within the job’s PDL data. <b>Next version of [color&amp;img].</b>	
‘nearest-neighbor’									‘nearest-neighbor’	
‘bi-linear’									‘bi-linear’	
‘bi-cubic’					<b>Bicubic</b>				‘bi-cubic’	
‘filtered’									‘filtered’	
‘automatic’									‘automatic’	
‘special’									‘special’	
resource-cleanup	H		C	N/A	FileSpec/ FileAlias/ @Disposition  FileSpec/				<b>resource-cleanup</b> (type3 keyword   1setOf name(MAX)) [JT, DT, PO] Identifies whether Printer is to delete or keep all files that had been explicitly transferred to the Printer	

IPP Attribute Name	P	PODi	C at	JDF 1.1 Product Intent	JDF 1.1 Process Resource	OSDP JDF Spec	JTAPI	CU PS	IPP Attribute Description	JDF/1.0 IDPrinting
					@Disposion				before the job was submitted (not as part of the job submission) by any means outside the job submission protocol, such as FTP. [color&img] §4.8	
'delete'									'delete'	
'keep'									'keep'	
resource-pre-scan	H		C	N/A	ISSUE: Or should resource pre-scan be done with the new Preflight process under development? Add ImagePreScanStrategy to LayoutPreparationParams (N) as in "opi-image-pre-scan":  LayoutPreparationLayoutPreparationParams/ @ImagePreScanStrategy				<b>resource-pre-scan</b> (type2 keyword) [JT, DT, PO] Indicates whether or not the Printer is to pre-scan the document data in order to validate that resources referenced within the document(s) are accessible and, optionally, to pull them to the Printer, before processing the job, i.e., before RIPPING or marking. This attribute MUST NOT affect OPI images (see "opi-image-pre-scan" attribute. [color&img] §4.9	
'no-pre-scan'					NoPreScan				'no-pre-scan'	
'pre-scan'					PreScan				'pre-scan'	
'pre-scan-and-gather'					PreScanAndGatherSystemSpecified				'pre-scan-and-gather'	
									omit the attribute and take the Printer's default: "opi-image-pre-scan-default".	
separator-sheets	H		58			Start, Separator/Slip, End Sheets (X)	<b>1.0 job-separator-sheets</b>	1.2	<b>separator-sheets</b> (collection) [JT, DT, PO] Specifies the separator sheets to be printed with the Document. [prod-print] §3.18	Yes
separator-sheets-type	H			LayoutIntent/ Layout/ InsertSheet [@SheetType="SeparatorSheet" [@SheetUsage="Slip"] (S)	LayoutPreparationLayoutPreparationParams/ InsertSheet/ @SheetType [@SheetUsage="Slip"] (S)		<b>1.0 separator-sheet-type</b>		<b>separator-sheets-type</b> (type3 keyword   name(MAX)) Specifies the separator sheets type. (Keywords: none, slip-sheets, start-sheet, end-sheet, both-sheets) [prod-print] §3.18.1	

IPP Attribute Name	P	PODi	C at	JDF 1.1 Product Intent	JDF 1.1 Process Resource	OSDP JDF Spec	JTAPI	CUPS	IPP Attribute Description	JDF/1.0 IDPrinting		
media OR:	H			N/A	InsertSheet/ Media/ Location/ @LocationName				<b>1.0 separator-sheet-media</b>	<b>media</b> (type3 keyword   name(MAX)) The descriptive name or the name of the input tray containing the media to use for the separator sheet. See “media” on page 42. [prod-print] §3.5.3	See IPP “media” attribute on page 42.	
media-col	H			InsertSheet/Sheet/Media (S)	InsertSheet/Sheet/Media (S)  <b>ISSUE: Should InsertSheet be an input to DP process and not under LayoutPreparationParams in LPP process. ISSUE: Also need to consider allowing InsertSheets to be placed between chapters. Need to be able to define chapters.</b>				<b>1.0 separator-sheet-media</b>	<b>media-col</b> (collection) <b>Characteristics of the media to use for the separator sheet.</b> See “media-col” on page 44. [prod-print] §3.5.3	See IPP “media-col” attribute on page 44.	
sheet-collate  note: Only applies to sheets in a document. Works with multiple-document-handling.	H	1.1 Sorter Mode (Collate) EFI Finishing - Sorter Mode	8	Specify sheet order in RunList	DigitalPrinting DigitalPrintingParams/ @Collate	Collate (X)			<b>1.0 job-collate</b>	1.2 <b>sheet-collate</b> (type2 keyword) [JT, DT] Specifies whether or not the media sheets of each copy of each printed document in a job are to be in sequence. [job-prog] §3.1	Yes	
<b>none</b>					None					‘uncollated’		
<b>sheet</b>					Sheet					‘collated’		
sheet and set					SheetAndSet					“multiple-document-handling” = ‘separate-documents-uncollated-copies’		
sheet set and job					SheetSetAndJob					“multiple-document-handling” = ‘separate-documents-collated-copies’		
system specified					SystemSpecified					omit “multiple-document-handling” and “sheet-collate”		
default					Default = SystemSpecified					“multiple-document-handling-default” and “sheet-collate-default” Printer attributes.		
sheet-completed-copy-number (S) (M)	N			N/A	N/A	No			<b>Never</b>	No	<b>sheet-completed-copy-number</b> (integer(0:MAX)) [JS, DS] The number of the copy being stacked (1) for the current Document in this Job or (2) for this Document. The copies are numbered 1, 2, 3. A 0 value	No



IPP Attribute Name	P	PODi	C at	JDF 1.1 Product Intent	JDF 1.1 Process Resource	OSDP JDF Spec	JTAPI	CU PS	IPP Attribute Description	JDF/1.0 IDPrinting
									means no Document is currently being stacked. The “impressions-completed-current-copy” counts the impressions as they are produced for the current copy of the current Document. [job-prog] §4.2	
sheet-completed-document-number (S) (M)	N			N/A	N/A	No	<b>Never</b>	No	<b>sheet-completed-document-number</b> (integer(0:MAX)) [JS, -] The DocumentNumber of the Document in this Job currently being stacked. The Documents in a Job are numbered 1, 2, 3. A 0 value means no Document is currently being stacked. The “impressions-completed-current-copy” counts the impressions as they are produced for the current copy of the current Document. [job-prog] §4.3	No
sides	H	1.1 Duplex EFI Media – Plex Mode	7	LayoutIntent/ @Sides	LayoutPreparation LayoutPreparationParams/ @Sides	Sides (X)	<b>1.0 job-sides x.x document-sides x.x po-sides</b>	1.1	<b>sides</b> (type2 keyword) [JT, DT, PO] Indicates how an impression is to be placed upon the side(s) of the media. (Keywords: , , ) [RFC2911] §4.2.8	Yes
‘one-sided-front’				OneSided	OneSidedFront				‘one-sided’	
‘two-sided-short-edge’				TwoSidedHeadToFoot33	TwoSidedFlipX				‘two-sided-short-edge’	
‘two-sided-long-edge’				TwoSidedHeadToHead34	TwoSidedFlipY				‘two-sided-long-edge’	
‘one-sided-short-edge-back’				N/A	OneSidedBackFlipX				<b>N/A - ISSUE: Should we propose ‘one-sided-short-edge-back’ to IPP WG?</b>	
‘one-sided-long-edge-back’				N/A	OneSidedBackFlipY				<b>N/A - ISSUE: Should we propose ‘one-sided-long-edge-back’ to IPP WG?</b>	
source-{cmy   gray}- {graphics   images   text}	H		C	Add: ColorSpaceConversionParams to ColorIntent (N);  ColorIntent/ ColorSpaceConversionParams/ ColorSpaceConversion	ColorSpaceConversion ColorSpaceConversionParams/ ColorSpaceConversionOp/ [@Operation=”Retag”] @SourceCS [CMY=cmy (N). Gray=’gray’]				<b>source-{cmy   gray}-{graphics   images   text}</b> (name(MAX)) [JT, DT, PO] Identifies the name of the installed Source Color Space Profile that the Printer MUST use to map the content data to the Profile Connection Space (PCS) for graphics, images & text content in either CMY color space or for grayscale data,	

<sup>33</sup> TwoSidedHeadToFoot is the same as JDF TwoSidedFlipX and IPP ‘two-sided-short-edge’ when the Finished Document is portrait (X FinishedDimension is < Y FinishedDimension). When X FinishedDimension is > Y FinishedDimension, then TwoSidedHeadToFoot is equivalent to JDF TwoSidedFlipY and IPP ‘two-sided-long-edge’.

<sup>34</sup> TwoSidedHeadToHead is the same as JDF TwoSidedFlipY and IPP ‘two-sided-long-edge’ when the Finished Document is portrait (X FinishedDimension is < Y FinishedDimension). When X FinishedDimension is > Y FinishedDimension, then TwoSidedHeadToHead is equivalent to JDF TwoSidedFlipX and IPP ‘two-sided-short-edge’.

IPP Attribute Name	P	PODi	C at	JDF 1.1 Product Intent	JDF 1.1 Process Resource	OSDP JDF Spec	JTAPI	CU PS	IPP Attribute Description	JDF/1.0 IDPrinting
				nOp/ [@Operation="Retag"] @SourceCS [CMY='cmy' (N), Gray='gray'] @SourceObjects [Text='text', LineArt or SmoothShades ='graphics', ImagePhotographic or ImageScreenShot = 'images'] FileSpec/ @ResourceUsage= "SourceProfile"]	@SourceObjects [Text='text', LineArt or SmoothShades ='graphics', ImagePhotographic or ImageScreenShot = 'images'] FileSpec/ [@ResourceUsage= "SourceProfile"] and FileSpec/ @UID and FileSpec/ @UserFileName				respectively. Relates to the way the data was encoded by the source. [color&img] §3.13  ISSUE: Add a ignore-embedded- profiles {cmy   cmk   rgb   gray}- {graphics   images   text} (boolean) attribute to IPP?	
source-{cmyk   rgb}- {graphics   images   text}	H	EFI Color – RGB Source	6 C	Add: ColorSpaceConversion onParams to ColorIntent (N):  ColorIntent/ ColorSpaceConversion onParams/ ColorSpaceConversion nOp/ [@Operation="Retag"] @SourceCS [CMYK='cmyk, RGB='rgb'] @SourceObjects [Text='text', LineArt or SmoothShades ='graphics', ImagePhotographic or ImageScreenShot = 'images'] FileSpec/ @ResourceUsage= "SourceProfile"]	ColorSpaceConversion ColorSpaceConversion Params/ ColorSpaceConversion Op/ [@Operation="Retag"] @SourceCS [CMYK='cmyk, RGB='rgb'] @SourceObjects [Text='text', LineArt or SmoothShades ='graphics', ImagePhotographic or ImageScreenShot = 'images'] FileSpec/ [@ResourceUsage="So urceProfile"] and FileSpec/ @UID and FileSpec/ @UserFileName	No (X)			<b>source-{cmyk   rgb}-{graphics                        images   text}</b> (type3 keyword   name(MAX)) [JT, DT, PO] Identifies the name of the installed Source Color Space Profile that the Printer MUST use to map the content data to the Profile Connection Space (PCS) for graphics, images & text content in either CMYK or RGB color spaces, respectively. Relates to the way the data was encoded by the source. [color&img] §3.13	
CMYK values: 'native-cmyk'			C	ISSUE: What values correspond to IPP values? Are they the	ISSUE: What values correspond to IPP values? Are they the				CMYK values: 'native-cmyk'	

IPP Attribute Name	P	PODi	C at	JDF 1.1 Product Intent	JDF 1.1 Process Resource	OSDP JDF Spec	JTAPI	CU PS	IPP Attribute Description	JDF/1.0 IDPrinting
				same as added for "color-emulation"?	same as added for "color-emulation"?					
'swop' [SWOP]									'swop' [SWOP]	
'euroscale'									'euroscale'	
'japan-color'									'japan-color'	
'enhanced-swop' [SWOP]									'enhanced-swop' [SWOP]	
'euroscale-matte'									'euroscale-matte'	
'euroscale-uncoated'									'euroscale-uncoated'	
RGB values: 'srgb' [IEC 61966-2.1] 'smpte-240m' [SMPTE]									RGB values: 'srgb' [IEC 61966-2.1] 'smpte-240m' [SMPTE]	
<b>status-code (S)</b>				Unknown	Unknown		x.x		<b>status-code</b> (type2 enum) [JS, DS] Provides information on the processing of an operation request. The Printer MUST return this attribute in all operation responses. [RFC2911] §3.1.6.1	JMF/ Response/ @ReturnCode
<b>status-message (S)</b>				Unknown	Unknown		x.x		<b>status-message</b> (text(255)) [JS, DS] provides a short textual description of the status of the operation. The Printer MAY return this attribute in all operation responses. [RFC2911] §3.1.6.2	JMF/ Response/ Notification/ Comment
time-at-completed (S)	N			N/A	N/A	No	Never	1.1	<b>time-at-completed</b> (integer (MIN:MAX)) [JS, DS] The time at which the Job/Document completed in "printer-up-time" seconds, i.e., the value of the "printer-up-time" Printer State attribute when the Job was completed, aborted, or canceled. [RFC2911] §4.3.14.3	No
time-at-creation (S)	N			N/A	N/A	No	Never	1.1	<b>time-at-creation</b> (integer (MIN:MAX)) [JS, DS] The time at which the Job/Document was created in "printer-up-time" seconds, i.e., the value of the "printer-up-time" Printer State attribute when the Job was created. [RFC2911] §4.3.14.1	No
time-at-processing (S)	N			N/A	N/A	No	Never	1.1	<b>time-at-processing</b> (integer (MIN:MAX)) [JS, DS] The time at which the Job/Document first began processing in "printer-up-time" seconds, i.e., the value of the "printer-up-time" Printer State	No

IPP Attribute Name	P	PODi	C at	JDF 1.1 Product Intent	JDF 1.1 Process Resource	OSDP JDF Spec	JTAPI	CU PS	IPP Attribute Description	JDF/1.0 IDPrinting
									attribute when the Job first began processing. [RFC2911] §4.3.14.2	
<b>spot-name-aliases</b>	H		6 C	<p>Add <b>ColorantAlias ? to ColorIntent</b> as follows. Promote as its own resources, so can be reused:</p> <p><b>ColorIntent</b> <b>ColorantAlias</b> <b>@ReplacementColorantName</b> (string) <b>SeparationSpec/*</b> <b>@Name</b> (string)</p> <p>Use case: The Designer can make their job self-consistent with its colorant names.</p>	<p>ColorSpaceConversion ColorantControl/ ColorantAlias/ <b>@ReplacementColorantName</b> (string) <b>@SeparationSpec/*</b> <b>@Name</b> (string)</p>				<p><b>spot-name-aliases</b> (1setOf collection) [JT, DT, PO] Replaces one or more specified colorant names with a single alias colorant name. Each collection value consists of two member attributes:</p> <p><b>replacement-colorant-name</b> (type2 keyword   name(MAX)) - the alias colorant name.</p> <p><b>colorant-names-to-be-replaced</b> (1setOf (type2 keyword   name(MAX))) - the colorant names to be replaced by the "replacement-colorant-name".</p> <p>For each collection value, the Printer maps all of the colorant name strings specified by the "<b>colorant-names-to-be-replaced</b>" member attribute to the colorant name string specified by the "replacement-colorant-name" member attribute.</p> <p>It is RECOMMENDED that Printers process colorant names in a case insensitive manner. This attribute provides means to accommodate Printer implementations that do not follow this recommendation, in addition to dealing with other name inconsistencies.</p> <p>For example,  <b>"colorant-names-to-be-replaced"</b> = 'Pantone 135', 'PANTONE 135'  <b>"replacement-colorant-name"</b> = 'Pantone 135 CV'                      The Printer maps 'Pantone 135' and 'PANTONE 135' to 'Pantone 135 CV'.</p> <p>The Printer MUST perform the "spot-</p>	

IPP Attribute Name	P	PODi	C at	JDF 1.1 Product Intent	JDF 1.1 Process Resource	OSDP JDF Spec	JTAPI	CU PS	IPP Attribute Description	JDF/1.0 IDPrinting
									<u>name-aliases</u> attribute first, if supplied, followed by the <u>spot-name-mapping</u> attribute, if supplied.	
<u>spot-name-mapping</u>	H	<u>EFI Color – Spot Color Matching</u> <u>Note: this is needed in IPP as well.</u>	<u>6 C</u>	<u>ColorIntent/</u> <u>ColorSpaceSubstitute</u>  <u>@SeparationSpec/</u> <u>@MappingSelection</u> <u>(enumeration)</u> <u>@CMYKValue</u> <u>(CMYKColor)</u> <u>@FileSpec</u>  <u>Use case: Print shop customer (designer) wants to specify a specified color value substitution. Should be tied to the ICC source or destination profile of the job (either profile could be SWOP).</u>	<u>ColorantControl/</u> <u>ColorSpaceSubstitute/</u> <u>@SeparationSpec/</u> <u>@MappingSelection</u> <u>(enumeration)</u> <u>@CMYKValue</u> <u>(CMYKColor)</u> <u>@FileSpec</u>  <u>JDF ISSUE (Craig): Is the</u> <u>ColorSpaceSubstitute</u> <u>structure the right place</u> <u>to define the process</u> <u>equivalent for named</u> <u>spot colors?</u>				<u>spot-name-mapping</u> (1setOf collection( <u>type2 keyword   name(MAX)</u> )) [JT, DT, PO] Specifies the method that the Printer must use to map named spot colors to colorant amount values. Each collection value consists of the following member attributes:  <u>colorant-name</u> (type2 keyword   name(MAX)) - the colorant name string to be mapped. This value is the spot color name that is either in the "replacement-colorant-name" member attribute of "spot-name-aliases" or is directly found in the PDL if the "spot-name-aliases" attribute does not contain an alias for that colorant name. This member attribute MUST be present.  <u>mapping-selection</u> (type2 keyword) - Specifies the mapping method that the Printer is to use. This member attribute MUST be supplied. Values: <u>'use-pdl-values'</u> - Use color values specified in the PDL for "colorant-name". See Tech Note 5044 (page 12). <u>'use-local-printer-values'</u> - Use the Printer's best local mapping for "colorant-name". <u>'use-process-color-values'</u> - Use the supplied values in "process-color-values", rather than values from the PDL, for "colorant-name".  <u>process-color-values</u> (1setOf (integer(0:100))) - four integer	

IPP Attribute Name	P	PODi	C at	JDF 1.1 Product Intent	JDF 1.1 Process Resource	OSDP JDF Spec	JTAPI	CU PS	IPP Attribute Description	JDF/1.0 IDPrinting
									<p><u>colorant amount values to be mapped to the colorant specified by "colorant-name" member attribute. These integers are CMYK color space values (4 numbers from 0 to 100 in IPP and CMYKColor data type in JDF) that are defined by the ICC CMYK profile specified in the "color-profile" member attribute. This attribute MUST be supplied if the value of the "mapping-selection" member attribute is 'use-process-color-values'.</u></p> <p><u>"color-profile" (type3 keyword   name(MAX)) [JT, DT, PO] Specifies the CMYK ICC profile for the CMYK value given in the "process-color-values" member attribute. This attribute MUST be supplied if the "process-color-values" member attribute is supplied. See the CMYK keyword values of the "source-cmyk-{graphics   images   text}" attribute.</u></p> <p><u>The Printer MUST perform the "spot-name-aliases" attribute first, if supplied, followed by the "spot-name-mapping" attribute, if supplied. Subsequently, the Printer MUST perform any tint transforms specified in the PDL.</u></p> <p><u>Example:</u></p> <p><u>"colorant-name" = 'Pantone 135 CV'</u></p> <p><u>"mapping-selection" = 'use-process-color-values'</u></p> <p><u>"process-color-values" = '0', '23', '75', '0'.</u></p> <p><u>"color-profile" = 'swop'</u></p>	

IPP Attribute Name	P	PODi	C at	JDF 1.1 Product Intent	JDF 1.1 Process Resource	OSDP JDF Spec	JTAPI	CUPS	IPP Attribute Description	JDF/1.0 IDPrinting
trapping	H	EFI Image Quality – Trapping	6 C	<p><u>Need-on-or-off.</u></p> <p><u>ISSUE: Should we use the (P) method here and use the following on an Intent node:</u></p> <p>Trapping TrappingDetails/ @Trapping [@TrappingType=1001, 2001] (raster trapping) (integer)</p> <p>ObjectResolution/ @SourceObjects (enumerations)</p> <p><u>Note: IgnoreFileParams is assumed to be true (the default) when raster based trapping is requested.</u></p> <p><u>Need-all-cases: TO DO.</u></p>	<p>Trapping TrappingDetails/ @Trapping [@TrappingType=1001, 2001] (raster trapping) (integer)</p> <p><u>Note: IgnoreFileParams is assumed to be true (the default) when raster based trapping is requested.</u></p>	No (X)			<p><b>trapping</b> (<u>1setOf</u> type2 keyword) [JT, DT, PO] Turns <i>in-RIP raster-based</i> color trapping applied by the printer on or off <u>for the indicated source object types</u>. The 'all' values causes the Printer to eliminate or add pixels at all adjoining object boundaries (text, graphics, images, and sweeps) when the C, M, Y, and K color planes may be mis-registered. <u>The 'off' value turns trapping off.</u> [color&amp;img] §3.14</p> <p><u>ISSUE: Agree to we add 'graphics', 'images', and 'text' to IPP2:</u></p>	
'off'	H			[@Trapping=false]	TrappingDetails/ [@Trapping=false]				'off' - <u>turns trapping off.</u>	
'graphics'	M			[@Trapping=true] [@SourceObjects="LineArt SmoothShades"]	[@Trapping=true] [@SourceObjects="LineArt SmoothShades"]				'graphics'	
'images'	M			[@Trapping=true] @SourceObjects="ImagePhotographic ImageScreenShot "	[@Trapping=true] [@SourceObjects="ImagePhotographic ImageScreenShot "]				'images'	
'text'	M			[@Trapping=true] [@SourceObjects="Text"]	[@Trapping=true] [@SourceObjects="Text"]				'text'	
'all'	H			[@Trapping=true] [@SourceObjects="All"]	[@Trapping=true] [@SourceObjects="All"]				'all'	
trap-width-fast	H			(P)	Trapping				<b>trap-width-fast</b> (integer(0:MAX)) [JT,	

IPP Attribute Name	P	PODi	Category	JDF 1.1 Product Intent	JDF 1.1 Process Resource	OSDP JDF Spec	JTAPI	CUPS	IPP Attribute Description	JDF/1.0 IDPrinting
			C	On Intent node: Trapping TrappingDetails/ [@DefaultTrapping="true"] TrappingParams/ @TrapWidthFast (N) (number integer(0:MAX))	TrappingDetails/ [@DefaultTrapping="true"] TrappingParams/ @TrapWidthFast (N) (number integer(0:MAX))				DT, PO] Specified the number of pixels at each object boundary that will be within the trapping region in the "fast scan direction". [color&img] §3.15	
trap-width-slow	H		C	(P) On Intent node: Trapping TrappingDetails/ [@DefaultTrapping="true"] TrappingParams/ @TrapWidthSlow (N) (number integer(0:MAX))	Trapping TrappingDetails/ [@DefaultTrapping="true"] TrappingParams/ @TrapWidthSlow (N) (integer(0:MAX)) number				<b>trap-width-slow</b> (integer(0:MAX)) [JT, DT, PO] Specified the number of pixels at each object boundary that will be within the trapping region in the "slow scan direction". [color&img] §3.16	
trc (Tone Reproduction Curves)	H		C	N/A Add TransferFunctionControl to ColorIntent (N) (S) ColorIntent/ TransferFunctionControl/ [@TransferFunctionSource="Custom"] TransferCurvePool/ TransferCurveSet/ [@Name=Paper] TransferCurve/ @Curve @Separation=All (TransferFunction) (S)	DigitalPrinting TransferCurvePool/ TransferCurveSet/ [@Name=Paper] TransferCurve*  OR  ContoneCalibration TransferFunctionControl/ / [@TransferFunctionSource="Xxxx"] TransferCurvePool/ TransferCurveSet/ [@Name=Paper] TransferCurve*/ @Curve (TransferFunction)  OR  Separation SeparationControlParams/ TransferFunctionControl/ /			<b>trc</b> (collection) [JT, DT, PO] Apply either named configured or user-supplied Tone Reproduction Curves (TRCs) to image data after it has been transformed to the output device's CMYK color space, thus modifying the printer's response to the rendered CMYK data. Applied following with other transforms, but before device calibration. A User TRC defines a mapping from input intensity values to output intensity values. The mapping covers the complete domain of input intensity values. Also known as Intensity Transfer Function. When dealing with 8 bit continuous tone data, the color intensity values for each color separation are specified as unsigned integer octets with values in the range from 0 to 255. Mapping all 256 possible intensity values of a single color separation requires a table that contains 256 octets. User supplied TRCs MUST contain all four color separation values. Data is 256 octets of curve data for a color separation.		



IPP Attribute Name	P	PODi	C at	JDF 1.1 Product Intent	JDF 1.1 Process Resource	OSDP JDF Spec	JTAPI	CUPS	IPP Attribute Description	JDF/1.0 IDPrinting
					[@TransferFunctionSource="Xxx"] TransferCurvePool/ TransferCurveSet/ [@Name=Paper] TransferCurve*/ @Curve (TransferFunction) (S) <b>ISSUE: See Rainer</b>				[color&img] §3.17  <u>The effect will vary from printer to printer.</u>  <b>ISSUE: IPP trc attribute specifies that the Printer applies the trc after all other transforms, but before any calibration transform, OK?</b>	
trc-type					TransferFunctionControl/ @TransferFunctionSource (enumeration) Values:				<b>trc-type</b> (type2 keyword) - identifies the type of TRC. Values:	
'no-user-trc' (to eliminate system default TRC)					<b>ISSUE: How to force none in JDF when the Device might have a system specified??</b>				'no-user-trc' (to eliminate system default TRC)	
'public' (find or save in public place for use by other jobs)					Device				'public' (find or save the trc identified by "trc-name" in public place for use by other jobs)	
'private' (for use by current job only)					Custom				'private' (find or temporarily save the trc identified by "trc-name" in a private place for use by this job only)	
trc-name				<b>ISSUE: Need name mechanism</b> N/A	<b>ISSUE: Need name mechanism</b>				<b>trc-name</b> (name(MAX)) - name of the TRC to be found or saved (if "trc-xxx-data" supplied for each separation).	
trc-cyan-data				@Separation="cyan"	@Separation="cyan"				<b>trc-cyan-data</b> (octetString(256)) 256 octets of data for the cyan color separation.	
trc-magenta-data				@Separation="magenta"	@Separation="magenta"				<b>trc-magenta-data</b> (octetString(256)) 256 octets of data for the magenta color separation.	
trc-yellow-data				@Separation="yellow"	@Separation="yellow"				<b>trc-yellow-data</b> (octetString(256)) 256 octets of data for the yellow color separation.	
trc-black-data				@Separation="black"	@Separation="black"				<b>trc-black-data</b> (octetString(256)) 256 octets of data for the black separation.	
undefined-source-{cmy   gray}-{graphics   images   text}	H		C	We do need to provide a way for a customer to specify – "use this source	ColorSpaceConversion ColorSpaceConversion Params/ ColorSpaceConversion				<b>undefined-source-{cmy   gray}-{graphics   images   text}</b> (name(MAX)) [JT, DT, PO] Identifies the name of the installed Source	

IPP Attribute Name	P	PODi	C at	JDF 1.1 Product Intent	JDF 1.1 Process Resource	OSDP JDF Spec	JTAPI	CU PS	IPP Attribute Description	JDF/1.0 IDPrinting
				profile for untagged color objects in the PDL”  Add: ColorSpaceConversionParams to ColorIntent (N):  ColorIntent/ ColorSpaceConversionParams/ ColorSpaceConversionOp/ [:@Operation”Tag”] @SourceCS [CMY=’cmy’ (N), Gray=’gray’] @SourceObjects [Text=’text’, LineArt or SmoothShades =’graphics’, ImagePhotographic or ImageScreenShot = ‘images’], FileSpec/ [:@ResourceUsage=”SourceProfile”]	Op/ [:@Operation=”Tag”] @SourceCS [CMY=’cmy’ (N), Gray=’gray’] @SourceObjects [Text=’text’, LineArt or SmoothShades =’graphics’, ImagePhotographic or ImageScreenShot = ‘images’], FileSpec/ [:@ResourceUsage=”SourceProfile”] and FileSpec/ @UID and FileSpec/ @UserFileName				Color Space Profile that the Printer MUST use to map the <i>untagged</i> content data to the Profile Connection Space (PCS) for graphics, images & text content in either CMY color space or for grayscale data, respectively. [color&img] §3.13	
undefined-source-{cmyk   rgb}-{graphics   images   text} (type3 keyword   name(MAX))	H		C	We do need to provide a way for a customer to specify – “use this source profile for untagged color objects in the PDL”  Add: ColorSpaceConversionParams to ColorIntent (N):  ColorIntent/ ColorSpaceConversionParams/ ColorSpaceConversionOp/ [:@Operation=”Tag”] @SourceCS [CMYK=’cmyk’ (N), RGB=’rgb’] @SourceObjects [Text=’text’, LineArt or SmoothShades =’graphics’, ImagePhotographic or ImageScreenShot = ‘images’],	ColorSpaceConversion ColorSpaceConversionParams/ ColorSpaceConversionOp/ [:@Operation=”Tag”] @SourceCS [CMYK=’cmyk’ (N), RGB=’rgb’] @SourceObjects [Text=’text’, LineArt or SmoothShades =’graphics’, ImagePhotographic or ImageScreenShot = ‘images’],				<b>undefined-source-{cmyk   rgb}-{graphics   images   text}</b> (type3 keyword   name(MAX)) [JT, DT, PO] Identifies the name of the installed Source Color Space Profile that the Printer MUST use to map the <i>untagged</i> content data to the Profile Connection Space (PCS) for graphics, images & text content in either CMYK or RGB color spaces, respectively. [color&img] §3.13	

IPP Attribute Name	P	PODi	C at	JDF 1.1 Product Intent	JDF 1.1 Process Resource	OSDP JDF Spec	JTAPI	CUPS	IPP Attribute Description	JDF/1.0 IDPrinting
				[@Operation"Tag"] @SourceCS [CMYK=cmyk (N), RGB=rgb] @SourceObjects [Text='text', LineArt or SmoothShades ='graphics', ImagePhotographic or ImageScreenShot = 'images'], FileSpec/ [@ResourceUsage="SourceProfile"]	FileSpec/ [@ResourceUsage="SourceProfile"] and FileSpec/ @UID and FileSpec/ @UserFileName					
CMYK values: 'native-cmyk'				ISSUE: What values correspond to IPP values? Are they the same as added for "color-emulation"?	ISSUE: What values correspond to IPP values? Are they the same as added for "color-emulation"?				CMYK values: 'native-cmyk'	
'swop' [SWOP]									'swop' [SWOP]	
'euroscale'									'euroscale'	
'japan-color'									'japan-color'	
'enhanced-swop' [SWOP]									'enhanced-swop' [SWOP]	
'euroscale-matte'									'euroscale-matte'	
'euroscale-uncoated'									'euroscale-uncoated'	
RGB values: 'srgb' [IEC 61966-2.1]									RGB values: 'srgb' [IEC 61966-2.1]	
'smpte-240m' [SMPTE]									'smpte-240m' [SMPTE]	
version-number	N			NodeInfo/ @IPPVersion	NodeInfo/ @IPPVersion	No	<b>Never</b>	1.1	<b>version-number</b> (type2 keyword) [OP] Indicates the version number of the protocol that the client is using in the request. (Keywords: 1.0, 1.1). [RFC2911] §3.1.8	Yes
Where/who/how to deliver final product. Assume single drop point.	H	EFI Packaging/ Shipping Info	2	DeliveryIntent/Contact/@... (S)	Delivery DeliveryParams/Contact/@... (S)	No (X)	<b>x.x</b>		Not an IPP attribute.	
x-image-position	H		6 or 7 ? C	N/A (P)	LayoutPreparation LayoutPreparationParams/ ImageShift/ @PositionX /FitPolicy/ @SizePolicy	Fit Policy (X)	<b>1.0 job-image-position-x</b> <b>x.x document-image-position-x</b> <b>x.x po-image-position-x</b>	1.2	<b>x-image-position</b> (type2 keyword) [JT, DT, PO] Causes the specified point of the Finished-Page Image to be positioned at a specified location. [prod-print] §3.19.2	Yes

IPP Attribute Name	P	PODi	C at	JDF 1.1 Product Intent	JDF 1.1 Process Resource	OSDP JDF Spec	JTAPI	CU PS	IPP Attribute Description	JDF/1.0 IDPrinting
							1.0 job-fit-policy x.x document-fit-policy x.x po-fit-policy			
'none'					None				'none'	
'center'					Center				'center'	
'left'					Left				'left'	
'right'					Right				'right'	
x-image-shift	N		C	N/A	N/A	No	Never	1.2	<b>x-image-shift</b> (integer(MIN:MAX)) [JT, DT, PO] Causes the Finished-Page Image to be shifted in position with respect to the x-axis of the media. The unit of measure for this attribute is hundredths of a millimeter. The sign of the value indicates the direction of the shift. [prod-print] §3.19.3	Yes
x-side1-image-shift	H		6 or 7 ? C	N/A (P)	LayoutPreparation LayoutPreparationParameters/ ImageShift/ @ShiftFront	Image Shift Front Side (X)	1.0 job-image-shift-front-x x.x document-image-shift-front-x x.x po-image-shift-front-x	1.2	<b>x-side1-image-shift</b> (integer(MIN:MAX)) [JT, DT, PO] Causes each Finished-Page Image that would be placed on the front side of a sheet to be shifted in position with respect to the x-axis of the media. The unit of measure for this attribute is hundredths of a millimeter. The sign of the value indicates the direction of the shift. [prod-print] §3.19.4	Yes
x-side2-image-shift	H		6 or 7 ? C	N/A (P)	LayoutPreparation LayoutPreparationParameters/ ImageShift/ @ShiftBack	Image Shift Back Side (X)	1.0 job-image-shift-back-x x.x document-image-shift-back-x x.x po-image-shift-back-x	1.2	<b>x-side2-image-shift</b> (integer(MIN:MAX)) [JT, DT, PO] Causes each Finished-Page Image that would be placed on the back side of a sheet to be shifted in position with respect to the x-axis of the media. The unit of measure for this attribute is hundredths of a millimeter. The sign of the value indicates the direction of the shift. [prod-print] §3.19.5	Yes
y-image-position	H		6 or 7 ? C	N/A (P)	LayoutPreparation LayoutPreparationParameters/ ImageShift/ @PositionY/ /FitPolicy/	Fit Policy (X)	1.0 job-image-position-y x.x document-image-position-y x.x po-image-	1.2	<b>y-image-position</b> (type2 keyword) [JT, DT, PO] Causes the specified point of the Finished-Page Image to be positioned at a specified location. [prod-print] §3.19.6	Yes

IPP Attribute Name	P	PODi	C at	JDF 1.1 Product Intent	JDF 1.1 Process Resource	OSDP JDF Spec	JTAPI	CU PS	IPP Attribute Description	JDF/1.0 IDPrinting
					@SizePolicy		position-y 1.0 job-fit-policy x.x document-fit-policy x.x po-fit-policy			
'none'					None				'none'	
'center'					Center				'center'	
'left'					Left				'left'	
'right'					Right				'right'	
y-image-shift	N		C	N/A	N/A	No	Never	1.2	<b>y-image-shift</b> (integer(MIN:MAX)) [JT, DT, PO] Causes the Finished-Page Image to be shifted in position with respect to the y-axis of the media. The unit of measure for this attribute is hundredths of a millimeter. The sign of the value indicates the direction of the shift. [prod-print] §3.19.7	Yes
y-side1-image-shift	H		6 or 7 ? C	N/A (P)	LayoutPreparation LayoutPreparationParams/ ImageShift/ @ShiftFront	Image Shift Front Side (X)	<b>1.0 job-image-shift-front-y</b> <b>x.x document-image-shift-front-y</b> <b>x.x po-image-shift-front-y</b>	1.2	<b>y-side1-image-shift</b> (integer(MIN:MAX)) [JT, DT, PO] Causes each Finished-Page Image that would be placed on the front side of a sheet to be shifted in position with respect to the y-axis of the media. The unit of measure for this attribute is hundredths of a millimeter. The sign of the value indicates the direction of the shift. [prod-print] §3.19.8	Yes
y-side2-image-shift	H		6 or 7 ? C	N/A (P)	LayoutPreparation LayoutPreparationParams/ ImageShift/ /@ShiftBack	Image Shift Back Side (X)	<b>1.0 job-image-shift-back-y</b> <b>x.x document-image-shift-back-y</b> <b>x.x po-image-shift-back-y</b>	1.2	<b>y-side2-image-shift</b> (integer(MIN:MAX)) [JT, DT, PO] Causes each Finished-Page Image that would be placed on the back side of a sheet to be shifted in position with respect to the y-axis of the media. The unit of measure for this attribute is hundredths of a millimeter. The sign of the value indicates the direction of the shift. [prod-print] §3.19.9	Yes
no IPP exists	H	1.1 Special (Spot) Color Handling	6 C	ColorIntent/ ColorsUsed/ SeparationSpec/ @Name (S)	DigitalPrinting ColorantControl/ ColorantParams/ SeparationSpec/ @Name (S)	Spot Color (X)			<b>ISSUE: What is this attribute really? Does it match the new proposed IPP "spot-name-mapping" and/or "spot-name-aliases" attributes above?</b>	

IPP Attribute Name	P	PODi	C at	JDF 1.1 Product Intent	JDF 1.1 Process Resource	OSDP JDF Spec	JTAPI	CU PS	IPP Attribute Description	JDF/1.0 IDPrinting
no IPP exists	M	1.1 Booketmaking	78	ISSUE: Want to be able to specify an interoperable BookletMaking w/o breaking it out into individual resources. Possibly a BookletMaking catalog.	same as Product Intent	Folding, Number Up, Order Pages, Stapling & Stitching, Trimming (X)				
no IPP exists	L ?	EFI Catalog Imposition ContentArray	?	Unknown	Unknown	No (X)				
no IPP exists	L ?	EFI Color – CMYK Simulation	6C	Unknown	Unknown	No (X)			Is IPP color-emulation the same?	
no IPP exists	H	EFI Color – Spot Color Matching Note: this is needed in IPP as well.	6C	Unknown	Unknown	No (X)			Not an IPP attribute. Note: this is needed in IPP as well.	
no IPP exists	L ?	EFI Document List - File Merge specs	3	Unknown	Unknown	No (X)				
no IPP exists	N	EFI Document List - File Edit Spec	3	N/A	N/A	No (X)				
no IPP exists	L ?	EFI Finishing - Page Order	8	Unknown	LayoutPreparation LayoutPreparationParams/ @PageOrder	Order Pages (X)				
zz no IPP exists	L ?	EFI Finishing - Binding Gangup Unique Gangup Collate and cut Saddle Perfect Nested Saddle	8	Unknown	see Stitching see Binding	No ? (X) No ? (X) Yes Stitching (X) Yes Binding (X) No (X)				
no IPP exists	L ?	EFI General/ Account Info- User Information	1	Unknown	Unknown	No (X)				
no IPP exists	L	EFI Image Quality	6	Unknown	ColorSpaceConversion	No (X)			Not an IPP attribute. Need a new IPP	

IPP Attribute Name	P	PODi	C at	JDF 1.1 Product Intent	JDF 1.1 Process Resource	OSDP JDF Spec	JTAPI	CUPS	IPP Attribute Description	JDF/1.0 IDPrinting
	?	Black Detection	C		ColorSpaceConversion Params/ ColorSpaceConversion Op/ RGBGray 2Black  ISSUE: Need to add threshold instead of boolean to JDF.				boolean attribute	
	L	EFI Image Quality – Sharpness	C							
no IPP exists	L ?	EFI Layout Definition - n rows and columns	7	Unknown	Unknown	No (X)				
no IPP exists	L ?	EFI Layout Definition - GuttersN and GuttersM	7	Unknown	Unknown	No (X)				
no IPP exists	L ?	EFI Layout Definition - Scale	7	Unknown	Unknown	No (X)				
no IPP exists	L ?	EFI Layout Definition - Type (scale to fit & user defined)	7	Unknown	LayoutPreparation LayoutPreparationPara ms/ FitPolicy/ @SizePolicy	Fit Policy (X)				
no IPP exists	L ?	EFI Layout Definition - Bleeds	7	Unknown	Unknown	No (X)				
no IPP exists	L ?	EFI Layout Definition - Creep	7	Unknown	Unknown	No (X)				
no IPP exists	L ?	EFI Layout Content - Side and PlacedObjects	7	Unknown	Unknown	No (X)				
no IPP exists	L ?	EFI Media - Imageable Area	?	Unknown	Unknown	No (X)			Not an IPP attribute. Note: FSG PAPI is adding “media- margins” as a Printer attribute for querying the Device Capabilities. The values are the widths of top, right, bottom, and left non-imagable margins. Second set of 4 integers, if	

IPP Attribute Name	P	PODi	C at	JDF 1.1 Product Intent	JDF 1.1 Process Resource	OSDP JDF Spec	JTAPI	CU PS	IPP Attribute Description	JDF/1.0 IDPrinting
									the back side is different. ISSUE: Is the EFI attribute a Job Ticket attribute which is controlling the imagable area?	
no IPP exists	H ? 35	EFI MediaSource Offset	6	Unknown	Unknown	No (X)				
no IPP exists	N ?	EFI MediaSource TrayAlignment	6	Unknown	Unknown	No (X)				
no IPP exists	L ?	EFI Printer Marks - CropMarks HorizontalArray VerticalArray Enabled	7	Unknown	Unknown	No (X)				
no IPP exists	L ?	EFI Printer Marks - SheetName Enabled Text Font CTM	7	Unknown	Unknown	No (X)				
no IPP exists	L ?	EFI Printer Marks - FoldMarks Enabled	7	Unknown	Unknown	No (X)				
no IPP exists	L ?	EFI Printer Marks - CalibrationBar Enabled Side CTM	7	Unknown	Unknown	No (X)				
no IPP exists	L ?	EFI Printer Marks - ExposureBar Enabled Side CTM	7	Unknown	Unknown	No (X)				
no IPP exists	N 36	EFI Vendor specific private extensions	10	N/A	N/A	No (X)				

<sup>35</sup> Can this be accomplished by shifting the image using the image-shift attributes?

<sup>36</sup> Describe in spec how vendor-specific extensions should be handled.



## 2 Proposed clarifications and extensions to JDF/1.1 for JDF/1.2 needed by the Product Intent and/or Process Resource mappings

Table 3 and Table 4 contain a [copy summary](#) of the proposed clarifications and extensions to JDF/1.1 for inclusion in JDF/1.2 as needed by the Product Intent and/or Process Resource mappings. [To see all of the details of the extension use the IPP reference to find the entry in Table 2 - IPP Attribute Mapping Table.](#) As agreements are reached on extensions and clarifications both Table 2 and Table 3 and Table 4 are updated. The purpose of Table 3 and Table 4 is have a simple way to keep track of the [status of the](#) proposed clarifications and extensions. [The edited version of the JDF/1.1a spec with the proposed extension can be found \[http://ftp.pwg.org/pwg/fsg/jobticket/IPP\\\_Mapping/ippjdf-mapping-latest.pdf\]\(http://ftp.pwg.org/pwg/fsg/jobticket/IPP\_Mapping/ippjdf-mapping-latest.pdf\) \[http://ftp.pwg.org/pwg/fsg/jobticket/IPP\\\_Mapping/ippjdf-mapping-latest.doc\]\(http://ftp.pwg.org/pwg/fsg/jobticket/IPP\_Mapping/ippjdf-mapping-latest.doc\)](#)

The “[JDF Status](#)” columns indicate the level of agreement and action: [JDF/1.1 \(already in JDF/1.1\)](#), Proposed, Agreed, Edited (in JDF/1.2 input to FrameMaker), Checked (in JDF/1.2 FrameMaker).

**Table 3 - Proposed clarifications and extensions to JDF/1.1 for JDF/1.2 needed by the *Product Intent* Resources**

JDF Resource	Extension description	JDF Status	corresponding IPP attribute name
<a href="#">ColorIntent</a>	<a href="#">Add: AutomatedOverprintParams</a>	Proposed	<a href="#">black-overprint</a> (type2 keyword)
	<a href="#">Add: ColorantAlias</a>	Proposed	<a href="#">highlight-map-color</a> (type3 keyword   name(MAX))
			<a href="#">spot-name-aliases</a> (1setOf collection)
	<a href="#">Add: ColorCorrectionParams</a>	Proposed	<a href="#">adjust-xxx</a> (integer(-100:100))
			<a href="#">color-destination-profile-back</a> (type3 keyword   name(MAX))
			<a href="#">color-destination-profile-front</a> (type3 keyword   name(MAX))
			<a href="#">color-emulation</a> (type3 keyword   name (MAX))
	<a href="#">Add: ColorSpaceConversionParams</a>	Proposed	<a href="#">black-detection-{graphics   images   text}</a> (boolean)
			<a href="#">black-detection-threshold {graphics   images   text}</a> (integer(0:100))
			<a href="#">color-destination-profile-back</a> (type3 keyword   name(MAX))
			<a href="#">color-destination-profile-front</a> (type3 keyword   name(MAX))
			<a href="#">color-emulation</a> (type3 keyword   name (MAX))
			<a href="#">rendering-intent-{graphics   images   text}</a> (type2 keyword)
			<a href="#">source-{cmy   gray}-{graphics   images   text}</a> (name(MAX))
			<a href="#">source-{cmyk   rgb}-{graphics   images   text}</a> (type3 keyword   name(MAX))
			<a href="#">undefined-source-{cmy   gray}-{graphics   images   text}</a> (name(MAX))
			<a href="#">undefined-source-{cmyk   rgb}-{graphics   images   text}</a> (type3 keyword   name(MAX))
	<a href="#">Add value to ColorSpaceConversionOp/@SourceCS: CMY</a>	Proposed	<a href="#">highlight-map-color</a> (type3 keyword   name(MAX))
			<a href="#">source-{cmy   gray}-{graphics   images   text}</a> (name(MAX))
			<a href="#">undefined-source-{cmy   gray}-{graphics   images   text}</a> (name(MAX))
	<a href="#">Add: ColorSpaceSubstitute</a>	Proposed	<a href="#">highlight-map-color</a> (type3 keyword   name(MAX))
			<a href="#">spot-name-mapping</a> (1setOf collection)
	<a href="#">ISSUE: Clarify ColorStandard "Monochrome" value or add "GrayScale" value</a>	Proposed	<a href="#">color-effects-type</a> (type2 keyword)
	<a href="#">Add values to ColorStandard: FOGRA-coated, Japan-coated, FOGRA-matte, FOGRA-uncoated</a>	Proposed	<a href="#">color-emulation</a> (type3 keyword   name (MAX))
	<a href="#">Add: TransferFunctionControl</a>	Proposed	<a href="#">trc</a> (collection)
<a href="#">LayoutIntent</a>	<a href="#">Add: NonPrintableMargins (NumberList)</a>	Proposed	<a href="#">edge-to-edge</a> (type2 keyword)

	Add: FinishedGrainDirection (enumeration) = ParallelToBind, PerpendicularToBind, SystemSpecified	Proposed	<b>media-grain</b> (type3 keyword   name(MAX))
ProofingIntent	Add: ImageViewingStrategy with same values as ProofingParams/@ImageViewingStrategy	Proposed	<b>opi-image-insertion</b> (type2 keyword)
ScreeningIntent	Define new ScreeningIntent resource with subset of ScreeningParams attributes: Frequency, MacroDotsPerInch, ScreeningFamily, ScreeningType, SourceObjects, SpotFunction	Proposed	<b>halftone-{graphics   images   text}</b> (type2 keyword   name(MAX))

Table 4 - Proposed clarifications and extensions to JDF/1.1 for JDF/1.2 needed by the Process Resources

JDF Resource	Extension description	JDF Status	corresponding IPP attribute name
Color	Add values to Appendix A.2.8: Cardinal, Cyan, Magenta, Royal, Ruby	Proposed	<b>highlight-colorant</b> (type3 keyword   name(MAX))
ColorCorrectionParams	Add: AdjustCyanRed (integer (-100:100))	Proposed	<b>adjust-cyan-red</b> (integer(-100:100))
	Add: AdjustMagentaGreen (integer (-100:100))	Proposed	<b>adjust-magenta-green</b> (integer(-100:100))
	Add: AdjustYellowBlue (integer (-100:100))	Proposed	<b>adjust-yellow-blue</b> (integer(-100:100))
	Add: AdjustContrast (integer (-100:100))	Proposed	<b>adjust-contrast</b> (integer(-100:100))
	Add: AdjustHue (integer (-180:180))	Proposed	<b>adjust-hue</b> (integer(-180:180))
	Add: AdjustLightness (integer (-100:100))	Proposed	<b>adjust-lightness</b> (integer(-100:100))
	Add: AdjustSaturation (integer (-100:100))	Proposed	<b>adjust-saturation</b> (integer(-100:100))
	Add: "AbstractProfile" value to ResourceUsage attribute in FileSpec	Proposed	<b>adjust-profile</b> (uri)
ColorSpaceConversionParams	Add: "EmulationProfile" value to ResourceUsage attribute in FileSpec	Proposed	<b>color-emulation</b> (type3 keyword   name (MAX))
	Add DestinationRenderingIntent (enumeration) = Perceptual, RelativeColorimetric, AbsoluteColorimetric, Perceptual to ColorSpaceConversionOp, deprecating RenderingIntent	Proposed	<b>rendering-intent-{graphics   images   text}</b> (type2 keyword)
	Deprecate RenderingIntent in JDF/1.2, use SourceRenderingIntent or DestinationRenderingIntent instead	Proposed	<b>rendering-intent-{graphics   images   text}</b> (type2 keyword)
	Add: RGBGray2BlackThreshold (number)	Proposed	<b>black-detection-threshold-{graphics   images   text}</b> (integer(0:100))
ColorSpaceSubstitute	Add: CMYKValue attribute with a CMYKColor data type	Proposed	<b>highlight-map-color</b> (type3 keyword   name(MAX)) spot-name-mapping (1setOf collection)
	Add: MappingSelection attribute with values: UsePdlValues, UseLocalPrinterValues, and UseProcessColorValue	Proposed	<b>highlight-map-color</b> (type3 keyword   name(MAX)) spot-name-mapping (1setOf collection)
	Add: FileSpec attribute for profiles with ResourceUsage values: "SourceProfile" or "FinalTargetDevice"	Proposed	<b>highlight-map-color</b> (type3 keyword   name(MAX)) spot-name-mapping (1setOf collection)
DigitalPrintingParams	Add: NonPrintableMargins (NumberList)	Proposed	<b>edge-to-edge</b> (type2 keyword)
LayoutPreparationParams	Add: ImagePreScanStrategy (NMTOKEN) = NoPreScan, PreScan, PreScanAndGather, SystemSpecified	Proposed	<b>opi-image-pre-scan</b> (type2 keyword)
			<b>resource-pre-scan</b> (type2 keyword)
ObjectResolution	Add: AntiAliasing (N) (NMTOKEN) = None, SystemSpecified	Proposed	<b>anti-aliasing</b> (type3 keyword)
TrappingDetails	Add value to TrappingType = 2002 (raster trapping)	Proposed	<b>trapping</b> (type2 keyword)
TrappingParams	Add: TrapWidthFast (number)	Proposed	<b>trap-width-fast</b> (integer(0:MAX))
	Add: TrapWidthSlow (number)	Proposed	<b>trap-width-slow</b> (integer(0:MAX))

### 3 Suggested extensions to IPP needed by the JDF Product Intent and/or Process Resource subset chosen

Table 5 lists the suggested extensions to [the IPP Color & Imaging Specification](#) needed by the JDF Product Intent and/or Process Resource subset chosen. See the indicated attribute name and IPP Description columns in Table 2 - IPP Attribute Mapping Table for more details. [See ftp://ftp.pwg.org/pub/pwg/ipp/new\\_COLOR/pwg-ipp-color-and-imaging-latest-rev.doc for the latest specification.](ftp://ftp.pwg.org/pub/pwg/ipp/new_COLOR/pwg-ipp-color-and-imaging-latest-rev.doc) The Status column indicates the status of the proposal: Proposed to CIP4/PODi, Agreed by CIP4/PODi: to be proposed to PWG, Proposed to PWG [spec] §n.n, Approved by PWG.

**Table 5 - Suggested extensions to IPP [Color & Imaging Specification](#) needed by the JDF Product Intent and/or Process Resource subset chosen**

IPP attribute name	Status
<b>adjust-hue</b> (integer(-180:180)) [JT, DT, PO]	Proposed to PWG
<b>adjust-profile</b> (uri) [JT, DT, PO]	Agreed by CIP4/PODi: to be proposed to PWG <del>Proposed to CIP4/PODi</del>
<b>black-detection-{graphics   images   text}</b> (boolean) [JT, DT, PO]	Agreed by CIP4/PODi: to be proposed to PWG
<b>black-detection-threshold-{graphics   images   text}</b> (integer(0:100)) [JT, DT, PO]	Proposed to CIP4/PODi
<b>black-overprint</b> (type2 keyword) - add a 'black-overprint-pdl' value.	Agreed by CIP4/PODi; to be proposed to PWG
<b>edge-to-edge</b> (type2 keyword) [JT, DT, PO] - renamed from bleed-edge-printing	Agreed by CIP4/PODi: to be proposed to PWG
<b>additional "highlight-colorant" values to agree with JDF/1.1:</b> buff, gold, goldenrod, gray, ivory, multicolor, mustard, orange, pink, <del>sliver, turquoise,</del> white	Agreed by CIP4/PODi: to be proposed to PWG <del>Proposed to CIP4/PODi</del>
<b>job-client-id (name(MAX))</b> [JD]	to be proposed to PWG <del>ISSUE: Propose to PWG?</del>
<b>job-comment (text(MAX))</b> [JD]	Agreed by CIP4/PODi: to be proposed to PWG
<b>job-mandatory-attributes</b> (1setOf type2 keyword) [JD]	Proposed to CIP4/PODi, Proposed to PWG [doc-obj] §6.2.2
<b>media-brightness</b> (integer(0:100) - member attribute of "media-col"	Proposed to CIP4/PODi
<b>opi-image-insertion</b> (type2 keyword) - add ' <del>no-image</del> ' and 'embedded-and-insert' and 'insert' values?	Agreed by CIP4/PODi; to be proposed to PWG <del>Proposed to CIP4/PODi</del>
<b>"output-bin" new value: 'fit-media' - Printer selects an output bin based on the size of the media.</b>	ISSUE: Should we propose to IPP WG?
<b>"page-delivery" new value: 'fan-fold' - media alternates face-up and face-down each sheet.</b>	ISSUE: Should we propose to IPP WG?
<b>proof-print</b> (collection) - add "proof-print-contact" (text(MAX)) member attribute	Agreed by CIP4/PODi: to be proposed to PWG <del>Proposed to CIP4/PODi</del>
<b>resample-method (type2 keyword)</b> [JT, DT, PO]	Proposed to PWG
<b>"sides" new values: 'one-sided-short-edge-back' and 'one-sided-long-edge-back'</b>	ISSUE: Should we propose to IPP WG?
<b>spot-name-aliases</b> (1setOf collection) [JT, DT, PO]	Proposed to CIP4/PODi
<b>spot-name-mapping</b> (1setOf collection) [JT, DT, PO]	Proposed to CIP4/PODi
<b>trapping</b> (1setOf type2 keyword) - add 'graphics', 'images', and 'text' values <u>and change to 1setOf?</u>	<del>Proposed</del> Agreed by CIP4/PODi; to be proposed to PWG
EFI Image Quality - Black Detection [JT]	Proposed to CIP4/PODi
EFI Color – Spot Color Matching [JT]	Proposed to CIP4/PODi

### 4 CUPS Job Template extensions to IPP

The following attributes are listed in the "CUPS Implementation of IPP" document as CUPS extension Job Template attributes:

**Table 6 - CUPS Job Template extensions to IPP**

CUPS Attribute	OSDP JDF Spec
blackplot	No
brightness	No
columns	No

<b>CUPS Attribute</b>	<b>OSDP JDF Spec</b>
cpi	No
fitplot	No
gamma	No
hue	No
job-billing	Yes
job-hold-until (like IPP 1.1 except add HH:MM and HH:MM:SS GMT of next time)	Yes Hold Job
job-sheets (IPP 1.1 is singled valued whereas CUPS is 1setOf)	Yes Start, Separator, End Sheets
job-originating-host-name	Yes Job Created By
lpi	No
natural-scaling	No
page-bottom	No
page-label	No
page-left	No
page-right	No
page-set	No
page-top	No
penwidth	No
position	No
ppi	No
prettyprint	No
saturation	No
scaling	No
wrap	No

## 5 Attributes for the proposed PDC document

The following attributes are listed in the proposed PDC Document:

**Table 7 - Attributes for the proposed PDC document**

<b>PDC Attribute</b>	<b>IPP Attribute</b>	<b>OSDP JDF Spec</b>
form	media-col?	Yes Forms
media	media-col attribute's media-key member attribute	Yes Media
tray	media	Yes Input Tray Name
resolution	printer-resolution	No
orientation	orientation-requested	Yes Rotate Page

PDC Attribute	IPP Attribute	OSDP JDF Spec
color/monochrome	---	No
copies	copies	Yes Number of Copies

## 6 References

[adm-ops]

Kugler, C, Hastings, T., Lewis, H., "Internet Printing Protocol (IPP): Job and Printer Administrative Operations", <draft-ietf-ipp-adm-ops-03.txt>, July 17, 2001.

[color&img]

Hastings, T., and D. Fullman, "Internet Printing Protocol (IPP): Color and Imaging Attributes", [ftp://ftp.pwg.org/pub/pwg/ipp/new\\_COLOR/pwg5100.8-D01-020118.pdf](ftp://ftp.pwg.org/pub/pwg/ipp/new_COLOR/pwg5100.8-D01-020118.pdf), work in progress, October 18, 2002.

CUPS

Common UNIX Printing System, <http://www.cups.org/>.

[doc-obj]

Hastings, T., and P. Zehler, "Internet Printing Protocol (IPP): Document Object", September 27, 2002, [ftp://ftp.pwg.org/pub/pwg/ipp/new\\_DOC/IPP-Document-Object.doc](ftp://ftp.pwg.org/pub/pwg/ipp/new_DOC/IPP-Document-Object.doc), .pdf, .rtf work in progress to become IEEE-ISTO 5100.5-2001.

[EFI]

EFI Job Ticket Proposal 2002.

[finishing] IEEE-ISTO 5100.1-2001

"Internet Printing Protocol (IPP): "finishings" attribute values extension", Hastings, T., and D. Fullman, February 5, 2001, <ftp://ftp.pwg.org/pub/pwg/standards/pwg5100.1.pdf>

[finishing2]

Hastings, T. and D. Fullman, "Proposed Update to IEEE-ISTO 5100.1 Internet Printing Protocol (IPP): "finishings" extension", [ftp://ftp.pwg.org/pub/pwg/ipp/new\\_VAL/pwg-ipp-finishings-latest.pdf](ftp://ftp.pwg.org/pub/pwg/ipp/new_VAL/pwg-ipp-finishings-latest.pdf), work in progress, October 30, 2002.

[IEC61966-2.1]

"Colour measurement and management in multimedia systems and equipment", Part 2.1 of IEC 61966; Colour Management in Multimedia systems.

[JTAPI]

Job Ticket API Design currently being developed by the Free Standards Group (FSG) Open Print Job Ticket Working Group – September 2002

[OPI]

"Open Prepress Interface (OPI)", Open Prepress Interchange Specification Version 2.0, Technical Note 5660, January 19, 2000, [http://partners.adobe.com/asn/developer/PDFS/TN/5660.OPI\\_2.0.pdf](http://partners.adobe.com/asn/developer/PDFS/TN/5660.OPI_2.0.pdf) and Open Prepress Interchange Specification 1.3, September 22, 1993, [http://partners.adobe.com/asn/developer/PDFS/TN/OPI\\_13.pdf](http://partners.adobe.com/asn/developer/PDFS/TN/OPI_13.pdf)

[OSDP]

"Open Source Digital Printing Job Ticket", Claudia Alimpich, version 1.2.

[override] IEEE-ISTO 5100.4-2001

"Internet Printing Protocol (IPP): Override Attributes for Documents and Pages", Herriot, R., and K. Ocke, February 7, 2001, <ftp://ftp.pwg.org/pub/pwg/standards/pwg5100.4.pdf>

[output-bin] IEEE-ISTO 5100.2-2001

"Internet Printing Protocol (IPP): output-bin attribute extension", Hastings, T., and R. Bergman, February 7, 2001, <ftp://ftp.pwg.org/pub/pwg/standards/pwg5100.2.pdf>

[PDF]

Adobe Portable Document Format (PDF), version 1.4, Adobe Systems, "PDF Reference, third edition, Adobe Portable Document Format Version 1.4", Addison-Wesley, December 2001, <http://partners.adobe.com/asn/developer/acrosdk/docs/filefmtspecs/PDFReference.pdf>. Also see errata: <http://partners.adobe.com/asn/developer/acrosdk/docs/PDF14errata.txt>.  
Previous version: version 1.3, March 11, 1999. See <http://www.pdfzone.com/resources/pdfspec13.html>

[PostScript]

PostScript @ Level 3 Reference Manual. <http://www.adobe.com/products/postscript/main.html>

[prod-print] IEEE-ISTO 5100.3-2001

"Internet Printing Protocol (IPP): Production Printing Attributes - Set1", Ocke, K., and T. Hastings, February 12, 2001, <ftp://ftp.pwg.org/pub/pwg/standards/pwg5100.3.pdf>

[prod-print2]

Hastings, T., and D. Fullman, "Internet Printing Protocol (IPP): Production Printing Attributes - Set 2", to become a PWG IEEE-ISTO standard, work in progress, August 21, 2002, [ftp://ftp.pwg.org/pub/pwg/ipp/new\\_PPE/pwg-ipp-prod-print-set2-draft-v0\\_1-020821.pdf](ftp://ftp.pwg.org/pub/pwg/ipp/new_PPE/pwg-ipp-prod-print-set2-draft-v0_1-020821.pdf).

[pwg5101.1]

IEEE-ISTO 5101-2002, "The Printer Working Group Standard for Media Standardized Names, 26 February 2002, <ftp://ftp.pwg.org/pub/pwg/standards/pwg5101.1.pdf>.

RFC 2910 [mod]

Herriot, R., Butler, S., Moore, P., Tuner, R., "Internet Printing Protocol/1.1: Encoding and Transport", RFC 2910, September 2000.

RFC 2911 [pro]

R. deBry, T. Hastings, R. Herriot, S. Isaacson, P. Powell, "Internet Printing Protocol/1.1: Model and Semantics", RFC 2911, September 2000.

RFC 3380 [set-ops]

Hastings, T., Herriot, R., Kugler, C., and H. Lewis, "Internet Printing Protocol (IPP): Job and Printer Set Operations", RFC 3380, September 2002.

RFC 3381 [job-prog]

Hastings, T., Lewis, H., and R. Bergman, "Internet Printing Protocol (IPP): Job Progress Attributes", RFC 3381, September 2002.

RFC 3382 [coll]

deBry, R., Hastings, T., Herriot, R., Ocke, K., and P. Zehler, "Internet Printing Protocol (IPP): The 'collection' attribute syntax", RFC 3382, September 2002.

[SMPTE]

Standard 240m of the Society of Motion Picture and Television Engineers.

[SWOP]

Specifications for Web Offset Publications. See "SWOP" in the Terminology section. See also [www.swop.org](http://www.swop.org) and [www.color.org/overview.html](http://www.color.org/overview.html).

## 7 Change Log

Summary of changes in reverse chronological order:

**7.1 Changes to make version 0.3, September 24, 2002:**

1. Added Product Intent mapping.
2. Added the percentages of IPP covered by the other mappings.

**7.2 Changes to make version 0.4, September 28, 2002:**

1. Added Brief Descriptions of all of the IPP attributes.
2. Added the IPP attributes in [prod-print2] and [doc-obj].
3. Re-calculated the percentages of IPP covered in the mappings by counting all collection member attributes as well as the top level attributes.

**7.3 Changes to make version 0.5, October 5, 2002:**

1. Added PODi column
2. Updated OSDP JDF Spec column to include (X) per PODi meeting
3. Started updating JTAPI column per 01Oct FSG Job Ticket working group meetings (updated up through cover-front)
4. Added JDF Process Resource column and updated per OSDP JDF Spec

**7.4 Changes to make version 0.6 October 14, 2002:**

1. Added (Mn) notation to indicate the attributes for which “multi-document-handling” only affects page numbering (job as a whole or each individual document).
2. Corrected the attributes flagged with (M).
3. Clarified that “media” and “media-col” are input media to the Printer, not output finished product media.
4. Started reviewing (X) in OSDP JDF Spec column during Digital Printing working group meeting at GraphExpo on 10/9 (reviewed up through last-document).

**7.5 Changes to make version 0.7, October 16, 2002:**

1. Instead of deprecating “ipp-attribute-fidelity”, made it work with the new “job-mandatory-attributes”.
2. In “job-mandatory-attributes”, added way to specify the member attribute in a collection attribute (“attr-name.member-name”).
3. Fixed “pages-per-subset” as Job level only. Clarified that it combines all Input Documents into a single contiguous Input-Pages stream and then subsets the stream into Output Documents. Fixed the reference.
4. Finished reviewing (X) in OSDP JDF Spec column during 15Oct Digital Printing working group meeting.
5. Continued updating JTAPI column per 15Oct FSG Job Ticket working group meetings (updated up through jog-offset).
6. Moved descriptions of (S), (M), (Mn), (X) keys into Column heading Description table.
7. Added descriptions of categories to Column heading Description table for PODi column.

**7.6 Changes to make version 0.8, October 18, 2002:**

1. Added Cat column and assigned a category to each feature/function in table during combined 18Oct PODi/CIP4 Digital Printing working group meeting.
2. Removed IPP Spec column from table because the information is available in the Brief Description of IPP attributes section.

**7.7 Changes to make version 0.9, October 28, 2002:**

1. Continued updating JTAPI column per 22 Oct FSG Job Ticket working group meetings (updated up through job-k-octets).

2. Added Priority column and assigned a priority to each feature/function in table during combined 28Oct PODi/CIP4 Digital Printing working group meeting.

### **7.8 Changes to make version 0.90 (0.10), November 01, 2002:**

1. Added Medium Priority.
2. Added N/A and **Unknown** for JDF 1.1 Product Intent and JDF 1.1 Process Resource columns.
3. Per 10/30 PODi meeting, changed Priority of job-priority, media-back-coating, media-front-coating, media-recycled, media-grain, media-tooth, media-thickness, output-bin, print-quality to Medium.
4. Continued updating JTAPI column per 29 Oct FSG Job Ticket working group meeting (updated up through number-up)
5. Added IPP Attribute Description column and moved descriptions from end of document to table.
6. Added some fold, bind, and punch enum values from [finishing2].
7. Clarified that left, top, right, and bottom in attribute values and descriptions mean as if the document were portrait, i.e., left means the y-axis which is always the long edge and bottom means the x-axis which is always the short edge.

### **7.9 Changes to make version 0.91 (0.11), November 08, 2002:**

1. Filled in JDF Product Intent and JDF Process columns for High Priority features/functions per PODi JT meeting in SF on 04 and 05 Nov.
2. Added new (S), (P) and (N) keys for JDF Product Intent and JDF Process columns.
3. Continued updating JTAPI column per 07 Nov FSG Job Ticket working group meeting (updated up through sides)

### **7.10 Changes to make version 0.92 (0.12), November 18, 2002:**

1. Finished updating JTAPI column per 12 Nov FSG Job Ticket working group meeting
2. Added name of process that resource in JDF 1.1 Process Resource column is input to or output from.
3. Added the IPP Color and Imaging Job Template attributes and their descriptions.

### **7.11 Changes to make version 0.93 (0.13), November 18, 2002:**

1. Merged some of the IPP color and EFI values together - needs review by EFI and prioritization.
2. Explained the {} notation in the color and imaging attributes in the column heading descriptions up front.

### **7.12 Changes to make version 0.94 (0.14), November 28, 2002:**

1. For Process Resource mapping, added the notation that several Processes are separated by commas (,) when the Resource is used by more than one Process.
2. Sorted all of the attributes, including the IPP color and imaging. Made all finishing attributes have "finishings" in column 1 so sort together.
3. Added the following attributes along with their Product Intent and Process mappings: media-brightness, original-requesting-user-name.
4. Merged the following EFI attributes with their corresponding IPP attributes: EFI Image Quality – Contrast -> adjust-contrast; EFI Image Quality – Brightness -> adjust-lightness; EFI Image Quality – Sharpness -> anti-aliasing; 1.1 ColorMode EFI Color - Color Mode -> color-effects-type; 1.1 Screen EFI Image Quality - Screening -> halftone-{graphics | images | text}; EFI Color – Rendering Style -> rendering-intent-{graphics| images| text}; EFI Color – RGB Source -> source-{cmyk | rgb}-{graphics | images | text}; EFI Image Quality - Trapping -> trapping.
5. Added prioritization for all of the IPP color and imaging attributes - mostly high - needs review by the PODi/CIP4 WGs.
6. Changed the priority of EFI Color - Spot Color Matching from Low to High (need IPP attribute for that too).
7. Added Product Intent mappings for: color-emulation, imposition-template, highlight-colorant, job-accounting-sheets, job-error-sheet, media-brightness, orientation-requested, original-requesting-user-name.



8. Added the Process Resource mappings for: color-depth-yyy, color-destination-profile-back, color-destination-profile-front, color-emulation, date-time-at-completed, date-time-at-processing, font-name-requested, highlight-colorant, highlight-map-color, imposition-template, job-accounting-sheets, job-error-sheet, job-state, job-state-message, media-brightness, media-grain, opi-image-insertion, opi-image-pre-scan, orientation-requested, original-requesting-user-name, printer-resolution, print-quality, rendering-intent-{graphics| images| text}, resource-cleanup, source-{cmy | gray}-{graphics | images | text}, source-{cmyk | rgb}-{graphics | images | text} (type3 keyword | name(MAX)), trapping, trap-width-fast, trap-width-slow, trc, EFI Image Quality - Black Detection.
9. Added **Error! Reference source not found.** which contains suggested extensions to JDF/1.1 for JDF/1.2 needed by Product Intent and Process Resource mappings.
10. Fixed the following Product Intent and/or Process Resource mappings: attributes-charset, attributes-natural-language, color-effects-type, compression, copies, document-uri, job-hold-until, job-sheet-message, proof-print, printer-uri, requesting-user-name, separator-sheets, source-{cmy | gray}-{graphics | images | text}, source-{cmyk | rgb}-{graphics | images | text} (type3 keyword | name(MAX)).
11. Added or Improved the IPP Description for: black-overprint, color-effects-type, halftone-{graphics | images | text}, job-printer-uri, trapping.
12. Clarified that IPP “trapping” is talking about in-RIP trapping, while JDF is talking about PDL trapping, so a JDF boolean attribute extension is needed to control in-RIP trapping.
13. Updated the percentages of each type of attribute in the Legend Table at the beginning of section 1.

### 7.13 Changes to make version 0.95 (0.15), December 02, 2002:

1. Fixed typos in JTAPI column

### 7.14 Changes to make version 0.96 (0.17), December 03, 2002:

1. Added ISSUE for adjust-xxx attributes to have smaller group discuss and decide what makes sense to support.
2. Changed JDF Intent and Process proposed syntax for bleed-edge-printing.
3. Changed black-overprint description back to previous description without PostScript reference.
4. Added ISSUE for trapping attribute to add raster-based trapping controls to JDF.

### 7.15 Changes to make version 0.97 (0.18), December 06, 2002:

The following changes were made as a result of the PWG Semantic Model review, December 5, and the joint CIP4 Digital Printing WG, CIP4 Color Workflow WG, PODi Job Ticketing WG, and the FSG JTAPI review, December 6:

1. Clarified that we will still review proposed JDF/1.2 extensions for Medium priority attributes, so that they can get into JDF/1.2. But we will not review proposed JDF extensions for Low and Never Priority attributes, since they are not planned to get into JDF/1.2
2. “adjust-xxx”: After a lot of discussion of all of the “adjust-xxx” attributes, we separated the simple quick and dirty integer knob attributes from a single ICC Abstract Profile for **Preference Adjustment** attribute.
3. “adjust-xxx”: Changed the Process Resource column to **new (N)** integer (-100:100) attributes: **@ColorCorrectionParams/@CyanRed, @MagentaGreen, @YellowBlue, @Constrast, @Hue integer(-180:180), @Lightness, @Saturation.**
4. “adjust-xxx”: Changed the Product Intent column to **(P)**.
5. “adjust-xxx”: We changed the “adjust-xxx” attributes priorities from Medium to High (except for the new “adjust-hue” attribute) and the ICC Abstract Profile for Preferential Adjustment remains Medium.
6. “adjust-xxx”: The “adjust-xxx” integer knob attributes can be used in a Product Intent context using the Process Resource. So its flagged with the **(P)** indicator.
7. “anti-aliasing”: We removed the EFI Image Quality - Sharpness from the PODi column and added it at the end. EFI Sharpness isn’t anti-aliasing.
8. “anti-aliasing”: Changed the Product Intent column from **Unknown** to (P).
9. “black-overprint”: Changed the Product Intent column from (N) to (P).
10. “black-overprint”: Added ‘black-overprint-pdl’ as a third value for the IPP “black-overprint” attribute, which defers to the PDL setting for black overprint.
11. “black-overprint”: Clarified that the Process Resource column will not provide a mapping for the ‘black-overprint-off’ value of IPP “black-overprint” since it doesn’t seem useful to turn off the overprint on in the PDL.

12. “bleed-edge-printing”: Renamed this to “edge-to-edge” printing, since bleed involves trimming/cutting off some of the bleed area, but IPP is dealing with printing into the unprintable area. Will propose the same change to IPP.
13. “edge-to-edge-printing”: Added this attribute with a JDF Product Intent mapping of **LayoutIntent/@NonPrintableMargins (N)** and a JDF Process Resource mapping of **DigitalPrintingParams/@NonPrintableMargins (N)**.
14. “resample-method”: Added this attribute from the PWG Semantic Model review of the IPP Color and Imaging attributes. Needs review by the color experts.
15. “source-{cmy | gray}-{graphics | images | text}” and “source-{cmyk | rgb}-{graphics | images | text}”: Clarified that these attributes relates to the way the data was encoded by the source.
16. “EFI Image Quality – Sharpness”: Added to end of table. Need a description of it.

#### **7.16 Changes to make version 0.971 (0.19), December 07, 2002:**

1. Changed JDF/1.0 App F to actual JDF/1.0 IDPrinting mapping (not finished yet).
2. Reformatted values and member attributes into separate rows in the table so that alignment across the columns is maintained by MS-WORD. Revision marks not used for the IPP values, since they were already in the document. Documented the styles used to achieve indenting of member attributes and values in the Legend Table.
3. Copied the agreed extensions in version 0.97 to JDF/1.1 and IPP from Table 2 to **Error! Reference source not found.** and Table 5, respectively.
4. Highlighted all of the **Unknown** entries like this as an indication of where more work is needed.
5. Started to put JDF data types on a separate line inside parens in the mapping columns. This reformatting makes it much easier to read.
6. Reformatted the XPath so that line breaks occur after each element.

#### **7.17 Changes to make version 0.972 (0.20), December 10, 2002:**

1. Updated JTAPI column per 10-Dec-2002 FSG Job Ticket working group meeting to reconcile differences between High Priority column and JTAPI column for JTAPI 1.0.

#### **7.18 Changes to make version 0.21, December 16, 2002:**

The following changes were made as a result of the joint CIP4 Digital Printing WG, CIP4 Color Workflow WG, PODi Job Ticketing WG, and the FSG JTAPI review, December 11 and 12:

1. Updated JTAPI column per 10-Dec-2002 FSG Job Ticket working group meeting to reconcile differences between High Priority column and JTAPI column for JTAPI 1.0.
2. Moved the JDF/1.0 IDPrinting mapping column to be the rightmost, since the least important.
3. Defined the Normal JT attr Style for the JT API column, so hanging indent, instead of width sensitive leading spaces.
4. **Highlighted in green like this each JDF extension for color and made the corresponding change in the JDF/1.1a spec (see file: JDF1.1a-4Sept2002-with-color-ext.doc) and also highlighted it like this.**
5. Added the following JDF/1.1a process resources to ColorIntent: ColorCorrectionParams, **SeparationControlParams**, **ColorSpaceConversionParams**, rather than attaching a process to the Intent Node.
6. Added the following new attributes to LayoutIntent: **FinishedGrainDirection** and **NonPrintableMargins**.
7. Filled in many mappings.

#### **7.19 Changes to make version 0.22, December 17, 2002:**

The following changes were made as a result of the joint CIP4 Digital Printing WG, CIP4 Color Workflow WG, PODi Job Ticketing WG, and the FSG JTAPI review, Tuesday Dec 17:

1. Accepted revision marks immediately after the meeting, Dec 17, so revisions show things I did trying to carryout the agreements reached.
2. Clarified that the Printer applies the Adjust IPP attributes anywhere in its workflow in an implementation dependent manner.
3. For the new ScreeningIntent resource changed the names of the ScreeningIntent Resource attribute names to be the same as the corresponding ScreeningParams/ScreenSelector Process Resource attributes. The difference is in the data type which is XxxSpan.
4. Changed the AM mapping so that both dpi and lpi IPP values are AM.

5. Added SpotFunction to the new ScreeningIntent resource.
6. Added the following resources to ColorIntent: AutomatedOverprintParams to use: OverPrintBlackText and OverPrintBlackLineArt
7. Added the following resources to ColorIntent: ColorCorrectionParams to use: (7 new) AdjustXxxx, FileSpec
8. Added the following resources to ColorIntent: ColorSpaceConversionParams to use: ColorSpaceConversionOp/(Operation, SourceCS, SourceObjects, FileSpec, (new) DestinationRenderingIntent (enumeration))
9. Added the following resources to ColorIntent: TransferFunctionControl to use: TransferFunctionSource, Name, Curve, Separation
10. Added new color name values to JDF Appendix A.2.8: Cardinal, Cyan, Magenta, Royal, Ruby.
11. Added the IPP **spot-color-matching** (1setOf (name(MAX))) attribute with mapping to EFI Spot Color Matching and JDF ColorIntent/ColorantAlias, ColorantControl/ColorantAlias, and ColorantControl/ColorSpaceSubstitute.
12. Added the IPP **black-detection-{graphics | images | text}** (boolean) attribute with mapping to EFI Image Quality - Black Detection and JDF ColorIntent/ColorSpaceConversionParams/ColorSpaceConversionOp/@RGBGray2Black (boolean) and ColorSpaceConversionParams/ColorSpaceConversionOp/@RGBGray2Black (boolean).

### **7.20 Changes to make version 0.23, December 18, 2002:**

1. Replaced Table 3 with Shortened and simplified Table 3 and Table 4 so JDF resources are listed in alphabetical order with references to the IPP attributes where the detailed extension is listed.

### **7.21 Changes to make version 0.24, January 6, 2003:**

The following changes were made as a result of the joint CIP4 Digital Printing WG, CIP4 Color Workflow WG, PODi Job Ticketing WG, and the FSG JTAPI review, Tuesday December 17, 2002 and Thursday, December 19, 2002:

1. Added black-detection-threshold-{graphics | images | text} (integer(0:100)) IPP attribute and its corresponding JDF ColorSpaceConversionParams/ColorSpaceConversionOp/@RGBGray2BlackThreshold (double) attribute.
2. Clarified "highlight-map-color".
3. Mapped IPP "print-quality" 'draft', 'normal', and 'high' to ProductionIntent/@PrintPreference 'Fastest', 'Balanced', and 'HighestQuality'
4. Added IPP "spot-name-aliases" and "sport-name-mapping" attributes with existing JDF mapping. Both map many to one and can have several target colors.
5. Added TrappingType = 'R001' for raster trapping.
6. Changed the data type of TrappingParams/@TrapWidthSlow and @TrapWidthFast from integer to number, so that a fraction of a pixel can be specified for raster trapping.
7. Removed trc from the Product Intent column.

### **7.22 Changes to make version 0.25, January 13, 2003:**

The following changes were made as a result of the joint CIP4 Digital Printing WG, CIP4 Color Workflow WG, PODi Job Ticketing WG, and the FSG JTAPI review, Thursday January 9, 2002. Ann McCarthy and Tom Hastings action item on "spot-name-mapping" added June 13:

1. Renames "spot-color-aliases" to "spot-name-aliases" and "spot-color-matching or mapping" to "spot-name-mapping".
2. Fixed "spot-name-aliases" and started on "spot-name-mapping".
3. Finished "spot-name-mapping" and the corresponding JDF/1.2 extensions.