

IEEE-ISTO

Industry Standards and Technology Organization
affiliated with the IEEE and the IEEE Standards Association

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15

16
17
18
19
20
21
22
23

The Printer Working Group (PWG)
Proposed Standard for
Internet Printing Protocol (IPP):
"-actual" attributes



Version 0.32, December 165, 2002



24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54

The Printer Working Group (PWG) Proposed Standard for Internet Printing Protocol (IPP): "-actual" attributes

Version 0.32, December 165, 2002

Abstract: This document defines an extension to the Internet Printing Protocol/1.0 (IPP/1.0) [RFC2566, RFC2565] & IPP/1.1 [RFC2911, RFC2910] for the OPTIONAL "-actual" set of Job Description attributes that correspond to Job Template attributes defined in IPP. These "-actual" attributes allow the client to determine the true results of a print job regardless of what was specified in the Create-Job or Print-Job operation.

This version of the PWG Proposed Standard is available electronically at:
ftp://ftp.pwg.org/pub/pwg/ipp/new_ACT/pwg-ipp-actual-attrs-v032-02121605.pdf, .doc

This document is an IEEE-ISTO PWG Proposed standard. For a definition of a "PWG Proposed Standard" and its transition to a "PWG Draft Standard", see: <ftp://ftp.pwg.org/pub/pwg/general/pwg-process.pdf>. After approval by the PWG (by a Last Call) to transition this Proposed Standard to a Draft Standard, an IEEE-ISTO number will be assigned and this PWG Draft Standard will be available electronically at:

<ftp://ftp.pwg.org/pub/pwg/standards/>

54 Copyright (C) 2002, IEEE ISTO. All rights reserved.

55 This document may be copied and furnished to others, and derivative works that comment on, or otherwise explain it
56 or assist in its implementation may be prepared, copied, published and distributed, in whole or in part, without
57 restriction of any kind, provided that the above copyright notice, this paragraph and the title of the Document as
58 referenced below are included on all such copies and derivative works. However, this document itself may not be
59 modified in any way, such as by removing the copyright notice or references to the IEEE-ISTO and the Printer
60 Working Group, a program of the IEEE-ISTO.

61 Title: The Printer Working Group Standard for the Internet Printing Protocol (IPP): "-actual" attributes

62 The IEEE-ISTO and the Printer Working Group DISCLAIM ANY AND ALL WARRANTIES, WHETHER EXPRESS
63 OR IMPLIED INCLUDING (WITHOUT LIMITATION) ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR
64 FITNESS FOR A PARTICULAR PURPOSE.

65 The Printer Working Group, a program of the IEEE-ISTO, reserves the right to make changes to the document
66 without further notice. The document may be updated, replaced or made obsolete by other documents at any time.

67 The IEEE-ISTO takes no position regarding the validity or scope of any intellectual property or other rights that might
68 be claimed to pertain to the implementation or use of the technology described in this document or the extent to
69 which any license under such rights might or might not be available; neither does it represent that it has made any
70 effort to identify any such rights.

71 The IEEE-ISTO invites any interested party to bring to its attention any copyrights, patents, or patent applications, or
72 other proprietary rights which may cover technology that may be required to implement the contents of this
73 document. The IEEE-ISTO and its programs shall not be responsible for identifying patents for which a license may
74 be required by a document and/or IEEE-ISTO Industry Group Standard or for conducting inquiries into the legal
75 validity or scope of those patents that are brought to its attention. Inquiries may be submitted to the IEEE-ISTO by e-
76 mail at:

77 ieee-isto@ieee.org.

78 The Printer Working Group acknowledges that the IEEE-ISTO (acting itself or through its designees) is, and shall at
79 all times, be the sole entity that may authorize the use of certification marks, trademarks, or other special
80 designations to indicate compliance with these materials.

81 Use of this document is wholly voluntary. The existence of this document does not imply that there are no other
82 ways to produce, test, measure, purchase, market, or provide other goods and services related to its scope.

83

83 **About the IEEE-ISTO**

84

85 The IEEE-ISTO is a not-for-profit corporation offering industry groups an innovative and flexible operational forum
86 and support services. The IEEE-ISTO provides a forum not only to develop standards, but also to facilitate activities
87 that support the implementation and acceptance of standards in the marketplace. The organization is affiliated with
88 the IEEE (<http://www.ieee.org/>) and the IEEE Standards Association (<http://standards.ieee.org/>).

89 For additional information regarding the IEEE-ISTO and its industry programs visit <http://www.ieee-isto.org>.

90 **About the IEEE-ISTO PWG**

91 The Printer Working Group (or PWG) is a Program of the IEEE Industry Standards and Technology Organization
92 (ISTO) with member organizations including printer manufacturers, print server developers, operating system
93 providers, network operating systems providers, network connectivity vendors, and print management application
94 developers. The group is chartered to make printers and the applications and operating systems supporting them
95 work together better. All references to the PWG in this document implicitly mean “The Printer Working Group, a
96 Program of the IEEE ISTO.” In order to meet this objective, the PWG will document the results of their work as open
97 standards that define print related protocols, interfaces, procedures and conventions. Printer manufacturers and
98 vendors of printer related software will benefit from the interoperability provided by voluntary conformance to these
99 standards.

100 In general, a PWG standard is a specification that is stable, well understood, and is technically competent, has
101 multiple, independent and interoperable implementations with substantial operational experience, and enjoys
102 significant public support.

103 For additional information regarding the Printer Working Group visit: <http://www.pwg.org>

104 **Contact information:**

105 IPP Web Page: <http://www.pwg.org/ipp/>
106 IPP Mailing List: ipp@pwg.org

107 To subscribe to the ipp mailing list, send the following email:

- 108 1) send it to majordomo@pwg.org
109 2) leave the subject line blank
110 3) put the following two lines in the message body:
111 subscribe ipp
112 end

113
114 Implementers of this specification are encouraged to join the IPP Mailing List in order to participate in any
115 discussions of clarifications or review of registration proposals for additional names. Requests for additional media
116 names, for inclusion in this specification, should be sent to the IPP Mailing list for consideration.

117

117 **Contents**

118 1 Introduction 7

119 1.1 Problem 7

120 1.2 Solution 8

121 1.3 Alternative solutions 8

122 1.4 Scope 8

123 2 Terminology 8

124 2.1 Conformance Terminology 8

125 2.2 Other Terminology 9

126 3 “-actual” attributes 9

127 3.1 Overall philosophy 11

128 3.2 Relationship between “-actual” attributes and Job Template attributes 11

129 3.3 Timeline of values 11

130 3.4 Multi-valued 12

131 3.5 Existing attributes that are similar to “-actual” attributes 12

132 4 New attribute group values 12

133 5 Conformance Requirements 13

134 6 Security Considerations 13

135 7 References 13

136 7.1 Normative References 13

137 7.2 Informative references 14

138 8 IANA Considerations 14

139 8.1 Attribute Registrations 14

140 8.2 Attribute Group tag Registrations 15

141 9 Author’s Address 15

142

143 **Tables**

144 Table 1 – “-actual” Job Description attributes 10

145

145 1 Introduction

146 This document specifies an extension to the Internet Printing Protocol/1.0 (IPP) [RFC2565, RFC2566] and IPP/1.1
147 [RFC2910, RFC2911]. This extension consists of a set of OPTIONAL Job Description attributes that correspond to
148 the set of Job Template attributes defined in IPP. Specifically, for each Job Template attribute, there is a
149 corresponding “-actual” attribute that reports the value that was actually used, or will be used, in the processing of the
150 job. As an example, along with the “copies” Job Template attribute would be the new “copies-actual” Job Description
151 attribute, which would have a value corresponding to the actual number of copies of the job that were printed (or are
152 going to print).

153 These attributes permit an IPP Printer to report much more accurate status to an IPP client. There are two aspects
154 to this. First, the client can determine the true results of a print job regardless of what was specified in the Create-
155 Job or Print-Job operation. But second, a client can often find out *in advance* what the true results are expected to
156 be; for example, it can tell a user “Copy 3 of 7” rather than simply “Copy 3”.

157 ~~Similarly, the “-actual” concept extends to Document Template attributes as well; that is, for each Document~~
158 ~~Template attribute, there is a corresponding “-actual” Document Description attribute. Document Template and~~
159 ~~Document Description attributes are part of the Document Object extension to IPP that is specified in [docobj].~~

160 These new attributes are OPTIONAL for a Printer to support, and are OPTIONAL for a client to use.

161 1.1 Problem

162 In IPP/1.0 and IPP/1.1, it is possible for a client to request specific job processing behavior, through the use of the
163 Job Template attributes. Some examples of Job Template attributes are “copies”, “sides”, and “media”. The client
164 specifies these attributes in the Job Creation operation—for example, the Print-Job operation. It is also possible to
165 query the values of those Job Template attributes, using, for example, the Get-Job-Attributes operation. Note that
166 the value returned in a query is always the same as the value that was specified on the Job Creation operation.

167 Using the “pdl-override-supported” Printer Description attribute [\[RFC2911\]](#), it is possible for a Printer to indicate that it
168 will attempt to override instructions in the PDL with values given by the Job Template attributes. Imagine a job that
169 was submitted with Job Template attribute “copies” set to 5, but the PDL contained in the job specified 3 copies. A
170 Printer that supports PDL override (that is, returns a value of ‘attempted’ for the “pdl-override-supported” attribute)
171 promises to attempt to print that job with 5 copies rather than 3.

172 Thus, while IPP defines and facilitates a case where the client can request a number of copies through the “copies”
173 attribute and be confident that the request will be honored, in practice, this is not necessarily the most prevalent
174 case.

175 First, many clients either do not or cannot specify the Job Template attributes themselves. As an example, a client
176 integrated into the Windows print subsystem must be either, in Windows terms, a print provider or a print monitor.
177 Neither of these components in the print subsystem have GUIs set up for the user to provide processing behavior
178 requests. Instead, in Windows, these requests are typically made through the print driver and therefore embedded in
179 the PDL of the job.

180 Similarly, many Printers do not support PDL override, possibly due to architecture constraints or limits based on the
181 capabilities or cost of the Printer. For such Printers, a Job Template attribute value specified by the client does not
182 necessarily have any correlation with the actual value used; for example, specifying a “copies” value of 3 has
183 absolutely no effect on the number of copies produced.

184 Also note that even when the Printer supports PDL override, this is only an indication that the Printer will *attempt* to
185 override. There is no guarantee that the requested value will end up being the “actual” value.

186 Therefore, there is a need for a method to allow clients to find out what actually happened with a job: Did it actually
187 print 5 copies?

188 1.2 Solution

189 The solution to this problem is to add a set of Job Description attributes to report these “what actually happened”
190 values. There will be one such Job Description attribute for each Job Template attribute. This extends the pre-
191 existing concept that each Job Template attribute has a corresponding “-supported” and “-default” attribute; now
192 there will also be a corresponding “-actual” attribute. These new attributes can be queried using existing operations
193 to retrieve information on what actually happened, or what will actually happen, for a job.

194 1.3 Alternative solutions

195 There are a number of possible solutions to this problem. The solution discussed in this document is considered to
196 be the one with the least impact on the overall architecture of IPP, creating the least churn on the model while
197 providing full support to clients to discover the “actual” processing behavior.

198 Many have remarked that what is being described here is essentially what is currently in the industry being termed a
199 “Job Ticket”. Adding full job ticket support to IPP would be beneficial and would solve this problem. However, this
200 effort is expected to be complicated and result in a possibly significant update to the IPP architecture. Also, adding
201 full job ticket support might be too costly for smaller IPP implementations. The solution described here can be
202 thought of as an inexpensive alternative to a full job ticket solution.

203 1.4 Scope

204 While implementers of this specification may use the “-actual” attributes to perform accounting functions, this
205 specification is intended to address information that is displayed to a human user.

206 2 Terminology

207 This section defines terminology used throughout this document.

208 2.1 Conformance Terminology

209 Capitalized terms, such as **MUST**, **MUST NOT**, **REQUIRED**, **SHOULD**, **SHOULD NOT**, **MAY**, **NEED NOT**, and
210 **OPTIONAL**, have special meaning relating to conformance as defined in RFC 2119 [RFC2119] and [RFC2911]
211 section 12.1. If an implementation supports the extension defined in this document, then these terms apply;
212 otherwise, they do not. These terms define conformance to *this document (and [RFC2911]) only*, they do not affect
213 conformance to other documents, unless explicitly stated otherwise. To be more specific:

214 **REQUIRED** - an adjective used to indicate that a conforming IPP Printer implementation **MUST** support the indicated
215 operation, object, attribute, attribute value, status code, or out-of-band value in requests and responses. See
216 [RFC2911] “Appendix A - Terminology for a definition of “support”. *Since support of this entire specification is*
217 *OPTIONAL for conformance to IPP/1.1, the use of the term REQUIRED in this document means “REQUIRED if this*
218 *OPTIONAL ~~Document-Object~~-specification is implemented”.*

219 **RECOMMENDED** - an adjective used to indicate that a conforming IPP Printer implementation is recommended to
220 support the indicated operation, object, attribute, attribute value, status code, or out-of-band value in requests and

221 responses. *Since support of this entire specification is OPTIONAL for conformance to IPP/1.1, the use of the term*
222 *RECOMMENDED in this document means “RECOMMENDED if this OPTIONAL ~~Document Object~~-specification is*
223 *implemented”.*

224 **OPTIONAL** - an adjective used to indicate that a conforming IPP Printer implementation MAY, but is NOT
225 REQUIRED to, support the indicated operation, object, attribute, attribute value, status code, or out-of-band value in
226 requests and responses.

227 2.2 Other Terminology

228 This document uses the same terminology as [RFC2911], such as “client”, “Printer”, “attribute”, “attribute value”,
229 “keyword”, “Job Template attribute”, “Operation attribute”, “operation”, “request”, and “support” with the same
230 meaning. ~~In addition, terms such as “Document Object”, “Document Template attribute”, “Job Creation~~
231 ~~operation”, and “Document Creation operation” are used with the same meaning as they have in [docobj].~~

232 3 “-actual” attributes

233 For each Job Template attribute defined in the IPP Model [RFC2566, RFC2911], or defined in any IPP extension
234 document, a new Job Description attribute is defined. This new attribute will be referred to as an “-actual” attribute,
235 since the name of such attributes is found by taking the name of the Job Template attribute and appending “-actual”.
236 The “-actual” attribute is multi-valued, where each value has the same syntax as the corresponding Job Template
237 attribute. For example, the “copies” (integer(1:MAX)) Job Template attribute has a new corresponding “copies-
238 actual” (1setOf integer(1:MAX)) Job Description attribute. Another example is the “media-col” (collection) Job
239 Template attribute, which now has a new corresponding “media-col-actual” (1setOf collection) Job Description
240 attribute, where each value in the 1setOf has the same collection syntax, with the same member attributes, as the
241 “media-col” attribute.

242 The only exception to the rule that each value of the “-actual” attribute has the same syntax as the corresponding Job
243 Template attribute is for Job Template attributes that are themselves multi-valued. For example, the “finishings”
244 (1setOf (type2 enum)) attribute has a corresponding “finishings-actual” (1setOf (type2 enum)) attribute that has the
245 same syntax; that is, the syntax is (1setOf (type2 enum)) instead of (1setOf (1setOf (type2 enum))).

246 ~~As with Job Template attributes, for each Document Template attribute defined in [docobj], a new Document~~
247 ~~Description attribute is defined, whose name is found by appending “-actual” to the Document Template attribute~~
248 ~~name.~~

249 These new attributes are OPTIONAL for a Printer to support, and are OPTIONAL for a client to use.

250 Table 1 lists the “-actual” Job Description attributes for all Job Template attributes in existence in approved IPP
251 ~~specifications standard documents~~ as of the date of this document.

252 ~~Many of the Job Template attributes shown in Table 1 are also Document Template attributes—for such attributes,~~
253 ~~the second column of Table 1 shows the name and type of the corresponding “-actual” Document Description~~
254 ~~attribute. To know which attributes these are, see [docobj].~~

Table 1 – “-actual” Job Description attributes

Job Template Attribute	“-actual” Job Description attribute	Reference
copies (integer(1:MAX))	copies-actual (1setOf integer(1:MAX))	[RFC2911] §4.2.5
cover-back (collection)	cover-back-actual (1setOf (collection))	[PWG5100.3] §3.1
cover-front (collection)	cover-front-actual (1setOf (collection))	[PWG5100.3] §3.1
document-overrides (1setOf collection)	document-overrides-actual (1setOf collection)	[PWG5100.4] §5.1
finishings (1setOf (type2 enum))	finishings-actual (1setOf (type2 enum))	[RFC2911] §4.2.6 and [PWG5100.1] §2
finishings-col (collection)	finishings-col-actual (1setOf (collection))	[PWG5100.3] §3.2
force-front-side (1setOf integer(1:MAX))	force-front-side-actual (1setOf (1setOf integer(1:MAX)))	[PWG5100.3] §3.3
imposition-template (type3 keyword name(MAX))	imposition-template-actual (1setOf (type3 keyword name(MAX)))	[PWG5100.3] §3.4
insert-sheet (collection)	insert-sheet-actual (1setOf (collection))	[PWG5100.3] §3.5
job-account-id (name(MAX))	job-account-id-actual (1setOf (name(MAX)))	[PWG5100.3] §3.6
job-accounting-sheets (collection)	job-accounting-sheets-actual (1setOf (collection))	[PWG5100.3] §3.8
job-accounting-user-id (name(MAX))	job-accounting-user-id-actual (1setOf (name(MAX)))	[PWG5100.3] §3.7
job-error-sheet (collection)	job-error-sheet-actual (1setOf (collection))	[PWG5100.3] §3.9
job-hold-until (type3 keyword name)	job-hold-until-actual (1setOf (type3 keyword name))	[RFC2911] §4.2.2
job-message-to-operator (text(MAX))	job-message-to-operator-actual (1setOf (text(MAX)))	[PWG5100.3] §3.10
job-priority (integer(1:100))	job-priority-actual (1setOf integer(1:100))	[RFC2911] §4.2.1
job-sheets (type3 keyword name)	job-sheets-actual (1setOf (type3 keyword name))	[RFC2911] §4.2.3
job-sheets-col (collection)	job-sheets-col-actual (1setOf (collection))	[PWG5100.3] §3.11
job-sheet-message (text(MAX))	job-sheet-message-actual (1setOf (text(MAX)))	[PWG5100.3] §3.12
media (type3 keyword name(MAX))	media-actual (1setOf (type3 keyword name(MAX)))	[RFC2911] §4.2.11
media-col (collection)	media-col-actual (1setOf (collection))	[PWG5100.3] §3.13
media-input-tray-check (type3 keyword name(MAX))	media-input-tray-check-actual (1setOf (type3 keyword name(MAX)))	[PWG5100.3] §3.14
multiple-document-handling (type2 keyword)	multiple-document-handling-actual (1setOf (type2 keyword))	[RFC2911] §4.2.4
number-up (integer(1:MAX))	number-up-actual (1setOf integer(1:MAX))	[RFC2911] §4.2.9
orientation-requested (type2 enum)	orientation-requested-actual (1setOf (type2 enum))	[RFC2911] §4.2.10
output-bin (type2 keyword name(MAX))	output-bin-actual (1setOf (type2 keyword name(MAX)))	[PWG5100.2] §2.1
page-delivery (type2 keyword)	page-delivery-actual (1setOf (type2 keyword))	[PWG5100.3] §3.15
page-order-received (type2 keyword)	page-order-received-actual (1setOf (type2 keyword))	[PWG5100.3] §3.16
page-overrides (1setOf collection)	page-overrides-actual (1setOf collection)	[PWG5100.4] §5.2
page-ranges (1setOf rangeOfInteger(1:MAX))	page-ranges-actual (1setOf rangeOfInteger(1:MAX))	[RFC2911] §4.2.7
pages-per-subset (1setOf integer)	pages-per-subset-actual (1setOf integer)	[PWG5100.4] §5.3
presentation-direction-number-up (type2 keyword)	presentation-direction-number-up-actual (1setOf (type2 keyword))	[PWG5100.3] §3.17
print-quality (type2 enum)	print-quality-actual (1setOf (type2 enum))	[RFC2911] §4.2.13
printer-resolution (resolution)	printer-resolution-actual (1setOf resolution)	[RFC2911] §4.2.12
separator-sheets (collection)	separator-sheets-actual (1setOf (collection))	[PWG5100.3] §3.18
sheet-collate (type2 keyword)	sheet-collate-actual (1setOf (type2 keyword))	[RFC3381] §3.1
sides (type2 keyword)	sides-actual (1setOf (type2 keyword))	[RFC2911] §4.2.8

Job Template Attribute	“-actual” Job Description attribute	Reference
x-image-position (type2 keyword)	x-image-position-actual (1setOf (type2 keyword))	[PWG5100.3] §3.19.2
x-image-shift (integer (MIN:MAX))	x-image-shift-actual (1setOf (integer (MIN:MAX)))	[PWG5100.3] §3.19.3
x-side1-image-shift (integer (MIN:MAX))	x-side1-image-shift-actual (1setOf (integer (MIN:MAX)))	[PWG5100.3] §3.19.4
x-side2-image-shift (integer (MIN:MAX))	x-side2-image-shift-actual (1setOf (integer (MIN:MAX)))	[PWG5100.3] §3.19.5
y-image-position (type2 keyword)	y-image-position-actual (1setOf (type2 keyword))	[PWG5100.3] §3.19.6
y-image-shift (integer (MIN:MAX))	y-image-shift-actual (1setOf (integer (MIN:MAX)))	[PWG5100.3] §3.19.7
y-side1-image-shift (integer (MIN:MAX))	y-side1-image-shift-actual (1setOf (integer (MIN:MAX)))	[PWG5100.3] §3.19.8
y-side2-image-shift (integer (MIN:MAX))	y-side2-image-shift-actual (1setOf (integer (MIN:MAX)))	[PWG5100.3] §3.19.9

256

257 Note that Table 1 is not meant to be an exhaustive list of the “-actual” attributes a Printer might implement, as it lists
 258 only those attributes in existence in approved IPP standard documents as of the date of this document. For any Job
 259 Template ~~or Document Template~~ attributes created by past, present, or future IPP standard documents, this
 260 specification states that a corresponding “-actual” Job Description ~~or Document Description attribute~~ exists and can
 261 be implemented by a Printer or queried by a client.

262 3.1 Overall philosophy

263 These attributes are to be set on a “best effort” basis by the Printer. It cannot be expected that a Printer that can
 264 return a known value for some “-actual” attribute will never return the ‘unknown’ value for that attribute. Also, a
 265 Printer does not guarantee the accuracy of the value until the job/document has moved to a completion state (job-
 266 state/document-state is ‘completed’, ‘canceled’, or ‘aborted’).

267 In the same vein, a client SHOULD be robust in its use of these attributes, being able to handle both when the
 268 attribute is unknown and when the attribute changes value, including changing to a value different than that specified
 269 by the client. For example, the client might query for job attributes and present the status string “Printed page 2 of 4,
 270 Copy 3” since the “copies-actual” attribute was returned as ‘unknown’. Then, the very next query it makes might
 271 have an updated “copies-actual” value, since the Printer had just determined the value, so the next status string
 272 presented might be “Printed page 3 of 4, Copy 3 of 6”.

273 3.2 Relationship between “-actual” attributes and Job Template attributes

274 A very important point about the new “-actual” attributes is that support for them is not in any way tied to the support
 275 for the corresponding Job/~~Document~~ Template attributes. For example, a Printer that does not support the “copies”
 276 Job/~~Document~~ Template attribute SHOULD support the “copies-actual” Job/~~Document~~ Description attribute if the
 277 Printer knows how many copies printed for a job/~~document~~.

278 Similarly, whether or not a value for a Job/~~Document~~ Template attribute was included in the Job/~~Document~~ Creation
 279 operation, the Printer SHOULD return the corresponding “-actual” attribute if the value is known.

280 3.3 Timeline of values

281 As with all Job/~~Document~~ Description attributes, if the value of a supported “-actual” attribute is not yet known for a
 282 job, it MUST be returned with the out-of-band ‘unknown’ value in any query.

283 The value of an “-actual” attribute can change during the processing of a Job/~~Document~~. The most obvious possible
 284 change is from ‘unknown’ to an actual value, but other possibilities exist as well. For example, a Printer might be
 285 planning on printing 5 copies of a job, but due to some error or to the job being canceled, the job might only print 3
 286 copies. In this case, the “copies-actual” value would start at 5, then change to 3 at the point the Printer determines
 287 the final copy count will be 3.

288 | A printer that supports a Job/Document Template attribute in such a way that the value of the attribute overrides any
289 | instructions in the PDL SHOULD populate the corresponding “-actual” attribute at the time at which it reads the
290 | Job/Document Template attribute. On the other hand, for an attribute where the PDL might override the value
291 | provided for the Job/Document Template attribute, the Printer SHOULD wait until the PDL has been sufficiently
292 | processed to determine the true value of the “-actual” attribute before populating it. In any case, a Printer MUST
293 | NOT return a value that it does not believe is the correct value; that is, even though the Printer can change the value
294 | later, it should never “guess” at the value.

295 | **3.4 Implementation of multiple valuesMulti-valued**

296 | As discussed above, aAll “-actual” attributes are multi-valued. If a certain attribute has more than one value for a
297 | Job/Document, such as a job that prints partly simplex and partly duplex, the Printer SHOULD include all values, in
298 | the order they were used. For a given attribute, a printer MUST return a value that is a “true” set, with no duplicates.

299 | To obtain more fine-grained information, the “page-overrides-actual” and “document-overrides-actual” attributes can
300 | be used. For example, the “page-overrides-actual” attribute could be used to report that a job printed page 1 in
301 | simplex and the rest of the job in duplex. For more information on the format of these two attributes, see
302 | [PWG5100.4].

303 | **3.5 Existing attributes that are similar to “-actual” attributes**

304 | There are three existing attributes in IPP that function in a similar way to the new “-actual” attributes: the "job-k-
305 | octets", "job-impressions", and "job-media-sheets" attributes. These attributes can be specified as operation
306 | attributes of a Job Creation operation, and are also available as Job Description attributes. When queried, the
307 | Printer can return the value that was specified in the creation operation, or can return a different value that it has
308 | determined to be more accurate. For more information on these attributes, see [RFC2911], §4.3.17 and §3.2.1.1.

309 | **4 New attribute group namevalues**

310 | To accommodate the ability of a client to query the “-actual” attributes, a new attribute group namevalue is defined for
311 | use with the Get-Job-Attributes and Get-Jobs operations. In addition to the existing attribute groups defined in
312 | [RFC2911] §3.3.4, the following attribute group namevalue is now defined:

313 | - ‘job-actual’: the subset of the “-actual” Job Description attributes specified in this document that the
314 | implementation supports for Job objects.

315 | To conform to this specification, a Printer MUST support the ‘job-actual’ keyword.

316 | ~~Similarly, a new attribute group value is defined for use with the Get-Document-Attributes and Get-Documents~~
317 | ~~operations. In addition to the existing attribute groups defined in [docobj] §3.6, the following attribute group value is~~
318 | ~~now defined:~~

319 | ~~- ‘document-actual’: the subset of the “-actual” Document Description attributes specified in this document that~~
320 | ~~the implementation supports for Document objects.~~

321 | ~~A Printer that supports the Document Object MUST support the ‘document-actual’ keyword.~~

322 5 Conformance Requirements

323 ~~To conform to this specification, a Printer or client MUST comply with the descriptions in sections 3 and 4 above.~~

324 ~~To conform to this specification, a~~ printer SHOULD support an “-actual” attribute if it knows the value through any
325 means, such as through the value of the corresponding Job/Document Template attribute, through the value
326 specified on an IPP “Set” operation [RFC3380], through the PDL, or through some means external to IPP or the PDL.

327 ~~To conform to this specification, a Printer or client MUST comply with the descriptions in sections 3 and 4 above.~~

328 Although a number of optional extensions to IPP are referred to in this document, support for those extensions is not
329 required in order to support the “-actual” attributes extension defined in this specification. For example, although this
330 specification defines new JobDocument Description attributes to go along with the JobDocument Template attributes
331 defined in the “Production Printing Attributes – Set 1” Document Object optional extension to IPP [PWG5100.3], a
332 Printer or client could implement or use “-actual” attributes without implementing the Job Template attributes defined
333 in [PWG5100.3] Document object.

334 6 Security Considerations

335 This specification will have no impact on the security burden of or potential threats to the importing system.

336 7 References

337 7.1 Normative References

338 [PWG5100.1]

339 Hastings, T., and D. Fullman, “Internet Printing Protocol (IPP): “finishings” attribute value extension”, IEEE-
340 ISTO 5100.1-2001, February 5, 2001, ftp://ftp.pwg.org/pub/pwg/standards/pwg5100.1.pdf.

341 [PWG5100.2]

342 Hastings, T., and R. Bergman, “Internet Printing Protocol (IPP): output-bin attribute extension”, IEEE-ISTO
343 5100.2-2001, February 7, 2001, ftp://ftp.pwg.org/pub/pwg/standards/pwg5100.2.pdf.

344 [PWG5100.3]

345 Ocke, K., and T. Hastings, “Internet Printing Protocol (IPP): Production Printing Attributes – Set 1”, IEEE-
346 ISTO 5100.3-2001, February 12, 2001, ftp://ftp.pwg.org/pub/pwg/standards/pwg5100.3.pdf.

347 [PWG5100.4]

348 Herriot, R., and K. Ocke, “Internet Printing Protocol (IPP): Override Attributes for Documents and Pages”,
349 IEEE-ISTO 5100.4-2001, February 7, 2001, ftp://ftp.pwg.org/pub/pwg/standards/pwg5100.4.pdf.

350 [RFC2119]

351 S. Bradner, “Key words for use in RFCs to Indicate Requirement Levels”, RFC 2119, March 1997.

352 [RFC2565]
353 Herriot, R., Butler, S., Moore, P. and R. Turner, "Internet Printing Protocol/1.0: Encoding and Transport",
354 RFC 2565, April 1999.

355 [RFC2566]
356 deBry, R., Hastings, T., Herriot, R., Isaacson, S. and P. Powell, "Internet Printing Protocol/1.0: Model and
357 Semantics", RFC 2566, April 1999.

358 [RFC2910]
359 Herriot, R., Butler, S., Moore, P., Turner, R. and J. Wenn, "Internet Printing Protocol/1.1: Encoding and
360 Transport", RFC 2910, September 2000.

361 [RFC2911]
362 Hastings, T., Herriot, R., deBry, R., Isaacson, S. and P. Powell, "Internet Printing Protocol/1.1: Model and
363 Semantics", RFC 2911, September 2000.

364 [RFC3380]
365 Hastings, T., Herriot, R., Kugler, C. and H. Lewis, "Internet Printing Protocol (IPP): Job and Printer Set
366 Operations", RFC 3380, September 2002.

367 [RFC3381]
368 Hastings, T., Lewis, H., and R. Bergman, "Internet Printing Protocol (IPP): Job Progress Attributes", RFC
369 3381, September 2002.

370 **1.2 Informative references**

371 [~~docobj~~]
372 ~~———— Hastings, T., and P. Zehler, "Internet Printing Protocol (IPP): Document Object", ", to become a PWG IEEE-~~
373 ~~ISTO standard, work in progress, October 25, 2002, ftp://ftp.pwg.org/pub/pwg/ipp/new_DOC/pwg-ipp-~~
374 ~~document-object-v05-021025.pdf~~

375 **8 IANA Considerations**

376 This section contains the registration information for IANA to add to the various IPP Registries according to the
377 procedures defined in [RFC2911] section 6 to cover the definitions in this document. The resulting registrations will
378 be published in the <http://www.iana.org/assignments/ipp-registrations> registry.

379 **8.1 Attribute Registrations**

380 The following table lists all the attributes defined in this document. These are to be registered according to the
381 procedures in [RFC2911] section 6.2.

382 Job Description attributes:
383 copies-actual (1setOf integer(1:MAX))
384 cover-back-actual (1setOf (collection))
385 cover-front-actual (1setOf (collection))
386 document-overrides-actual (1setOf collection)
387 finishings-actual (1setOf (type2 enum))
388 finishings-col-actual (1setOf (collection))

```

389 force-front-side-actual (1setOf (1setOf integer(1:MAX)))
390 imposition-template-actual (1setOf (type3 keyword | name(MAX)))
391 insert-sheet-actual (1setOf (collection))
392 job-account-id-actual (1setOf (name(MAX)))
393 job-accounting-sheets-actual (1setOf (collection))
394 job-accounting-user-id-actual (1setOf (name(MAX)))
395 job-error-sheet-actual (1setOf (collection))
396 job-hold-until-actual (1setOf (type3 keyword | name))
397 job-message-to-operator-actual (1setOf (text(MAX)))
398 job-priority-actual (1setOf integer(1:100))
399 job-sheets-actual (1setOf (type3 keyword | name))
400 job-sheets-col-actual (1setOf (collection))
401 job-sheet-message-actual (1setOf (text(MAX)))
402 media-actual (1setOf (type3 keyword | name(MAX)))
403 media-col-actual (1setOf (collection))
404 media-input-tray-check-actual (1setOf (type3 keyword | name(MAX)))
405 multiple-document-handling-actual (1setOf (type2 keyword))
406 number-up-actual (1setOf integer(1:MAX))
407 orientation-requested-actual (1setOf (type2 enum))
408 output-bin-actual (1setOf (type2 keyword | name(MAX)))
409 page-delivery-actual (1setOf (type2 keyword))
410 page-order-received-actual (1setOf (type2 keyword))
411 page-overrides-actual (1setOf collection)
412 page-ranges-actual (1setOf rangeOfInteger(1:MAX))
413 pages-per-subset-actual (1setOf integer)
414 presentation-direction-number-up-actual (1setOf (type2 keyword))
415 print-quality-actual (1setOf (type2 enum))
416 printer-resolution-actual (1setOf resolution)
417 separator-sheets-actual (1setOf (collection))
418 sheet-collate-actual (1setOf (type2 keyword))
419 sides-actual (1setOf (type2 keyword))
420 x-image-position-actual (1setOf (type2 keyword))
421 x-image-shift-actual (1setOf (integer (MIN:MAX)))
422 x-side1-image-shift-actual (1setOf (integer (MIN:MAX)))
423 x-side2-image-shift-actual (1setOf (integer (MIN:MAX)))
424 y-image-position-actual (1setOf (type2 keyword))
425 y-image-shift-actual (1setOf (integer (MIN:MAX)))
426 y-side1-image-shift-actual (1setOf (integer (MIN:MAX)))
427 y-side2-image-shift-actual (1setOf (integer (MIN:MAX)))

```

428 8.2 Attribute Group nametag Registrations

429 The following table lists ~~the one new~~all the attribute group nametags defined in this document. ~~This is~~These are to
430 be registered according to the procedures in [RFC2911] section 6.25.

```

431 Attribute Group nametags:
432 job-actual
433 document-actual

```

434 9 Author's Address

```

435         Dennis Carney
436         IBM Printing Systems
437         6300 Diagonal Highway
438         Boulder, CO 80301

```

439 Phone: 303 924 0565
440 Fax: 303 924 7434
441 e-mail: dcarney@us.ibm.com

442
443 Harry Lewis
444 IBM Printing Systems
445 6300 Diagonal Highway
446 Boulder, CO 80301
447 Phone: 303 924 5337
448 Fax: 303 924 7434
449 e-mail: harryl@us.ibm.com

450
451 Additional contributors:

452 [David Hall, HP](#)
453 Tom Hastings, Xerox
454 Ira McDonald, High North
455 Gail Songer, Peerless
456 Peter Zehler, Xerox

457 **10 Appendix A: Change Log (informative)**

458 Version 0.3, 16 December 2002, as a result of the PWG Semantic Model telecon, December 12, 2002:

- 459 1. Removed all references to the document object. Extending this concept to the document object will be done
- 460 in the document object specification only. In this way, moving this specification forward on the standards
- 461 track will not be held up.
- 462 2. Clarified in section 3.4 that multi-valued “-actual” attributes are “true” sets.
- 463 3. Changed the title of section 3.4 to better match the content.
- 464 4. In section 4, made it extra clear that the new attribute group value is only required if an implementation wants
- 465 to be conformant to this specification.
- 466 5. Slightly reworked section 5 to make the conformance requirements more clear.
- 467 6. In sections 4 and 8.2, fixed wording to say “attribute group name” rather than “attribute group value” or
- 468 “attribute group tag”.
- 469