

1 Internet Printing Protocol WG
2 INTERNET-DRAFT
3 <draft-ietf-ipp-job-prog-032.txt>
4 Updates: RFC 2910
5 [Target Category: standards track]
6 Expires: January 17, 2002
7

T. Hastings
Xerox Corporation
H. Lewis
IBM Printing Company
R. Bergman
Hitachi Koki Imaging Solutions
~~January 23~~July 17, 2001

8 **Internet Printing Protocol (IPP):** 9 **Job Progress Attributes**

10 Copyright (C) The Internet Society (2001). All Rights Reserved.

11 Status of this Memo:

12 This document is an Internet-Draft and is in full conformance with all provisions of Section 10 of
13 [RFC2026]. Internet-Drafts are working documents of the Internet Engineering Task Force (IETF), its
14 areas, and its working groups. Note that other groups may also distribute working documents as
15 Internet-Drafts.

16 Internet-Drafts are draft documents valid for a maximum of six months and may be updated, replaced,
17 or obsoleted by other documents at any time. It is inappropriate to use Internet-Drafts as reference
18 material or to cite them other than as "work in progress".

19 The list of current Internet-Drafts can be accessed at <http://www.ietf.org/ietf/1id-abstracts.txt>

20 The list of Internet-Draft Shadow Directories can be accessed as <http://www.ietf.org/shadow.html>.

21 **Abstract**

22 This document defines four new Job Description attributes for monitoring job progress to be registered
23 as OPTIONAL extensions to IPP/1.0 [RFC2566] and IPP/1.1 [RFC2911]. These attributes are drawn
24 from the PWG Job Monitoring MIB [rfc2707]. The new Job Description attributes are:

25 "job-collation-type" (type2 enum)
26 "sheet-completed-copy-number" (integer(0:MAX))
27 "sheet-completed-document-number" (integer(0:MAX))
28 "impressions-completed-current-copy" (integer(0:MAX))
29

30 This document also defines a new "sheet-collate" Job Template attribute to control sheet collation and
31 to help with the interpretation of the job progress attributes. These new attributes may also be used by
32 themselves in combination with the IPP/1.1 "job-impressions-completed" attribute as useful job progress
33 monitoring attributes and/or may be passed in an IPP Notification (see [ipp-ntfy]).

34

34 ~~The full set of IPP documents includes:~~

35 ~~Design Goals for an Internet Printing Protocol [RFC2567]~~
36 ~~Rationale for the Structure and Model and Protocol for the Internet Printing Protocol [RFC2568]~~
37 ~~Internet Printing Protocol/1.1: Model and Semantics [RFC2911]~~
38 ~~Internet Printing Protocol/1.1: Encoding and Transport [RFC2910]~~
39 ~~Internet Printing Protocol/1.1: Implementer's Guide [ipp-ig]~~
40 ~~Mapping between LPD and IPP Protocols [RFC2569]~~
41 ~~Internet Printing Protocol/1.0 & 1.1: Event Notification Specification [ipp-ntfy]~~

42
43 ~~The "Design Goals for an Internet Printing Protocol" document takes a broad look at distributed~~
44 ~~printing functionality, and it enumerates real-life scenarios that help to clarify the features that need to~~
45 ~~be included in a printing protocol for the Internet. It identifies requirements for three types of users:~~
46 ~~end users, operators, and administrators. It calls out a subset of end user requirements that are satisfied~~
47 ~~in IPP/1.0. A few OPTIONAL operator operations have been added to IPP/1.1.~~

48 ~~The "Rationale for the Structure and Model and Protocol for the Internet Printing Protocol" document~~
49 ~~describes IPP from a high level view, defines a roadmap for the various documents that form the suite of~~
50 ~~IPP specification documents, and gives background and rationale for the IETF working group's major~~
51 ~~decisions.~~

52 ~~The "Internet Printing Protocol/1.1: Model and Semantics" document describes a simplified model with~~
53 ~~abstract objects, their attributes, and their operations that are independent of encoding and transport. It~~
54 ~~introduces a Printer and a Job object. The Job object optionally supports multiple documents per Job.~~
55 ~~It also addresses security, internationalization, and directory issues.~~

56 ~~The "Internet Printing Protocol/1.1: Encoding and Transport" document is a formal mapping of the~~
57 ~~abstract operations and attributes defined in the model document onto HTTP/1.1 [RFC2616]. It defines~~
58 ~~the encoding rules for a new Internet MIME media type called "application/ipp". This document also~~
59 ~~defines the rules for transporting over HTTP a message body whose Content Type is "application/ipp".~~
60 ~~This document defines a new scheme named 'ipp' for identifying IPP printers and jobs.~~

61 ~~The "Internet Printing Protocol/1.1: Implementer's Guide" document gives insight and advice to~~
62 ~~implementers of IPP clients and IPP objects. It is intended to help them understand IPP/1.1 and some~~
63 ~~of the considerations that may assist them in the design of their client and/or IPP object~~
64 ~~implementations. For example, a typical order of processing requests is given, including error checking.~~
65 ~~Motivation for some of the specification decisions is also included.~~

66 ~~The "Mapping between LPD and IPP Protocols" document gives some advice to implementers of~~
67 ~~gateways between IPP and LPD (Line Printer Daemon) implementations.~~

68 ~~The "Event Notification Specification" document defines OPTIONAL operations that allow a client to~~
69 ~~subscribe to printing related events. Subscriptions include "Per Job subscriptions" and "Per Printer~~
70 ~~subscriptions". Subscriptions are modeled as Subscription objects. Four other operations are defined~~
71 ~~for subscription objects: get attributes, get subscriptions, renew a subscription, and cancel a~~
72 ~~subscription.~~

73

73

74 **TABLE OF CONTENTS**

75 1 Introduction..... 4

76 2 Terminology 4

77 2.1 Conformance Terminology..... 4

78 2.2 Other terminology..... 4

79 3 Job Template attributes 5

80 3.1 sheet-collate (type2 keyword) 5

81 4 IPP Job Description attributes for monitoring Job Progress 6

82 4.1 job-collation-type (type2 enum)..... 10

83 4.2 sheet-completed-copy-number (integer(0:MAX))..... 11

84 4.3 sheet-completed-document-number (integer(0:MAX)) 11

85 4.4 impressions-completed-current-copy (integer(0:MAX))..... 12

86 5 Conformance Requirements 12

87 6 IANA Considerations 12

88 7 Internationalization Considerations..... 13

89 8 Security Considerations..... 13

90 9 References 13

91 10 Author's Addresses 14

92 11 Description of the Base IPP Documents 15

93 12 Full Copyright Statement 16

94

94

95 **1 Introduction**

96 This document defines four new Job Description attributes for monitoring job progress to be registered
97 as OPTIONAL extensions to IPP/1.0 [RFC2566] and IPP/1.1 [RFC2911]. These attributes are drawn
98 from the PWG Job Monitoring MIB [rfc2707]. See section 11 for a description of the base IPP
99 documents. The new Job Description attributes are:

100 "job-collation-type" (type2 enum)
101 "sheet-completed-copy-number" (integer(0:MAX))
102 "sheet-completed-document-number" (integer(0:MAX))
103 "impressions-completed-current-copy" (integer(0:MAX))

104

105 This document also defines a new "sheet-collate" Job Template attribute to control sheet collation and
106 to help with the interpretation of the job progress attributes. These new attributes may also be used by
107 themselves in combination with the IPP/1.1 "job-impressions-completed" attribute as useful job progress
108 monitoring attributes and/or may be passed in an IPP Notification (see [ipp-ntfy]).

109 **2 Terminology**

110 This section defines terminology used throughout this document.

111 **2.1 Conformance Terminology**

112 Capitalized terms, such as MUST, MUST NOT, REQUIRED, SHOULD, SHOULD NOT, MAY,
113 NEED NOT, and OPTIONAL, have special meaning relating to conformance as defined in RFC 2119
114 [RFC2119] and [RFC2911] section 12.1. If an implementation supports the extension defined in this
115 document, then these terms apply; otherwise, they do not. These terms define conformance to *this*
116 *document only*; they do not affect conformance to other documents, unless explicitly stated otherwise.

117 **2.2 Other terminology**

118 This document uses terms such as Job object (or Job), IPP Printer object (or Printer), "operation",
119 "attribute", "keyword", "support", and "impression". These terms have special meaning and are defined
120 in the model terminology [RFC2911] section 12.2.

121 **3 Job Template attributes~~New Job Template attribute~~**

122 **3.1 sheet-collate (type2 keyword)**

123	+	=====+	+	=====+	+	=====+
124		Job Attribute		Printer: Default Value		Printer: Supported
125				Attribute		Values Attribute
126		+		=====+		+
127		sheet-collate		sheet-collate-default		sheet-collate-
128		(type2 keyword)		(type2 keyword)		supported (1setOf
129						type2 keyword)
130		+		-----+		+

131 This attribute specifies whether or not the media sheets of each copy of each printed document in a job
132 are to be in sequence, when multiple copies of the document are specified by the 'copies' attribute.

133 Standard keyword values are:

134 'uncollated': each print-stream sheet is printed a number of times in succession equal to the value of
135 the 'copies' attribute, followed by the next print-stream sheet.

136 'collated': each copy of each document is printed with the print-stream sheets in sequence, followed
137 by the next document copy.

138 For example, suppose a document produces two media sheets as output, and "copies" is equal to '6',
139 For the 'uncollated' case, six copies of the first media sheet are printed followed by six copies of the
140 second media sheet. For the 'collated' case, one copy of each of the six sheets are printed followed by
141 another copy of each of the six media sheets.

142 Whether the effect of sheet collation is achieved by placing copies of a document in multiple output bins
143 or in the same output bin with implementation defined document separation is implementation
144 dependent. Also whether it is achieved by making multiple passes over the job or by using an output
145 sorter is implementation dependent.

146 Note: IPP/1.0 [RFC2566] and IPP/1.1 [RFC2911] is silent on whether or not sheets within documents
147 are collated. The "sheet-collate-supported" Printer attribute permits a Printer object to indicate whether
148 or not it collates sheets with each document and whether it allows the client to control sheet collation.
149 An implementation is able to indicate that it supports uncollated sheets, collated sheets, or both, using
150 the 'uncollated', 'collated', or both 'uncollated' and 'collated' values, respectively.

151 This attribute is affected by "multiple-document-handling." The "multiple-document-handling" attribute
152 describes the collation of documents, and the "sheet-collate" attribute describes the semantics of
153 collating individual pages within a document. To better explain the interaction between these two
154 attributes the term "set" is introduced. A "set" is a logical boundary between the delivered media sheets
155 of a printed job. For-example, in the case of a ten page single document with collated pages and a
156 request for 50 copies, each of the 50 printed copies of the document constitutes a "set." In the above
157 example if the pages were uncollated, then 50 copies of each of the individual pages within the
158 document would represent each "set".

159 The following table describes the interaction of "sheet-collate" with multiple document handling.

"sheet-collate"	"multiple-document-handling"	Semantics
'collated'	'single-document'	Each copy of the concatenated documents, with their pages in sequence, represents a "set."
'collated'	'single-document-new-sheet'	Each copy of the concatenated documents, with their pages in sequence, represents a "set."
'collated'	'separate-documents-collated-copies'	Each copy of each separate document, with its pages in sequence, represents a "set."
'collated'	'separate-documents-uncollated-copies'	Each copy of each separate document, with its pages in sequence, represents a "set."
'uncollated'	'single-document'	Each media sheet of the document is printed a number of times equal to the "copies" attribute; which constitutes a "set."
'uncollated'	'single-document-new-sheet'	Each media sheet of the concatenated documents is printed a number of times equal to the "copies" attribute; which constitutes a "set."
'uncollated'	'separate-documents-collated-copies'	This is a degenerate case, and the printer object MUST reject the job and return the status, "client-error-conflicting-attributes."
'uncollated'	'separate-documents-uncollated-copies'	This is a degenerate case, and the printer object MUST reject the job and return the status "client-error-conflicting-attributes."

160

161

162

163

From the above table it is obvious that the implicit value of the "sheet-collate" attribute in a printer that does not support the "sheet-collate" attribute, is 'collated.' The semantics of "multiple-document-handling" are otherwise nonsensical in the case of separate documents.

164

4 IPP Job Description attributes for monitoring Job Progress

165

166

167

The following IPP Job Description attributes are proposed to be added to IPP through the type2 registration procedures. They are useful for monitoring the progress of a job. They are also used at attributes in the notification content in a notification report [ipp-ntfy].

168

169

170

171

172

173

174

There are a number of Job Description attributes for monitoring the progress of a job. These objects and attributes count the number of K octets, impressions, sheets, and pages requested or completed. For impressions and sheets, "completed" means stacked, unless the implementation is unable to detect when each sheet is stacked, in which case stacked is approximated when processing of each sheet completes. There are objects and attributes for the overall job and for the current copy of the document currently being stacked. For the latter, the rate at which the various objects and attributes count depends on the sheet and document collation of the job.

175

176

Consider the following four Job Description attributes that are used to monitor the progress of a job's impressions:

177

178

1. "job-impressions-completed" - counts the total number of impressions stacked for the job (see [RFC2911] section 4.3.18.2)

- 179 2. "impressions-completed-current-copy" - counts the number of impressions stacked for the
180 current document copy
- 181 3. "sheet-completed-copy-number" - identifies the number of the copy for the current document
182 being stacked where the first copy is 1.
- 183 4. "sheet-completed-document-number" - identifies the current document within the job that is
184 being stacked where the first document in a job is 1. NOTE: this attribute SHOULD NOT be
185 implemented for implementations that only support one document per job.
- 186 For each of the three types of job collation, a job with three copies of two documents (1, 2), where each
187 document consists of 3 impressions, the four variables have the following values as each sheet is stacked
188 for one-sided printing:
- 189

189 **"job-collation-type" = 'uncollated-sheets(3)'**

190

"job-impressions-completed"	"impressions-completed-current-copy"	"sheet-completed-copy-number"	"sheet-completed-document-number"
0	0	0	0
1	1	1	1
2	1	2	1
3	1	3	1
4	2	1	1
5	2	2	1
6	2	3	1
7	3	1	1
8	3	2	1
9	3	3	1
10	1	1	2
11	1	2	2
12	1	3	2
13	2	1	2
14	2	2	2
15	2	3	2
16	3	1	2
17	3	2	2
18	3	3	2

191

192

192 **"job-collation-type" = 'collated-documents(4)'**

193

"job-impressions-completed"	"impressions-completed-current-copy"	"sheet-completed-copy-number"	"sheet-completed-document-number"
0	0	0	0
1	1	1	1
2	2	1	1
3	3	1	1
4	1	1	2
5	2	1	2
6	3	1	2
7	1	2	1
8	2	2	1
9	3	2	1
10	1	2	2
11	2	2	2
12	3	2	2
13	1	3	1
14	2	3	1
15	3	3	1
16	1	3	2
17	2	3	2
18	3	3	2

194

195

195 **"job-collation-type" = 'uncollated-documents(5)'**

196

"job-impressions-completed"	"impressions-completed-current-copy"	"sheet-completed-copy-number"	"sheet-completed-document-number"
0	0	0	0
1	1	1	1
2	2	1	1
3	3	1	1
4	1	2	1
5	2	2	1
6	3	2	1
7	1	3	1
8	2	3	1
9	3	3	1
10	1	1	2
11	2	1	2
12	3	1	2
13	1	2	2
14	2	2	2
15	3	2	2
16	1	3	2
17	2	3	2
18	3	3	2

197

198 **4.1 job-collation-type (type2 enum)**

199 Job Collation includes sheet collation and document collation. Sheet collation is defined to be the
 200 ordering of sheets within a document copy. Document collation is defined to be ordering of document
 201 copies within a multi-document job. The value of the "job-collation-type" is affected by the value of the
 202 "sheet-collate" Job Template attribute (see section 3.1), if supplied and supported.

203 The Standard enum values are:

- 204 '1' 'other': not one of the defined values
- 205
- 206 '2' 'unknown': the collation type is unknown
- 207
- 208 '3' 'uncollated-sheets': No collation of the sheets within each document copy, i.e., each sheet of
 209 a document that is to produce multiple copies is replicated before the next sheet
 210 in the document is processed and stacked. If the device has an output bin
 211 collator, the 'uncollated-sheets(3)' value may actually produce collated sheets as
 212 far as the user is concerned (in the output bins). However, when the job

213 collation is the 'uncollated-sheets(3)' value, job progress is indistinguishable to a
214 monitoring application between a device that has an output bin collator and one
215 that does not.
216

217 '4' 'collated-documents': Collation of the sheets within each document copy is performed within
218 the printing device by making multiple passes over either the source or an
219 intermediate representation of the document. In addition, when there are
220 multiple documents per job, the i'th copy of each document is stacked before the
221 j'th copy of each document, i.e., the documents are collated within each job
222 copy. For example, if a job is submitted with documents, A and B, the job is
223 made available to the end user as: A, B, A, B, The 'collated-documents(4)'
224 value corresponds to the IPP [RFC2911] 'separate-documents-collated-copies'
225 keyword value of the "multiple-document-handling" attribute.
226

227 If the job's "copies" attribute is '1' (or not supplied), then the "job-collation-
228 type" attribute is defined to be '4'.

229
230 '5' 'uncollated-documents': Collation of the sheets within each document copy is performed
231 within the printing device by making multiple passes over either the source or an
232 intermediate representation of the document. In addition, when there are
233 multiple documents per job, all copies of the first document in the job are
234 stacked before the any copied of the next document in the job, i.e., the
235 documents are uncollated within the job. For example, if a job is submitted with
236 documents, A and B, the job is mad available to the end user as: A, A, ..., B, B,
237 The 'uncollated-documents(5)' value corresponds to the IPP [RFC2911]
238 'separate-documents-uncollated-copies' keyword value of the "multiple-
239 document-handling" attribute.

240 **4.2 sheet-completed-copy-number (integer(0:MAX))**

241 The number of the copy being stacked for the current document. This number starts at 0, is set to 1
242 when the first sheet of the first copy for each document is being stacked and is equal to n where n is the
243 nth sheet stacked in the current document copy. If the value is unknown, the Printer MUST return the
244 'unknown' out-of-band value (see [RFC2911] section 4.1), rather than the -2 value used in some MIBs
245 [rfc2707].

246 **4.3 sheet-completed-document-number (integer(0:MAX))**

247 The ordinal number of the document in the job that is currently being stacked. This number starts at 0,
248 increments to 1 when the first sheet of the first document in the job is being stacked, and is equal to n
249 where n is the nth document in the job, starting with 1. If the value is unknown, the Printer MUST
250 return the 'unknown' out-of-band value (see [RFC2911] section 4.1), rather than the -2 value used in
251 some MIBs [rfc2707].

252 Implementations that only support one document jobs SHOULD NOT implement this attribute.

253 **4.4 impressions-completed-current-copy (integer(0:MAX))**

254 The number of impressions completed by the device for the current copy of the current document so far.
255 For printing, the impressions completed includes interpreting, marking, and stacking the output. For
256 other types of job services, the number of impressions completed includes the number of impressions
257 processed. If the value is unknown, the Printer MUST return the 'unknown' out-of-band value (see
258 [RFC2911] section 4.1), rather than the -2 value used in some MIBs [rfc2707].

259 This value SHALL be reset to 0 for each document in the job and for each document copy.

260 **5 Conformance Requirements**

261 This section summarizes the Conformance Requirements detailed in the definitions in this document. In
262 general each of the attributes defined in this document are OPTIONAL for a client and/or a Printer to
263 support, so that client and Printer implementers MAY implement any combination of these attributes.

264 **6 IANA Considerations**

265 The following table provides registration information for all of the attributes defined in this document.
266 These are to be registered ~~This section contains the exact information for IANA to add to the IPP~~
267 ~~Registries~~ according to the procedures defined in RFC 2911 [RFC2911] section 6.2.

268 *Note to RFC Editors: Replace RFC NNNN below with the RFC number for this document, so that it*
269 *accurately reflects the content of the information for the IANA Registry.*

270 ~~6.1 Attribute Registrations~~

271 ~~The attributes defined in this document will be published by IANA according to the procedures in RFC~~
272 ~~2911 [RFC2911] section 6.2 with the following path:~~

273 ~~<ftp.isi.edu/iana/assignments/ipp/attributes/>~~

274 ~~The registry entry will contain the following information:~~

	Ref.	Section:
275 Job Template attributes:		
276 sheet-collate (type2 keyword)	RFC NNNN	3.1
277 <u>sheet-default (type2 keyword)</u>	<u>RFC NNNN</u>	<u>3.1</u>
278 <u>sheet-supported (lsetOf type2 keyword)</u>	<u>RFC NNNN</u>	<u>3.1</u>
279		
280 Job Description attributes:	Ref.	Section:
281 job-collation-type (type2 enum)	RFC NNNN	4.1
282 sheet-completed-copy-number (integer(0:MAX))	RFC NNNN	4.2
283 sheet-completed-document-number (integer(0:MAX))	RFC NNNN	4.3
284 impressions-completed-current-copy (integer(0:MAX))	RFC NNNN	4.4
285		

286

287 [The resulting attribute registrations will be published in the](ftp://ftp.iana.org/in-notes/iana/assignments/ipp/attributes/)
288 <ftp://ftp.iana.org/in-notes/iana/assignments/ipp/attributes/>
289 [area.](ftp://ftp.iana.org/in-notes/iana/assignments/ipp/attributes/)
290

291 7 Internationalization Considerations

292 The IPP extensions defined in this document require the same internationalization considerations as any
293 of the Job Template and Job Descriptions attributes defined in IPP/1.1 [RFC2911].

294 8 Security Considerations

295 The IPP extensions defined in this document require the same security considerations as any of the Job
296 Template attributes and Job Descriptions attributes defined in IPP/1.1 [RFC2911].

297 9 References

298 [ipp-iig]

299 Hastings, T., Manros, C., "Internet Printing Protocol/1.1: draft-ietf-ipp-implementers-guide-v11-
300 031.txt, work in progress, ~~May 9, 2000~~ [July 17, 2001](#).

301 [ipp-ntfy]

302 Isaacson, S., Martin, J., deBry, R., Hastings, T., Shepherd, M., Bergman, R., " IPP Event
303 Notification Specification", <draft-ietf-ipp-not-spec-074.txt>, work in progress, ~~August 30, 2000~~ [July](#)
304 [17, 2001](#).

305 [RFC2565]

306 Herriot, R., Butler, S., Moore, P., Tuner, R., "Internet Printing Protocol/1.0: Encoding and
307 Transport", RFC 2565, April 1999.

308 [RFC2566]

309 deBry, R., , Hastings, T., Herriot, R., Isaacson, S., Powell, P., "Internet Printing Protocol/1.0:
310 Model and Semantics", RFC 2566, April 1999.

311 [RFC2567]

312 Wright, D., "Design Goals for an Internet Printing Protocol", RFC 2567, April 1999.

313 [RFC2568]

314 Zilles, S., "Rationale for the Structure and Model and Protocol for the Internet Printing Protocol",
315 RFC 2568, April 1999.

- 316 [RFC2569]
317 Herriot, R., Hastings, T., Jacobs, N., Martin, J., "Mapping between LPD and IPP Protocols", RFC
318 2569, April 1999.
- 319 [RFC2707]
320 Bergman, R., Hastings, T., Isaacson, S., Lewis, H. "PWG Job Monitoring MIB - V1", RFC 2707,
321 November, 1999.
- 322 [RFC2910]
323 Herriot, R., Butler, S., Moore, P., Tuner, R., "Internet Printing Protocol/1.1: Encoding and
324 Transport", RFC 2910, September, 2000.
- 325 [RFC2911]
326 deBry, R., , Hastings, T., Herriot, R., Isaacson, S., Powell, P., "Internet Printing Protocol/1.1:
327 Model and Semantics", RFC 2911, September, 2000.

328 **10 Author's Addresses**

329
330 Tom Hastings
331 Xerox Corporation
332 737 Hawaii St. ESAE 231
333 El Segundo, CA 90245
334 Phone: 310-333-6413
335 Fax: 310-333-5514
336 e-mail: hastings@cp10.es.xerox.com
337

338
339 Harry Lewis
340 IBM
341 P.O. Box 1900
342 Boulder, CO 80301-9191
343
344 Phone: (303) 924-5337
345 FAX:
346 e-mail: harryl@us.ibm.com
347
348

349 Ron Bergman (Editor)
350 Hitachi Koki Imaging Solutions
351 1757 Tapo Canyon Road
352 Simi Valley, CA 93063-3394
353
354 Phone: 805-578-4421
355 Fax: 805-578-4001
356 Email: rbergma@hitachi-hkis.com
357

358 IPP Web Page: <http://www.pwg.org/ipp/>

359 IPP Mailing List: ipp@pwg.org

360 To subscribe to the ipp mailing list, send the following email:

361 1) send it to majordomo@pwg.org

362 2) leave the subject line blank

363 3) put the following two lines in the message body:

364 subscribe ipp

365 end

366
367
368 Implementers of this specification document are encouraged to join the IPP Mailing List in order to
369 participate in any discussions of clarification issues and review of registration proposals for additional
370 attributes and values. In order to reduce spam the mailing list rejects mail from non-subscribers, so you
371 must subscribe to the mailing list in order to send a question or comment to the mailing list.

372 **11 Description of the Base IPP Documents**

373 The base set of IPP documents includes:

374 [Design Goals for an Internet Printing Protocol \[RFC2567\]](#)

375 [Rationale for the Structure and Model and Protocol for the Internet Printing Protocol \[RFC2568\]](#)

376 [Internet Printing Protocol/1.1: Model and Semantics \[RFC2911\]](#)

377 [Internet Printing Protocol/1.1: Encoding and Transport \[RFC2910\]](#)

378 [Internet Printing Protocol/1.1: Implementer's Guide \[IPP-IIG\]](#)

379 [Mapping between LPD and IPP Protocols \[RFC2569\]](#)

380
381 The "Design Goals for an Internet Printing Protocol" document takes a broad look at distributed
382 printing functionality, and it enumerates real-life scenarios that help to clarify the features that need to
383 be included in a printing protocol for the Internet. It identifies requirements for three types of users:
384 end users, operators, and administrators. It calls out a subset of end user requirements that are satisfied
385 in IPP/1.0 [RFC2566, RFC2565]. A few OPTIONAL operator operations have been added to IPP/1.1
386 [RFC2911, RFC2910].

387 The "Rationale for the Structure and Model and Protocol for the Internet Printing Protocol" document
388 describes IPP from a high level view, defines a roadmap for the various documents that form the suite of

389 IPP specification documents, and gives background and rationale for the IETF IPP working group's
390 major decisions.

391 The "Internet Printing Protocol/1.1: Model and Semantics" document describes a simplified model with
392 abstract objects, their attributes, and their operations. The model introduces a Printer and a Job. The
393 Job supports multiple documents per Job. The model document also addresses how security,
394 internationalization, and directory issues are addressed.

395 The "Internet Printing Protocol/1.1: Encoding and Transport" document is a formal mapping of the
396 abstract operations and attributes defined in the model document onto HTTP/1.1 [RFC2616]. It also
397 defines the encoding rules for a new Internet MIME media type called "application/ipp". This document
398 also defines the rules for transporting over HTTP a message body whose Content-Type is
399 "application/ipp". This document defines the 'ipp' scheme for identifying IPP printers and jobs.

400 The "Internet Printing Protocol/1.1: Implementer's Guide" document gives insight and advice to
401 implementers of IPP clients and IPP objects. It is intended to help them understand IPP/1.1 and some
402 of the considerations that may assist them in the design of their client and/or IPP object
403 implementations. For example, a typical order of processing requests is given, including error checking.
404 Motivation for some of the specification decisions is also included.

405 The "Mapping between LPD and IPP Protocols" document gives some advice to implementers of
406 gateways between IPP and LPD (Line Printer Daemon) implementations.

407 In addition to the base IPP documents, the "Event Notification Specification" document [ipp-ntfy]
408 defines OPTIONAL operations that allow a client to subscribe to printing related events. Subscriptions
409 include "Per-Job subscriptions" and "Per-Printer subscriptions". Subscriptions are modeled as
410 Subscription objects. Four other operations are defined for subscription objects: get attributes, get
411 subscriptions, renew a subscription, and cancel a subscription.

412 **12 Full Copyright Statement**

413 Copyright (C) The Internet Society (2001). All Rights Reserved.

414 This document and translations of it may be copied and furnished to others, and derivative works that
415 comment on or otherwise explain it or assist in its implementation may be prepared, copied, published
416 and distributed, in whole or in part, without restriction of any kind, provided that the above copyright
417 notice and this paragraph are included on all such copies and derivative works. However, this
418 document itself may not be modified in any way, such as by removing the copyright notice or references
419 to the Internet Society or other Internet organizations, except as needed for the purpose of developing
420 Internet standards in which case the procedures for copyrights defined in the Internet Standards process
421 must be followed, or as required to translate it into languages other than English.

422 The limited permissions granted above are perpetual and will not be revoked by the Internet Society or
423 its successors or assigns.

424 This document and the information contained herein is provided on an "AS IS" basis and THE
425 INTERNET SOCIETY AND THE INTERNET ENGINEERING TASK FORCE DISCLAIMS ALL

426 WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY
427 WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY
428 RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A
429 PARTICULAR PURPOSE.

430 **Acknowledgement**

431
432 Funding for the RFC Editor function is currently provided by the Internet Society.