

1 Internet Printing Protocol WG  
2 INTERNET DRAFT  
3 <draft-ietf-ipp-not-065.txt>  
4 [Target Category: Informational]  
5 Expires: January 17, 2002

Tom Hastings (editor)  
Xerox Corporation  
Roger K deBry  
Utah Valley State College  
Harry Lewis  
IBM Corporation  
~~January 23~~ July 17, 2001

9 **Internet Printing Protocol (IPP): Requirements for IPP Notifications**  
10 **Copyright (C) The Internet Society (2001). All Rights Reserved.**

13 STATUS OF THIS MEMO

15 This document is an Internet-Draft and is in full conformance with all provisions of Section 10 of  
16 [RFC2026]. Internet-Drafts are working documents of the Internet Engineering Task Force (IETF), its  
17 areas, and its working groups. Note that other groups may also distribute working documents as  
18 Internet-Drafts.

20 Internet-Drafts are draft documents valid for a maximum of six months and may be updated, replaced,  
21 or obsoleted by other documents at any time. It is inappropriate to use Internet-Drafts as reference  
22 material or to cite them other than as "work in progress."

24 The list of current Internet-Drafts can be accessed at <http://www.ietf.org/ietf/1id-abstracts.txt>

26 The list of Internet-Draft Shadow Directories can be accessed as <http://www.ietf.org/shadow.html>.

28 ABSTRACT

30 This document is one of a set of documents which together describe all aspects of a new Internet  
31 Printing Protocol (IPP). IPP is an application level protocol that can be used for distributed printing on  
32 the Internet. There are multiple parts to IPP, but the primary architectural components are the Model,  
33 the Protocol and an interface to Directory Services. This document provides a statement of the  
34 requirements for notifications as an optional part of an IPP Service.

35 ~~The full set of IPP documents include:~~

36

37 ~~Design Goals for an Internet Printing Protocol [RFC2567]~~

38 ~~Rationale for the Structure and Model and Protocol for the Internet Printing Protocol [RFC2568]~~

39 ~~Internet Printing Protocol/1.0: Model and Semantics [RFC2566]~~

40 ~~Internet Printing Protocol/1.0: Encoding and Transport [RFC2565]~~

41 ~~Internet Printing Protocol/1.0: Implementer's Guide [RFC 2639]~~

42 ~~Mapping between LPD and IPP Protocols [RFC2569]~~

43

44 ~~The 'Design Goals for an Internet Printing Protocol' document takes a broad look at distributed printing~~  
 45 ~~functionality, and it enumerates real-life scenarios that help to clarify the features that need to be~~  
 46 ~~included in a printing protocol for the Internet. It identifies requirements for three types of users: end~~  
 47 ~~users, operators, and administrators. It calls out a subset of end-user requirements that are satisfied in~~  
 48 ~~IPP/1.0. Operator and administrator requirements are out of scope for version 1.0.~~

49

50 ~~The 'Rationale for the Structure and Model and Protocol for the Internet Printing Protocol' document~~  
 51 ~~describes IPP from a high level view, defines a roadmap for the various documents that form the suite of~~  
 52 ~~IPP specifications, and gives background and rationale for the IETF working group's major decisions.~~

53

54 ~~The 'Internet Printing Protocol/1.0: Encoding and Transport' document is a formal mapping of the~~  
 55 ~~abstract operations and attributes defined in the model document onto HTTP/1.1. It defines the~~  
 56 ~~encoding rules for a new Internet media type called 'application/ipp'.~~

57

58 ~~The 'Internet Printing Protocol/1.0: Implementer's Guide' document gives insight and advice to~~  
 59 ~~implementers of IPP clients and IPP objects. It is intended to help them understand IPP/1.0 and some~~  
 60 ~~of the considerations that may assist them in the design of their client and/or IPP object~~  
 61 ~~implementations. For example, a typical order of processing requests is given, including error checking.~~  
 62 ~~Motivation for some of the specification decisions is also included.~~

63

64 ~~The 'Mapping between LPD and IPP Protocols' document gives some advice to implementers of~~  
 65 ~~gateways between IPP and LPD (Line Printer Daemon) implementations.~~

66

67 ~~Table of Contents~~

68

69	1 Scope.....	4
70	2 Terminology.....	4
71	3 Scenarios.....	8
72	4 Requirements .....	10
73	5 Security considerations for IPP Notifications requirements .....	12
74	6 Internationalization Considerations .....	13

75      7 IANA Considerations ..... 13  
76      8 References..... 13  
77      9 Author's Address..... 14  
78      10 Appendix A: Description of the Base IPP Documents..... 15  
79      11 Appendix B: Full Copyright Statement ..... 16  
80  
81

## 81 1 Scope

82  
83 This document is one of a set of documents which together describe all aspects of a new Internet  
84 Printing Protocol (IPP). IPP is an application level protocol that can be used for distributed printing on  
85 the Internet. There are multiple parts to IPP, but the primary architectural components are the Model,  
86 the Protocol and an interface to Directory Services. This document provides a statement of the  
87 requirements for notifications as an optional part of an IPP Service. See section 10 for a description of  
88 the base IPP documents.

89  
90 The scope of this requirements document covers functionality used by the following kinds of IPP Users:  
91 End Users, Print Administrators and Operators. See [ipp-ntfy] for the extensions to the Internet  
92 Printing Protocol/1.0 (IPP) [RFC2565, RFC2566], IPP/1.1 [RFC2911, RFC2910], and future versions.

## 94 2 Terminology

95  
96 It is necessary to define a set of terms in order to be able to clearly express the requirements for  
97 notification services in an IPP System.

### 99 2.1 Job Submitting End User

100  
101 A human end user who submits a print job to an IPP Printer. This person may or may not be within the  
102 same security domain as the Printer. This person may or may not be geographically near the printer.

### 104 2.2 Administrator

105  
106 A human user who established policy for and configures the print system.

### 108 2.3 Operator

109  
110 A human user who carries out the policy established by the Administrator and controls the day to day  
111 running of the print system.

### 113 2.4 Job Submitting Application

114  
115 An application (for example, a batch application), acting on behalf of a Job Submitting End User, which  
116 submits a print job to an IPP Printer. The application may or may not be within the same security  
117 domain as the Printer. This application may or may not be geographically near the printer.

### 119 2.5 Security Domain

120  
121 For the purposes of this discussion, the set of network components which can communicate without  
122 going through a proxy or firewall. A security domain may be geographically very large, for example -  
123 anyplace within IBM.COM.

### 125 2.6 IPP Client

.26  
.27 The software component that sends IPP requests to an IPP Printer object and accepts IPP responses  
.28 from an IPP Printer.  
.29

### .30 2.7 Job Recipient

.31  
.32 A human who is the ultimate consumer of the print job. In many cases this will be the same person as  
.33 the Job Submitting End User, but this need not always be the case. For example, if I use IPP to print a  
.34 document on a printer in a business partner's office, I am the Job Submitting End User, while the person  
.35 I intend the document for in my business partner's office is the Job Recipient. Since one of the goals of  
.36 IPP is to be able to print near the Job Recipient of the printed output, we would normally expect that  
.37 person to be in the same security domain as, and geographically near, the Printer. However, this may  
.38 not always be the case. For example, I submit a print job across the Internet to a Kinko's print shop. I  
.39 am both the Submitting end User and the Job Recipient, but I am neither near nor in the same security  
.40 domain as the Printer.  
.41

### .42 2.8 Job Recipient Proxy

.43  
.44 A person acting on behalf of the Job Recipient. In particular, the Job Recipient Proxy physically picks  
.45 up the printed document from the Printer, if the Job Recipient cannot perform that function. The Proxy  
.46 is **by definition** geographically near and in the same security domain as the printer. For example, I  
.47 submit a print job from home to be printed on a printer at work. I'd like my secretary to pick up the  
.48 print job and put it on my desk. In this case, I am acting as both Job Submitting End User and Job  
.49 Recipient. My secretary is acting as a Job Recipient Proxy.  
.50

### .51 2.9 Notification Subscriber

.52  
.53 A client that requests the IPP Printer to send Event Notifications to one or more Notification  
.54 Recipients. A Notification Subscriber may be a Job Submitting End User or an End User, an Operator,  
.55 or an Administrator that is not submitting a job.  
.56

### .57 2.10 Notification Source

.58  
.59 The entity that sends Event Notifications.  
.60

### .61 2.11 Notification Recipient

.62  
.63 The entity that receives IPP Notifications about Job and/or Printer events. A Notification Recipient  
.64 may be a: Job Submitting End User, Job Submitting Application, Job Recipient, Job Recipient Proxy,  
.65 Operator, or Administrator, etc., and their representatives or log file or usage statistics gathering  
.66 application or other active or passive entities.  
.67

### .68 2.12 Notification Recipient Agent

.69

.70 A program which receives Event Notifications on behalf of the Notification Recipient. The agent may  
.71 take some action on behalf of the recipient, forward the notification to the recipient via some alternative  
.72 means (for example, page the recipient), or queue the notification for later retrieval by the recipient.  
.73

#### .74 2.13 Event

.75  
.76 A Event is some occurrence (either expected or unexpected) within the printing system of a change of  
.77 state, condition, or configuration of a Job or Printer object.  
.78

#### .79 2.14 Event Notification

.80  
.81 When an event occurs, an Event Notification is generated that fully describes the event (what the event  
.82 was, where it occurred, when it occurred, etc.). Event Notifications are delivered to all the Notification  
.83 Recipients that are subscribed to that Event, if any. The Event Notification is delivered to the address  
.84 of the Notification Recipient using the notification delivery method defined in the subscription.  
.85 However, an Event Notification is sent ONLY if there is a corresponding subscription.  
.86

#### .87 2.15 Notification Subscription

.88  
.89 A Notification Subscription is a request by a Notification Subscriber to the IPP Printer to send Event  
.90 Notifications to specified Notification Recipient(s) when the event occur.  
.91

#### .92 2.16 Notification Attributes

.93  
.94 IPP Objects (for example, a print job) from which notification are being sent may have attributes  
.95 associated with them. A user may want to have one or more of these associated attributes returned  
.96 along with a particular notification. In general, these may include any attribute associated with the  
.97 object emitting the notification. Examples include:  
.98

.99     number-of-intervening jobs  
!00     job-k-octets  
!01     job-k-octets processed  
!02     job impressions  
!03     job-impressions-interpreted  
!04     job-impressions-completed  
!05     impressionsCompletedCurrentCopy (job MIB)  
!06     sheetCompletedCopyNumber (job MIB)  
!07     sheetsCompletedDocumentNumber (job MIB)  
!08     Copies-requested  
!09     Copy-type  
!10     Output-destination  
!11     Job-state-reasons  
!12     Job ID  
!13     Printer URI  
!14     Subscription ID (for job independent subscription)

115  
116 2.17 Notification Delivery Method (or Delivery Method for short)

117  
118 Event Notifications are delivered using a method, such as email, TCP/IP, etc.

119  
120 2.18 Immediate Notification

121  
122 Notifications sent to the Notification Recipient or the Notification Recipient's agent in such a way that  
123 the notification arrives immediately , within the limits of common addressing, routing, network  
124 congestion and quality of service.

125  
126 2.19 Store and Forward Notification

127  
128 Notifications which are not necessarily delivered to Notification Recipients immediately, but are queued  
129 for delivery by some intermediate network application, for later retrieval. Email is an example of a store  
130 and forward notification delivery method.

131  
132 2.20 Reliable Delivery of Notifications

133  
134 Notifications which are delivered by a reliable delivery of packets or character stream, with  
135 acknowledgment and retry, such that delivery of the notification is guaranteed within some determinate  
136 time limits. For example, if the Notification Recipient has logged off and gone home for the day, an  
137 immediate notification cannot be guaranteed to be delivered, even when sent over a reliable transport,  
138 because there is nothing there to catch it. Guaranteed delivery requires both store and forward  
139 notification and a reliable transport.

140  
141 2.21 Notification over Unreliable Transport

142  
143 Notifications are delivered via the fundamental transport address and routing framework, but no  
144 acknowledgment or retry is required. Process to process communications, if involved, are  
145 unconstrained.

146  
147  
148 2.22 Human Consumable Notification

149  
150 Notifications which are intended to be consumed by human end users only. Email would be an example  
151 of a Human consumable notification, though it could also contain Machine Consumable Notification.

152  
153 2.23 Machine Consumable Notification

154  
155 Notifications which are intended for consumption by a program **only**, such as an IPP Client. Machine  
156 Consumable notifications may not contain human readable information. Do we need both human and  
157 machine? Machine readable is intended for application to application only. The Notification Recipient  
158 could process the machine readable Event Notification into human readable format.

159

## !60 2.24 Mixed Notification

!61

!62 A mixed notification contains both Human Consumable and Machine Consumable information.

!63

!64 **3 Scenarios**

!65

!66 1. I am sitting in my office and submit a print job to the printer down the hall. I am in the same security  
!67 domain as the printer and of course, geographically near. I want to know immediately when my  
!68 print job will be completed (or if there is a problem) because the document I am working on is  
!69 urgent. I submit the print job with the following attributes:

!70

- !71 – Notification Recipient - me
- 
- !72 – Notification Events - all
- 
- !73 – Notification Attributes - job-state-reason
- 
- !74 – Notification Type - immediate

!75

!76 2. I am working from home and submit a print job to the same printer as in the previous example.  
!77 However, since I am not at work, I cannot physically get the print file or do anything with it. It can  
!78 wait until I get to work this afternoon. However, I'd like my secretary to pick up the output and put  
!79 it on my desk so it doesn't get lost or miss-filed. I'd also like a store and forward notification sent to  
!80 my email so that when I get to work I can tell if there was a problem with the print job. I submit a  
!81 print job with the following attributes:

!82

- !83 – Notification Recipient - my secretary
- 
- !84 – Notification Events - print complete
- 
- !85 – Notification Type - immediate
- 
- !86
- 
- !87 – Notification Recipient - me
- 
- !88 – Notification Events - print complete
- 
- !89 – Notification Attributes - impressions completed
- 
- !90 – Notification Type - store and forward

!91

!92 3. I am sitting in my office and submit a print job to a client at an engineering firm we work with on a  
!93 daily basis. The engineering firm is in Belgium. I would like my client to know when the print job is  
!94 complete, so that she can pick it up from the printer in her building. It is important that she review  
!95 it right away and get her comments back to me. I submit the print job with the following attributes:

!96

- !97 – Notification Recipient - client at engineering firm
- 
- !98 – Notification Events - print complete
- 
- !99 – Notification Type - immediate
- 
- !00 – Notification Language - French

!01

!02 4. I am in a hotel room and send a print job to a Kinko's store in the town I am working in, in order to  
!03 get a printed report for the meeting I am attending in the morning. Since I'm going out to dinner



- 304 after I get this job submitted, an immediate notification won't do me much good. However, I'd like  
305 to check in the morning before I drive to the Kinko's store to see if the file has been printed. An  
306 email notification is sufficient for this purpose. I submit the print job with the following attributes:  
307
- 308 – Notification Recipient - me
  - 309 – Notification Events - print complete
  - 310 – Notification Type - store and forward
- 311
- 312 5. I am printing a large, complex print file. I want to have some immediate feedback on the progress of  
313 the print job as it prints. I submit the print job with the following attributes:  
314
- 315 – Notification Recipient - me
  - 316 – Notification Type - immediate
  - 317 – Notification Events - all state transitions
  - 318 – Notification Attributes - impression completed
- 319
- 320 6. I am an operator and my duties is to keep the printer running. I subscribe independently from a job  
321 submission so that my subscription outlasts any particular job. I subscribe with the following  
322 attributes:  
323
- 324 – Notification Recipient - me
  - 325 – Notification Type - immediate
  - 326 – Notification Events - all Printer state transitions
  - 327 – Notification Attributes - Printer state, printer state reasons, device powering up, device  
328 powering down.
- 329
- 330 7. I am a usage statistics gathering application. I subscribe independently from a job submission so that  
331 my subscription outlasts any particular job. My subscription may persists across power cycles. I  
332 subscribe with the following attributes:  
333
- 334 – Notification Recipient - me
  - 335 – Notification Type - immediate
  - 336 – Notification Events - job completion
  - 337 – Notification Attributes - impression completed, sheets completed, time submitted, time started,  
338 time completed, job owner, job size in octets, etc.
- 339
- 340 8. I am a client application program that displays a list of jobs currently queued for printing on a  
341 printer. I display the "job-name", "job-state", "job-state-reasons", "page-count", and "intervening-  
342 jobs" either for the user's jobs or for all jobs. The window displaying the job list remains open for an  
343 independent amount of time, and it is desired that it represent the current state of the queue. It is  
344 desired that the application only need to perform a slow poll in order to recover from any missed  
345 notifications. So the event delivery mechanism provides the means to update the screen on all  
346 needed changes, including querying for some attributes that may not be delivered in the Notification.  
347

- 348 9. I am a client application program that displays a list of printers. For each Printer I display the  
349 current state and configuration. The window displaying the printer list remains open for an  
350 independent amount of time, and it is desired that it represent the current state of each printer. It is  
351 desired that the application only need to perform a slow poll in order to recover from any missed  
352 notifications. So the event delivery mechanism provides the means to update the screen on all  
353 needed changes, including querying for some attributes that may not be delivered in the Notification.  
354
- 355 10. I am an IPP Server that controls one or more devices and implements an IPP Printer object to  
356 represent each device. I want to support IPP Notification for each of the IPP Printer objects that I  
357 implement. Many of these devices do not support notification (or IPP). So I need to support the  
358 IPP Notification semantics specified for each IPP Printer object myself on behalf of each of the  
359 devices that each of the IPP Printer objects represent. When I accept IPP job creation requests, I  
360 convert the request to what the device will accept. In some cases, I must poll the devices in order  
361 to be informed of their job and device state and state changes in order to be able to send IPP  
362 Notifications to subscribed Notification Recipients.  
363
- 364 11. I am an IPP Server that controls one or more devices and implements an IPP Printer object to  
365 represent each device. I want to support IPP Notification for each of the IPP Printer objects that I  
366 implement. These devices all support IPP, including IPP Notification. I would like the design  
367 choice for supporting IPP Notification for these IPP Printer objects that I implement either (1) by  
368 forwarding the notification to the IPP Printers that I alone control and have them send the  
369 notifications to the intended Notification Recipients without my involvement or (2) replace the  
370 notification submitted with the Job to indicate me as the Notification Recipient and I will in turn  
371 forward Notifications to the Notification Recipients requested by my clients. Most of the rest of the  
372 contents of the IPP Job that I send to the IPP Printers that I control will be the same as the IPP Job  
373 that I receive from my IPP clients.  
374
- 375 12. I am an IPP Server that controls one or more devices and implements an IPP Printer object to  
376 represent each device. I want to support IPP Notification for each of the IPP Printer objects that I  
377 implement. These devices all support IPP, including IPP Notification. Because these IPP Printers  
378 MAY also be being controlled by other servers (using IPP or other protocols), I only want job  
379 events for the jobs that I send, but do want Printer events all the time, so that I can show proper  
380 Printer state to my clients. So I subscribe to these IPP Printers for Printer events with a long  
381 standing subscription with myself to as the Notification Recipient. When I get a Job Creation  
382 request, I decide to which IPP Printer to send the job. When I do so, I also add a job subscription  
383 for Job events with me as the Notification Recipient to the job's job subscriptions supplied by my  
384 clients (this usage is called "piggy-backing"). These IPP Printers automatically remove their job  
385 subscriptions when the job completes as for all job subscriptions so that I no longer get Job events  
386 when my jobs are completed.  
387

#### 388 4 Requirements

389  
390 The following requirements are intended to be met by the IPP Notification specification (not the  
391 implementation). The resulting IPP Notification Specification document:  
392

- l93 1. must indicate which of these requirements are REQUIRED and which are OPTIONAL for a  
l94 conforming implementation to support. See [RFC2911] section 12.1 for the definition of these  
l95 important conformance terms.
- l96
- l97 2. must be designed to that an IPP Printer can *transparently* support the IPP Notification semantics  
l98 using third party notification services that exist today or that may be standardized in the future.
- l99
- l00 3. must define means for a Job Submitting End User to specify zero or more Notification Recipients  
l01 when submitting a print job. A Submitter will not be able to prevent out of band subscriptions from  
l02 authorized persons, such as Operators.
- l03
- l04 4. must define means when specifying a Notification Recipient, for a Notification Subscriber to be able  
l05 to specify one or more notification events for that Notification Recipient, subject to administrative  
l06 and security policy restrictions. Any of the following constitute Job or Printer Events that a Job  
l07 Submitting End User can specify notifications be sent for:
- l08 • Any standard Printer MIB alert (i.e. device alerts) (critical and warning?) (state change  
l09 notifications)?
  - l10 • Job Received (transition from Unknown to Pending)
  - l11 • Job Started (Transition from Pending to Processing)
  - l12 • Page Complete (Page is stacked)
  - l13 • Collated Copy Complete (last sheet of collated copy is stacked)
  - l14 • Job Complete (transition from Processing or Processing-stopped to Completed)
  - l15 • Job aborted (transition from Pending, Pending-held, Processing, or Processing-stopped to  
l16 Aborted)
  - l17 • Job canceled (transition from Pending, Pending-held, Processing, or Processing-held to  
l18 Canceled)
  - l19 • Other job state changes like 'paused', purged?
  - l20 • Device problems for which the job is destined
  - l21 • Job (interpreter) issues
- l22
- l23 5. must define how an End User or Operator subscribes for:
- l24 • Any set of Job Events for a specific job.
  - l25 • Any set of Printer Events while a specific job is not complete.
- l26
- l27 6. must define how an End User or Operator subscribes for the following without having to submit a  
l28 Job:
- l29 • Any set of Printer Events for a defined period.
  - l30 • Any set of Job Events for all jobs with no control over which jobs.
- l31
- l32 7. must define how the Notification Subscriber is able to specify either immediate or store and forward  
l33 notification independently for each Notification Recipient. The means may be explicit, or implied by  
l34 the method of delivery chosen by the Job Submitting End User.
- l35
- l36 8. must define common delivery methods, e.g. email, must be defined.
- l37

- l38 9. must define how an IPP Printer validates its ability to deliver an Event using the specified delivery  
l39 scheme. If it does not support the specified scheme, or the specified scheme is invalid for some  
l40 reason, then the IPP Printer accepts and performs the request anyway and responds indicating the  
l41 unsupported attribute values. There is no requirement for the IPP Printer receiving the print request  
l42 to validate the identity of an Notification Recipient, nor the ability of the system to deliver an event  
l43 to that recipient as requested (for example, if the Notification Recipient is not at work today).  
l44
- l45 10. must define a class of IPP event notification delivery methods which can flow through corporate  
l46 firewalls. However, an IPP printer need not test to guarantee delivery of the notification through a  
l47 firewall before accepting a print job.
- l48 11. may define means for delivering a notification to the submitting client when the delivery of an event  
l49 notification to a specified Notification Recipient fails. Fall back means of subscribers determining if  
l50 notifications have failed, i.e. polling, may be provided.  
l51
- l52 12. must define a mechanism for localizing Human Consumable notifications by the Notification Source.  
l53
- l54 13. may define a way to specify whether or not event delivery requires acknowledgement back to the  
l55 Notification Source.  
l56
- l57 14. There must be a mechanism defined so that job independent subscriptions do not become stale and  
l58 do not require human intervention to remove stale subscriptions. However, stale must not be the  
l59 inability to deliver an Event Notification , since temporary Notification delivery problems must be  
l60 tolerated.  
l61
- l62 15. A mechanism must be defined so that an Event Subscriber is able to add an Event Subscription to a  
l63 Job after the Job has been submitted.  
l64
- l65 16. A mechanism must be defined so that a client is able to cancel an Event Subscription on a job or  
l66 printer after the job has been submitted.  
l67
- l68 17. A mechanism must be defined so that a client can obtain the set of current Subscriptions.  
l69

## l70 **5 Security considerations for IPP Notifications requirements**

l71

l72 By far the biggest security concern is the abuse of notification: sending unwanted notifications to third  
l73 parties (i.e., spam). The problem is made worse by notification addresses that may be redistributed to  
l74 multiple parties (e.g. mailing lists). There exist scenarios where third party notification is required (see  
l75 Scenario #2 and #3). The fully secure solution would require active agreement of all recipients before  
l76 sending out anything. However, requirement #9 (“There is no requirement for IPP Printer receiving the  
l77 print request to validate the identity of an event recipient”) argues against this. Certain systems may  
l78 decide to disallow third party notifications (a traditional fax model).  
l79

l80 Clients submitting notification requests to the IPP Printer has the same security issues as submitting an  
l81 IPP/1.1 print job request. The same mechanisms used by IPP/1.1 can therefore be used by the client

182 notification submission. Operations that require authentication can use the HTTP authentication.  
183 Operations that require privacy can use the HTTP/TLS privacy.

184  
185 The notification access control model should be similar to the IPP access control model. Creating a  
186 notification subscription is associated with a user. Only the creator or an operator can cancel the  
187 subscription. The system may limit the listing of items to only those items owned by the user. Some  
188 subscriptions (e.g. those that have a lifetime longer than a job) can be done only by privileged users  
189 (operators and/or administrators), if that is the authorization policy.

190  
191 The standard security concerns (delivery to the right user, privacy of content, tamper proof content)  
192 apply to the notification delivery. IPP should use the security mechanism of the delivery method used.  
193 Some delivery mechanisms are more secure than others. Therefore, sensitive notifications should use  
194 the delivery method that has the strongest security.

195

## 196 **6 Internationalization Considerations**

197

198 The Human Consumable notification must be localized to the natural language and charset that  
199 Notification Subscriber specifies within the choice of natural languages and charsets that the IPP Printer  
500 supports.

501

502 The Machine Consumable notification data uses the 'application/ipp' MIME media type. It contains  
503 some attributes whose text values are required to be in the natural language and charset that the  
504 Notification Subscriber specifies within the choice of natural languages and charsets that the IPP Printer  
505 supports. See [RFC2566].

506

## 507 **7 IANA Considerations**

508

509 There will be some notification delivery methods registered with IANA for use in URLs. These will be  
510 defined in other documents.

511

## 512 **8 References**

513

514 [\[ipp-ntfy\]](#)

515 [Isaacson, S., Martin, J., deBry, R., Hastings, T., Shepherd, M., Bergman, R., " IPP Event  
516 Notification Specification", <draft-ietf-ipp-not-spec-07.txt>, work in progress, July 17, 2001.](#)

517

[RFC2565]

518 Herriot, R., Butler, S., Moore, P., Tuner, R., "Internet Printing Protocol/1.0: Encoding and  
519 Transport", RFC 2565, April 1999.

520

[RFC2566]

521 R. deBry, T. Hastings, R. Herriot, S. Isaacson, P. Powell, "Internet Printing Protocol/1.0: Model and  
522 Semantics", RFC 2566, April 1999.

- i23 [RFC2567]  
i24 Wright, D., "Design Goals for an Internet Printing Protocol", ~~draft-ietf-ipp-req-03.txt~~[RFC 2567](#),  
i25 ~~November, 1998~~[April 1999](#).
- i26 [RFC2568]  
i27 Zilles, S., "Rationale for the Structure and Model and Protocol for the Internet Printing Protocol",  
i28 ~~draft-ietf-ipp-rat-04.txt~~[RFC 2568](#), ~~April 1999~~[November, 1998](#).
- i29 [RFC2569]  
i30 Herriot, R., Hastings, T., Jacobs, N., Martin, J., "Mapping between LPD and IPP Protocols", ~~draft-~~  
i31 ~~ietf-ipp-lpd-ipp-map-05.txt~~[RFC 2569](#), ~~April 1999~~[November 1998](#).
- i32 [RFC2639]  
i33 T. Hastings, C. Manros. "Internet Printing Protocol/1.0: Implementer's Guide", RFC 2639, July  
i34 1999.
- i35 [\[RFC2910\]](#)  
i36 [Herriot, R., Butler, S., Moore, P., Turner, R., "Internet Printing Protocol/1.1: Encoding and](#)  
i37 [Transport", RFC 2910, September 2000.](#)
- i38 [RFC2911]  
i39 deBry, R., , Hastings, T., Herriot, R., Isaacson, S., Powell, P., "Internet Printing Protocol/1.1:  
i40 Model and Semantics", RFC 2911, September 2000.

## i41 **9 Author's Address**

i42  
i43 Harry Lewis  
i44 HUC/003G  
i45 IBM Corporation  
i46 P.O. Box 1900  
i47 Boulder, CO 80301-9191  
i48  
i49 Phone: (303) 924-5337  
i50 Fax: (303) 924-9889  
i51 e-mail: [harryl@us.ibm.com](mailto:harryl@us.ibm.com)  
i52  
i53 Roger deBry  
i54 Utah Valley State College  
i55 Orem, UT 84058  
i56  
i57 Phone: (801) 222-8000  
i58 e-mail: [debryro@uvsc.edu](mailto:debryro@uvsc.edu)  
i59  
i60 Tom Hastings (editor)  
i61 Xerox Corporation  
i62 737 Hawaii St. ESAE 231

563 El Segundo, CA 90245  
564  
565 Phone: 310-333-6413  
566 Fax: 310-333-5514  
567 e-mail: [hastings@cp10.es.xerox.com](mailto:hastings@cp10.es.xerox.com)  
568

569 IPP Web Page: <http://www.pwg.org/ipp/>

570 IPP Mailing List: [ipp@pwg.org](mailto:ipp@pwg.org)

571 ~~IPP Mailing List Subscription: [ipp-request@pwg.org](mailto:ipp-request@pwg.org)~~

572 ~~IPP Web Page: <http://www.pwg.org/ipp/>~~

573  
574 To subscribe to the ipp mailing list, send the following email:

575 1) send it to [majordomo@pwg.org](mailto:majordomo@pwg.org)

576 2) leave the subject line blank

577 3) put the following two lines in the message body:

578 subscribe ipp

579 end  
580

581 Implementers of this specification document are encouraged to join the IPP Mailing List in order to  
582 participate in any discussions of clarification issues and review of registration proposals for additional  
583 attributes and values. In order to reduce spam the mailing list rejects mail from non-subscribers, so you  
584 must subscribe to the mailing list in order to send a question or comment to the mailing list.  
585

## 586 587 **10 Appendix A: Description of the Base IPP Documents**

588 The base set of IPP documents includes:

589 [Design Goals for an Internet Printing Protocol \[RFC2567\]](#)

590 [Rationale for the Structure and Model and Protocol for the Internet Printing Protocol \[RFC2568\]](#)

591 [Internet Printing Protocol/1.1: Model and Semantics \[RFC2911\]](#)

592 [Internet Printing Protocol/1.1: Encoding and Transport \[RFC2910\]](#)

593 [Internet Printing Protocol/1.1: Implementer's Guide \[IPP-IIG\]](#)

594 [Mapping between LPD and IPP Protocols \[RFC2569\]](#)  
595

596 The "Design Goals for an Internet Printing Protocol" document takes a broad look at distributed  
597 printing functionality, and it enumerates real-life scenarios that help to clarify the features that need to  
598 be included in a printing protocol for the Internet. It identifies requirements for three types of users:  
599 end users, operators, and administrators. It calls out a subset of end user requirements that are satisfied  
500 in IPP/1.0 [RFC2566, RFC2565]. A few OPTIONAL operator operations have been added to IPP/1.1  
501 [RFC2911, RFC2910].

502 The "Rationale for the Structure and Model and Protocol for the Internet Printing Protocol" document  
503 describes IPP from a high level view, defines a roadmap for the various documents that form the suite of  
504 IPP specification documents, and gives background and rationale for the IETF IPP working group's  
505 major decisions.

506 The "Internet Printing Protocol/1.1: Model and Semantics" document describes a simplified model with  
507 abstract objects, their attributes, and their operations. The model introduces a Printer and a Job. The  
508 Job supports multiple documents per Job. The model document also addresses how security,  
509 internationalization, and directory issues are addressed.

510 The "Internet Printing Protocol/1.1: Encoding and Transport" document is a formal mapping of the  
511 abstract operations and attributes defined in the model document onto HTTP/1.1 [RFC2616]. It also  
512 defines the encoding rules for a new Internet MIME media type called "application/ipp". This document  
513 also defines the rules for transporting over HTTP a message body whose Content-Type is  
514 "application/ipp". This document defines the 'ipp' scheme for identifying IPP printers and jobs.

515 The "Internet Printing Protocol/1.1: Implementer's Guide" document gives insight and advice to  
516 implementers of IPP clients and IPP objects. It is intended to help them understand IPP/1.1 and some  
517 of the considerations that may assist them in the design of their client and/or IPP object  
518 implementations. For example, a typical order of processing requests is given, including error checking.  
519 Motivation for some of the specification decisions is also included.

520 The "Mapping between LPD and IPP Protocols" document gives some advice to implementers of  
521 gateways between IPP and LPD (Line Printer Daemon) implementations.

522

## 523 **11 Appendix BA: Full Copyright Statement**

524 Copyright (C) The Internet Society (1998,1999,2000,2001). All Rights Reserved

525 This document and translations of it may be copied and furnished to others, and derivative works that  
526 comment on or otherwise explain it or assist in its implementation may be prepared, copied, published  
527 and distributed, in whole or in part, without restriction of any kind, provided that the above copyright  
528 notice and this paragraph are included on all such copies and derivative works. However, this  
529 document itself may not be modified in any way, such as by removing the copyright notice or references  
530 to the Internet Society or other Internet organizations, except as needed for the purpose of developing  
531 Internet standards in which case the procedures for copyrights defined in the Internet Standards process  
532 must be followed, or as required to translate it into languages other than English.

533 The limited permissions granted above are perpetual and will not be revoked by the Internet Society or  
534 its successors or assigns.

535 This document and the information contained herein is provided on an "AS IS" basis and THE  
536 INTERNET SOCIETY AND THE INTERNET ENGINEERING TASK FORCE DISCLAIMS ALL  
537 WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY  
538 WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY  
539 RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A  
540 PARTICULAR PURPOSE.

## 541 Acknowledgement

542

543 Funding for the RFC Editor function is currently provided by the Internet Society.