

1 INTERNET-DRAFT
2 <draft-ietf-ipp-notify-get-010.txt>

Robert Herriot (editor)
Xerox Corp.
Carl Kugler
IBM, Corp.
Harry Lewis
IBM, Corp.

November 16 ~~September 18~~, 2000

8 Internet Printing Protocol (IPP):
9 **The ‘ippget’ Delivery Method for Event Notifications**

11 Copyright (C) The Internet Society (2000). All Rights Reserved.

12 Status of this Memo:

13 This document is an Internet-Draft and is in full conformance with all provisions of Section 10 of [rfc2026].
14 Internet-Drafts are working documents of the Internet Engineering Task Force (IETF), its areas, and its working
15 groups. Note that other groups may also distribute working documents as Internet-Drafts.

16 Internet-Drafts are draft documents valid for a maximum of six months and may be updated, replaced, or
17 obsoleted by other documents at any time. It is inappropriate to use Internet-Drafts as reference material or to cite
18 them other than as “work in progress”.

19 The list of current Internet-Drafts can be accessed at <http://www.ietf.org/ietf/1id-abstracts.txt>

20 The list of Internet-Draft Shadow Directories can be accessed as <http://www.ietf.org/shadow.html>.

21 **Abstract**

22 The notification extension document [ipp-ntfy] defines operations that a client can perform in order to create
23 *Subscription Objects* in a Printer and carry out other operations on them. A Subscription Object represents a
24 Subscription abstraction. The Subscription Object specifies that when one of the specified *Events* occurs, the
25 Printer sends an asynchronous *Event Notification* to the specified *Notification Recipient* via the specified
26 *Delivery Method* (i.e., protocol).

27 The notification extension document [ipp-ntfy] specifies that each Delivery Method is defined in another document.
28 This document is one such document, and it specifies the ‘ippget’ delivery method.

29 The ‘ippget’ Delivery Method is a ‘pull and push’ Delivery Method. That is, the Printer saves Event Notification for
30 a period of time and expects the Notification Recipient to fetch the Event Notifications (the pull part). The Printer
31 continues to send Event Notifications to the Notification Recipient as Events occur (the push part) if the client has
32 selected the option to wait for additional Event Notifications.

33 When a Printer supports this Delivery Method, it holds each Event Notification for an amount of time, called the
34 *Event Notification Lease Time*.

35 When a Notification Recipient wants to receive Event Notifications, it performs an IPP operation called 'Get-
36 Notifications', which this document defines. This operation causes the Printer to return all Event Notifications held
37 for the Notification Recipient. If the Notification Recipient has selected the option to wait for additional Event
38 Notifications, the Printer continues sending Event Notifications to the Notification Recipient as additional Events
39 occur.

40 The basic set of IPP documents includes:

- 41 Design Goals for an Internet Printing Protocol [RFC2567]
- 42 Rationale for the Structure and Model and Protocol for the Internet Printing Protocol [RFC2568]
- 43 Internet Printing Protocol/1.1: Model and Semantics [RFC2911]
- 44 Internet Printing Protocol/1.1: Encoding and Transport [RFC2910]
- 45 Internet Printing Protocol/1.1: Implementer’s Guide [ipp-iiig]
- 46 Mapping between LPD and IPP Protocols [RFC2569]
- 47 Internet Printing Protocol/1.0 & 1.1: IPP Event Notification Specification [ipp-ntfy]

48

49 The “Design Goals for an Internet Printing Protocol” document takes a broad look at distributed printing
50 functionality, and it enumerates real-life scenarios that help to clarify the features that need to be included in a
51 printing protocol for the Internet. It identifies requirements for three types of users: end users, operators, and
52 administrators. It calls out a subset of end user requirements that are satisfied in IPP/1.0. A few OPTIONAL
53 operator operations have been added to IPP/1.1.

54 The “Rationale for the Structure and Model and Protocol for the Internet Printing Protocol” document describes
55 IPP from a high level view, defines a roadmap for the various documents that form the suite of IPP specification
56 documents, and gives background and rationale for the IETF working group’s major decisions.

57 The “Internet Printing Protocol/1.1: Model and Semantics” document describes a simplified model with abstract
58 objects, their attributes, and their operations that are independent of encoding and transport. It introduces a Printer
59 and a Job object. The Job object optionally supports multiple documents per Job. It also addresses security,
60 internationalization, and directory issues.

61 The “Internet Printing Protocol/1.1: Encoding and Transport” document is a formal mapping of the abstract
62 operations and attributes defined in the model document onto HTTP/1.1 [RFC2616]. It defines the encoding rules
63 for a new Internet MIME media type called “application/ipp”. This document also defines the rules for transporting
64 over HTTP a message body whose Content-Type is “application/ipp”. This document defines a new scheme
65 named ‘ippget’ for identifying IPP printers and jobs.

66 The “Internet Printing Protocol/1.1: Implementer’s Guide” document gives insight and advice to implementers of
67 IPP clients and IPP objects. It is intended to help them understand IPP/1.1 and some of the considerations that
68 may assist them in the design of their client and/or IPP object implementations. For example, a typical order of
69 processing requests is given, including error checking. Motivation for some of the specification decisions is also
70 included.

71 The “Mapping between LPD and IPP Protocols” document gives some advice to implementers of gateways
72 between IPP and LPD (Line Printer Daemon) implementations.

73 The “Event Notification Specification” document describes an extension to the IPP/1.0, IPP/1.1, and future
74 versions. This extension allows a client to subscribe to printing related Events. Subscriptions are modeled as
75 *Subscription Objects*. The Subscription Object specifies that when one of the specified *Event* occurs, the Printer
76 sends an asynchronous *Event Notification* to the specified *Notification Recipient* via the specified *Delivery*
77 *Method* (i.e., protocol). A client associates Subscription Objects with a particular Job by performing the Create-
78 Job-Subscriptions operation or by submitting a Job with subscription information. A client associates Subscription

79 Objects with the Printer by performing a Create-Printer-Subscriptions operation. Four other operations are
80 defined for Subscription Objects: Get-Subscriptions-Attributes, Get-Subscriptions, Renew-Subscription, and
81 Cancel-Subscription.

82

83 **Table of Contents**

84	1	Introduction.....	7
85	2	Terminology.....	7
86	3	Model and Operation.....	8
87	4	General Information.....	8
88	5	Get-Notifications operation.....	10
89	5.1	Get-Notifications Request.....	10
90	5.2	Get-Notifications Response.....	11
91	6	Subscription Template Attributes	16
92	6.1	Subscription Template Attribute Conformance.....	16
93	6.2	Additional Information about Subscription Template Attributes	16
94	6.2.1	<i>notify-recipient-uri (uri)</i>	16
95	6.3	Subscription Description Attribute Conformance	16
96	7	Additional Printer Description Attributes	16
97	7.1	Printer Description Attribute Conformance	16
98	7.2	New Values for Existing Printer Description Attributes	16
99	7.2.1	<i>notify-schemes-supported (IsetOf uriScheme)</i>	17
100	7.2.2	<i>operations-supported (IsetOf type2 enum)</i>	17
101	7.3	<i>begin-to-expire-time-interval (integer(0:MAX))</i>	17
102	8	New Status Codes	18
103	8.1	<i>redirection-other-site (0x300)</i>	18
104	9	Encoding.....	18
105	10	Conformance Requirements.....	18
106	11	IANA Considerations.....	18
107	12	Internationalization Considerations	19
108	13	Security Considerations	19
109	14	References.....	19
110	15	Authors' Addresses.....	20
111	16	Full Copyright Statement	20

112

113

Table of Tables

114 Table 1 – Information about the Delivery Method.....8

115 Table 2 – Attributes in Event Notification Content.....14

116 Table 3 – Additional Attributes in Event Notification Content for Job Events15

117 Table 4 – Combinations of Events and Subscribed Events for “job-impressions-completed”15

118 Table 5 – Additional Attributes in Event Notification Content for Printer Events.....15

119 Table 6 – Operation-id assignments.....17

120

121

121 1 Introduction

122 The notification extension document [ipp-ntfy] defines operations that a client can perform in order to create
123 *Subscription Objects* in a Printer and carry out other operations on them. A Subscription Object represents a
124 Subscription abstraction. The Subscription Object specifies that when one of the specified *Events* occurs, the
125 Printer sends an asynchronous *Event Notification* to the specified *Notification Recipient* via the specified
126 *Delivery Method* (i.e., protocol).

127 The notification extension document [ipp-ntfy] specifies that each Delivery Method is defined in another document.
128 This document is one such document, and it specifies the 'ippget' delivery method.

129 The 'ippget' Delivery Method is a 'pull and push' Delivery Method. That is, the Printer saves Event Notification for
130 a period of time and expects the Notification Recipient to fetch the Event Notifications (the pull part). The Printer
131 continues to send Event Notifications to the Notification Recipient as Events occur (the push part) if the client has
132 selected the option to wait for additional Event Notifications.

133 When a Printer supports this Delivery Method, it holds each Event Notification for an amount of time, called the
134 *Event Notification Lease Time*.

135 When a Notification Recipient wants to receive Event Notifications, it performs an IPP operation called 'Get-
136 Notifications', which this document defines. This operation causes the Printer to return all Event Notifications held
137 for the Notification Recipient. If the Notification Recipient has selected the option to wait for additional Event
138 Notifications, the Printer the Printer continues to send Event Notifications to the Notification Recipient as Events
139 occur.

140 2 Terminology

141 This section defines the following terms that are used throughout this document:

142 Capitalized terms, such as **MUST**, **MUST NOT**, **REQUIRED**, **SHOULD**, **SHOULD NOT**, **MAY**, **NEED**
143 **NOT**, and **OPTIONAL**, have special meaning relating to conformance to this specification. These terms are
144 defined in [RFC2911 section 13.1 on conformance terminology, most of which is taken from RFC 2119
145 [RFC2119]].

146 **Event Notification Lease:** The lease that is associated with an Event Notification. When the lease expires, the
147 Printer discards the associated Event Notification.

148 **Event Notification Lease Time:** The expiration time assigned to a lease that is associated with an Event
149 Notification.

150 **Event Notification Attributes Group:** The attributes group in a response that contains attributes that are part of
151 an Event Notification.

152 For other capitalized terms that appear in this document, see [ipp-ntfy].

153 3 Model and Operation

154 In a Subscription Creation Operation, when the value of the “notify-recipient-uri” attributes has the scheme
 155 ‘ippget’, the client is requesting that the Printer use the ‘ippget’ Delivery Method for the Event Notifications
 156 associated with the new Subscription Object. The client SHOULD choose a value for the address part of the
 157 “notify-recipient-uri” attribute that uniquely identifies the Notification Recipient.

158 When an Event occurs, the Printer MUST generate an Event Notification and MUST assign it the Event
 159 Notification Lease Time. The Printer MUST hold an Event Notification for its assigned Event Notification Lease
 160 Time. The Printer MUST assign the same Event Notification Lease Time to each Event Notification.

161 When a Notification Recipient wants to receive Event Notifications, it performs the Get-Notifications operation,
 162 which causes the Printer to return all unexpired Event Notifications held for the Notification Recipient. If the
 163 Notification Recipient has selected the option to wait for additional Event Notifications, the response to the Get-
 164 Notifications request continues indefinitely as the Printer continues to send Event Notifications in the response as
 165 Events occur. For the Get-Notification operation, the Printer sends only those Event Notifications that are
 166 generated from Subscription Objects whose “notify-recipient-uri” equals the “notify-recipient-uri” Operation
 167 Attribute in the Get-Notifications operation.

168 If a Notification Recipient performs the Get-Notifications operation twice in quick succession, it will receive nearly
 169 the same Event Notification both times because most of the Event Notifications are those that the Printer saves for
 170 a few seconds after the Event occurs. There are two possible differences. Some old Event Notifications may not be
 171 present in the second response because their Event Notification Leases have expired. Some new Event
 172 Notifications may be present in the second response but not the first response.

173 When the Notification Recipient requests Event Notifications for per-Job Subscription Objects, the Notification
 174 Recipient typically performs the Get-Notifications operation within a second of performing the Subscription
 175 Creation operation. Because the Printer is likely to save Event Notifications for several seconds, the Notification
 176 Recipient is unlikely to miss any Event Notifications that occur between the Subscription Creation and the Get-
 177 Notifications operation.

178 4 General Information

179 If a Printer supports this Delivery Method, the following are its characteristics.

180 **Table 1 – Information about the Delivery Method**

Document Method Conformance Requirement	Delivery Method Realization
1. What is the URL scheme name for the Delivery Method?	ippget
2. Is the Delivery Method REQUIRED, RECOMMENDED or OPTIONAL for an IPP Printer to support?	RECOMMENDED

3. What transport and delivery protocols does the Printer use to deliver the Event Notification Content, i.e., what is the entire network stack?	IPP with one new operation.
4. Can several Event Notifications be combined into a Compound Event Notification?	Yes.
5. Is the Delivery Method initiated by the Notification Recipient (pull), or by the Printer (push)?	This Delivery Method is a pull and a push.
6. Is the Event Notification content Machine Consumable or Human Consumable?	Machine Consumable
7. What section in this document answers the following question? For a Machine Consumable Event Notification, what is the representation and encoding of values defined in section 9.1 of [ipp-ntfy] and the conformance requirements thereof? For a Human Consumable Event Notification, what is the representation and encoding of pieces of information defined in section 9.2 of [ipp-ntfy] and the conformance requirements thereof?	Section 5
8. What are the latency and reliability of the transport and delivery protocol?	Same as IPP and the underlying HTTP transport
9. What are the security aspects of the transport and delivery protocol, e.g., how it is handled in firewalls?	Same as IPP and the underlying HTTP transport
10. What are the content length restrictions?	None
11. What are the additional values or pieces of information that a Printer sends in an Event Notification content and the conformance requirements thereof?	None
12. What are the additional Subscription Template and/or Subscription Description attributes and the conformance requirements thereof?	None
13. What are the additional Printer Description attributes and the conformance requirements thereof?	None

182 5 Get-Notifications operation

183 This operation causes the Printer to return all Event Notifications held for the Notification Recipient.

184 A Printer MUST support this operation.

185 When a Printer performs this operation, it MUST return all and only those Event Notifications:

- 186 a) Whose associated Subscription Object's "notify-recipient-uri" attribute equals the "notify-recipient-uri"
187 Operation attribute AND
- 188 b) Whose associated Subscription Object's "notify-recipient-uri" attribute has a scheme value of 'ippget'
189 AND
- 190 c) Whose Event Notification Lease Time has not yet expired AND
- 191 d) Where the Notification Recipient is the owner of or has read-access rights to the associated
192 Subscription Object.

193 The Printer MUST respond to this operation immediately with whatever Event Notifications it currently holds. If the
194 Notification Recipient has selected the option to wait for additional Event Notifications, the Printer MUST continue
195 to send Event Notifications as they occur until all of the associated Subscription Objects are cancelled. A
196 Subscription Object is cancelled either via the Cancel-Subscription operation or by the Printer (e.g. the
197 Subscription Object is cancelled when the associated Job completes).

198 Note, the Printer terminates the operation in the same way that it normally terminates IPP operations. For example,
199 if the Printer is sending chunked data, it can send a 0 length chunk to denote the end of the operation or it can close
200 the connection. If the Notification Recipient wishes to terminate the Get-Notifications operation, it can close the
201 connection.

202 The Printer MUST accept the request in any state (see [RFC2911] "printer-state" and "printer-state-reasons"
203 attributes) and MUST remain in the same state with the same "printer-state-reasons".

204 *Access Rights:* If the policy of the Printer is to allow all users to access all Event Notifications, then the Printer
205 MUST accept this operation from any user. Otherwise, the authenticated user (see [RFC2911] section 8.3)
206 performing this operation MUST either be the owner of each Subscription Object identified by the "notify-
207 recipient-uri" Operation attribute (as determined during a Subscription Creation Operation) or an operator or
208 administrator of the Printer (see [RFC2911] Sections 1 and 8.5). Otherwise, the IPP object MUST reject the
209 operation and return: 'client-error-forbidden', 'client-error-not-authenticated', or 'client-error-not-authorized' as
210 appropriate.

211 5.1 Get-Notifications Request

212 The following groups of attributes are part of the Get-Notifications Request:

213 Group 1: Operation Attributes

214 Natural Language and Character Set:

215 The "attributes-charset" and "attributes-natural-language" attributes as described in [RFC2911] section
216 3.1.4.1.

217

218 Target:

219 The "printer-uri" (uri) operation attribute which is the target for this operation as described in [RFC2911]
220 section 3.1.5.

221

222 Requesting User Name:

223 The "requesting-user-name" (name(MAX)) attribute SHOULD be supplied by the client as described in
224 [RFC2911] section 8.3.

225

226 "notify-recipient-uri" (url):

227 The client MUST supply this attribute. The Printer object MUST support this attribute. The Printer
228 matches the value of this attribute (byte for byte with no case conversion) against the value of the "notify-
229 recipient-uri" in each Subscription Object in the Printer. If there are no matches, the IPP Printer MUST
230 return the 'client-error-not-found' status code. For each matched Subscription Object, the IPP Printer
231 MUST return all unexpired Event Notifications associated with it. The Printer MUST send additional Event
232 Notifications as Events occur if and only if the value of the "notify-no-wait" attribute is 'false' or not
233 supplied by the client (see the next attribute below).

234

235 Note: this attribute allows a subscribing client to pick URLs that are unique, e.g. the client's own URL or a
236 friend's URL, which in both cases is likely the URL of the person's host. An application could make a
237 URL unique for each application.

238

239 "notify-no-wait" (boolean):

240 The client MAY supply this attribute. The Printer object MUST support this attribute. If the value of this
241 attribute is 'false', the Printer MUST send all un-expired Event Notifications (as defined in the previous
242 attribute) and it MUST continue to send responses for as long as the Subscription Objects associated with
243 the specified "notify-recipient-uri" continue to exist. If the value of this attribute is 'true', the Printer MUST
244 send all un-expired Event Notifications (as defined in the previous attribute) and the Printer MUST
245 conclude the operation without waiting for any additional Events to occur. If the client doesn't supply this
246 attribute, the Printer MUST behave as if the client had supplied this attribute with the value of 'false'.

247 5.2 Get-Notifications Response

248 The following groups of attributes are part of the Get-Notifications Response:

249 Group 1: Operation Attributes

250 Status Message:

251 In addition to the REQUIRED status code returned in every response, the response OPTIONALLY
252 includes a "status-message" (text(255)) and/or a "detailed-status-message" (text(MAX)) operation
253 attribute as described in [RFC2911] sections 13 and 3.1.6.

254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294

The Printer can return any status codes defined in [RFC2911]. If the status code is not 'successful-', the Printer MUST NOT return any Event Notification Attribute groups. The following is a description of the important status codes:

successful-ok: the response contains all Event Notification associated with the specified "notify-recipient-uri". If the specified Subscription Objects have no associated Event Notification, the response MUST contain zero Event Notifications.

client-error-not-found: The Printer has no Subscription Object's whose "notify-recipient-uri" attribute equals the "notify-recipient-uri" Operation attribute.

server-error-busy: The Printer is too busy to accept this operation. If the "suggested-ask-again-time-interval" operation attribute is present in the Operation Attributes of the response, then the Notification Recipient SHOULD wait for the number of seconds specified by the "suggested-ask-again-time-interval" attribute before performing this operation again. If the "suggested-ask-again-time-interval" Operation Attribute is not present, the Notification Recipient should use the normal network back-off algorithms for determining when to perform this operation again.

redirection-other-site: The Printer does not handle this operation and requests the Notification Recipient to perform the operation with the uri specified by the "notify-ippget-redirect" Operation Attribute in the response.:

Natural Language and Character Set:

The "attributes-charset" and "attributes-natural-language" attributes as described in [RFC2911] section 3.1.4.2.

The Printer MUST use the values of "notify-charset" and "notify-natural-language", respectively, from one Subscription Object associated with the Event Notifications in this response.

Normally, there is only one matched Subscription Object, or the value of the "notify-charset" and "notify-natural-language" attributes is the same in all Subscription Objects. If not, the Printer MUST pick one Subscription Object from which to obtain the value of these attributes. The algorithm for picking the Subscription Object is implementation dependent. The choice of natural language is not critical because 'text' and 'name' values can override the "attributes-natural-language" Operation attribute. The Printer's choice of charset is critical because a bad choice may leave it unable to send some 'text' and 'name' values accurately.

"printer-up-time" (integer(0:MAX)):

The value of this attribute is the Printer's "printer-up-time" attribute at the time the Printer sends this response. Because each Event Notification also contains the value of this attribute when the event occurred, the value of this attribute lets a Notification Recipient know when each Event Notification occurred relative to the time of this response.

295 “suggested-ask-again-time-interval” (integer(0:MAX)):

296 The value of this attribute is the number of seconds that the Notification Recipient SHOULD wait before
297 trying this operation again when

298 a) the Printer returns the ‘server-error-busy’ status code OR

299 b) the Printer returns the ‘successful-ok’ status code and the client supplied the “notify-no-wait”
300 attribute with a value of ‘true’.

301 This value is intended to help the client be a good network citizen.

302

303 “notify-ippget-redirect” (uri):

304 The value of this attribute is uri that the Notification Recipient MUST use for the Get-Notifications
305 operation. This attribute is present in the Operation Attributes if and only if the status code has the value
306 ‘redirection-other-site’.

307

308 Group 2: Unsupported Attributes

309 See [RFC2911] section 3.1.7 for details on returning Unsupported Attributes.

310

311 If the “subscription-ids” attribute contained subscription-ids that do not exist, the Printer returns them in this
312 group as value of the “subscription-ids” attribute.

313

314 Group 3 through N: Event Notification Attributes

315 The Printer responds with one Event Notification Attributes Group per matched Event Notification. The
316 initial matched Event Notifications are all un-expired Event Notification associated with the matched
317 Subscription Objects. If the Notification Recipient has selected the option to wait for additional Event
318 Notifications, the Printer the subsequent Event Notifications in the response are Event Notifications
319 associated with the matched Subscription Objects as the corresponding Event occurs.

320

321 From the Notification Recipient’s view, the response appears as an initial burst of data, which includes the
322 Operation Attributes Group and one Event Notification Attributes Groups per Event Notification that the
323 Printer is holding. After the initial burst of data, if the Notification Recipient has selected the option to wait
324 for additional Event Notifications, the Notification Recipient receives occasional Event Notification
325 Attribute Groups. Proxy servers may delay some Event Notifications or cause time-outs to occur. The
326 client MUST be prepared to perform the Get-Notifications operation again when time-outs occur.

327

328 Each Event Notification Group MUST start with an ‘event-notification-attributes-tag’ (see the section
329 “Encodings of Additional Attribute Tags” in [ipp-ntfy]).

330

331 Each attribute is encoded using the IPP rules for encoding attributes [RFC2910] and may be encoded in
332 any order. Note: the Get-Jobs response in [RFC2911] acts as a model for encoding multiple groups of
333 attributes.

334

335 Each Event Notification Group MUST contain all of attributes specified in section 9.1 (“Content of
 336 Machine Consumable Event Notifications”) of [ipp-ntfy] with exceptions denoted by asterisks in the tables
 337 below.

338
 339 The tables below are copies of the tables in section 9.1 (“Content of Machine Consumable Event
 340 Notifications”) of [ipp-ntfy] except that each cell in the “Sends” column is a “MUST”.

341
 342 For an Event Notification for all Events, the Printer includes the following attributes.

343 **Table 2 – Attributes in Event Notification Content**

Source Value	Sends	Source Object
notify-subscription-id (integer(1:MAX))	MUST	Subscription
notify-printer-uri (uri)	MUST	Subscription
notify-subscribed-event (type2 keyword)	MUST	Event Notification
printer-up-time (integer(MIN:MAX))	MUST	Printer
printer-current-time (dateTime)*	MUST	Printer
notify-sequence-number (integer (0:MAX))	MUST	Subscription
notify-charset (charset)	MUST	Subscription
notify-natural-language (naturalLanguage)	MUST	Subscription
notify-user-data (octetString(63)) **	MUST	Subscription
notify-text (text)	MUST	Event Notification
attributes from the “notify-attributes” attribute ***	MUST	Printer
attributes from the “notify-attributes” attribute ***	MUST	Job
attributes from the “notify-attributes” attribute ***	MUST	Subscription

344
 345 * The Printer MUST send “printer-current-time” if and only if it supports the “printer-current-time”
 346 attribute on the Printer object.

347
 348 ** If the associated Subscription Object does not contain a “notify-user-data” attribute, the Printer MUST
 349 send an octet-string of length 0.

350

351 *** If the “notify-attributes” attribute is present on the Subscription Object, the Printer MUST send all
 352 attributes specified by the “notify-attributes” attribute. Note: if the Printer doesn’t support the “notify-
 353 attributes” attribute, it is not present on the associated Subscription Object.

354

355 For Event Notifications for Job Events, the Printer includes the following additional attributes.

356

Table 3 – Additional Attributes in Event Notification Content for Job Events

Source Value	Sends	Source Object
job-id (integer(1:MAX))	MUST	Job
job-state (type1 enum)	MUST	Job
job-state-reasons (1setOf type2 keyword)	MUST	Job
job-impressions-completed (integer(0:MAX)) *	MUST	Job

357

358 * The Printer MUST send the “job-impressions-completed” attribute in an Event Notification only for the
 359 combinations of Events and Subscribed Events shown in Table 4.

360

361

Table 4 – Combinations of Events and Subscribed Events for “job-impressions-completed”

Job Event	Subscribed Job Event
‘job-progress’	‘job-progress’
‘job-completed’	‘job-completed’
‘job-completed’	‘job-state-changed’

362

363 For Event Notification for Printer Events, the Printer includes the following additional attributes.

364

Table 5 – Additional Attributes in Event Notification Content for Printer Events

Source Value	Sends	Source Object
printer-state (type1 enum)	MUST	Printer
printer-state-reasons (1setOf type2 keyword)	MUST	Printer
printer-is-accepting-jobs (boolean)	MUST	Printer

365 **6 Subscription Template Attributes**

366 This section defines the Subscription object conformance requirements for Printers.

367 **6.1 Subscription Template Attribute Conformance**

368 The 'ippget' Delivery Method has the same conformance requirements for Subscription Template attributes as
369 defined in [ipp-ntfy]. The 'ippget' Delivery Method does not define any addition Subscription Template attributes.

370 **6.2 Additional Information about Subscription Template Attributes**

371 This section defines additional information about Subscription Template attributes defined in [ipp-ntfy].

372 **6.2.1 notify-recipient-uri (uri)**

373 This section describes the syntax of the value of this attribute for the 'ippget' Delivery Method. The syntax for
374 values of this attribute for other Delivery Method is defined in other Delivery Method Documents.

375 In order to support the 'ippget' Delivery Method and Protocol, the Printer MUST support the following syntax:

376 The 'ippget://' URI scheme. The remainder of the URI indicates something unique about the Notification
377 Recipient, such as its host and address that the Printer uses to match the "notify-recipient-uri" Operation
378 attribute supplied in the Get-Notifications request.

379 **6.3 Subscription Description Attribute Conformance**

380 The 'ippget' Delivery Method has the same conformance requirements for Subscription Description attributes as
381 defined in [ipp-ntfy]. The 'ippget' Delivery Method does not define any addition Subscription Description
382 attributes.

383 **7 Additional Printer Description Attributes**

384 This section defines the Printer Description Attributes conformance requirements for Printers.

385 **7.1 Printer Description Attribute Conformance**

386 The 'ippget' Delivery Method has the same conformance requirements for Printer Description attributes as defined
387 in [ipp-ntfy]. The 'ippget' Delivery Method does not define any addition Printer Description attributes.

388 **7.2 New Values for Existing Printer Description Attributes**

389 This section defines additional values for existing Printer Description attributes.

390 **7.2.1 notify-schemes-supported (1setOf uriScheme)**

391 The following "notify-schemes-supported" value is added in order to support the new Delivery Method defined in
 392 this document:

393 'ippget' - The IPP Notification Delivery Method defined in this document.

394 **7.2.2 operations-supported (1setOf type2 enum)**

395 Table 6 lists the "operation-id" value added in order to support the new operation defined in this document.

396 **Table 6 – Operation-id assignments**

<u>Value</u>	<u>Operation Name</u>
<u>0x001C</u>	<u>Get-Notifications</u>

397

398 **7.1.7.3 begin-to-expire-time-interval² (integer(0:MAX))**

399 This attribute specifies the number of seconds that a Printer keeps an Event Notification that is associated with this
 400 Delivery Method.

401 The Printer MUST support this attribute if it supports this Delivery Method.

402 The value of this attribute is the minimum number of seconds that MUST elapse between the time the Printer
 403 creates an Event Notification object for this Delivery Method and the time the Printer discards the same Event
 404 Notification.

405 For example, assume the following:

- 406 1. a client performs a Job Creation operation that creates a Subscription Object associated with this Delivery
 407 Method, AND
- 408 2. an Event associated with the new Job occurs immediately after the Subscription Object is created, AND
- 409 3. the same client or some other client performs a Get-Notifications operation N seconds after the Job
 410 Creation operation.

411 Then, if N is less than the value of this attribute, the client performing the Get-Notifications operations can expect
 412 not miss any Event-Notifications, barring some unforeseen lack of memory space in the Printer.

413

414 8 New Status Codes

415 The following status codes are defined as extensions for this Delivery Method and are returned as the status code
416 of the Get-Notifications operation.

417 8.1 redirection-other-site (0x300)

418 This status code means that the Printer doesn't perform that Get-Notifications operation and that the "notify-
419 ippget-redirect" Operation Attribute in the response contains the uri that the Notification Recipient MUST use for
420 performing the Get-Notifications operation.

421 9 Encoding

422 ~~The operation id assigned for the Get-Notifications operation is:~~

423 ~~0x001C~~

424 ~~and should be added to the next version of [RFC2911] section 4.4.15 "operations-supported".~~

425 This notification delivery method uses the IPP transport and encoding [RFC2910] for the Get-Notifications
426 operation with one extension:

427 notification-attributes-tag = %x07 ; tag of 7

428 10 Conformance Requirements

429 If the Printer supports the 'ippget' Delivery Method, the Printer MUST:

- 430 1. meet the conformance requirements defined in [ipp-ntfy].
- 431 2. support the Get-Notifications operation defined in section 5.
- 432 3. support the Subscription object attributes as defined in section 6.
- 433 4. support the additional values for IPP/1.1 Printer Description attributes defined in section 7.2.
- 434 5. support the "begin-to-expire-time-interval" Printer Description attribute defined in section 7.3.
- 435 6. support the "redirection-other-site" status code defined 8.1

436 11 IANA Considerations

437 ~~There is nothing to register.~~ The 'ippget' URL scheme for the 'ippget' Delivery Method will be registered with IANA
438 according to the procedures of [RFC2717].

439 12 Internationalization Considerations

440 The IPP Printer MUST localize the “notify-text” attribute as specified in section 14 of [ipp-ntfy].

441 In addition, when the client receives the Get-Notifications response, it is expected to localize the attributes that
442 have the ‘keyword’ attribute syntax according to the charset and natural language requested in the Get-
443 Notifications request.

444 13 Security Considerations

445 The IPP Model and Semantics document [RFC2911] discusses high-level security requirements (Client
446 Authentication, Server Authentication and Operation Privacy). Client Authentication is the mechanism by which the
447 client proves its identity to the server in a secure manner. Server Authentication is the mechanism by which the
448 server proves its identity to the client in a secure manner. Operation Privacy is defined as a mechanism for
449 protecting operations from eavesdropping.

450 Unlike other Event Notification delivery methods in which the IPP Printer initiates the Event Notification, with the
451 method defined in this document, the Notification Recipient is the client who s the Get-Notifications operation.
452 Therefore, there is no chance of “spam” notifications with this method. Furthermore, such a client can close down
453 the HTTP channel at any time, and so can avoid future unwanted Event Notifications at any time.

454 14 References

455 [ipp-ntfy]

456 R. Herriot, Hastings, T., Isaacson, S., Martin, J., deBry, R., Shepherd, M., Bergman, R., “Internet Printing
457 Protocol/1.1: IPP Event Notification Specification”, <draft-ietf-ipp-not-spec-04.txt>, June 30, 2000.

458 [rfc2026]

459 S. Bradner, “The Internet Standards Process -- Revision 3”, RFC 2026, October 1996.

460 [RFC2616]

461 R. Fielding, J. Gettys, J. Mogul, H. Frystyk, L. Masinter, P. Leach, T. Berners-Lee, “Hypertext Transfer
462 Protocol - HTTP/1.1”, RFC 2616, June 1999.

463 [RFC2910]

464 Herriot, R., Butler, S., Moore, P., Tuner, R., “Internet Printing Protocol/1.1: Encoding and Transport”,
465 RFC 2910, September 2000.

466 [RFC2911]

467 R. deBry, T. Hastings, R. Herriot, S. Isaacson, P. Powell, “Internet Printing Protocol/1.1: Model and
468 Semantics”, RFC 2911, September 2000.

469 **15 Authors' Addresses**

470

471 Robert Herriot
472 Xerox Corp.
473 3400 Hill View Ave, Building 1
474 Palo Alto, CA 94304

475

476 Phone: 650-813-7696
477 Fax: 650-813-6860
478 e-mail: robert.herriot@pahv.xerox.com

479

480 Carl Kugler
481 IBM
482 P.O. Box 1900
483 Boulder, CO 80301-9191

484

485 Phone:
486 Fax:
487 e-mail: kugler@us.ibm.com

488

489 Harry Lewis
490 IBM
491 P.O. Box 1900
492 Boulder, CO 80301-9191

493

494 Phone: 303-924-5337
495 FAX:
496 e-mail: harryl@us.ibm.com

497

498 **16 Full Copyright Statement**

499 Copyright (C) The Internet Society (2000). All Rights Reserved.

500 This document and translations of it may be copied and furnished to others, and derivative works that comment on
501 or otherwise explain it or assist in its implementation may be prepared, copied, published and distributed, in whole
502 or in part, without restriction of any kind, provided that the above copyright notice and this paragraph are included
503 on all such copies and derivative works. However, this document itself may not be modified in any way, such as
504 by removing the copyright notice or references to the Internet Society or other Internet organizations, except as
505 needed for the purpose of developing Internet standards in which case the procedures for copyrights defined in the
506 Internet Standards process must be followed, or as required to translate it into languages other than English.

507 The limited permissions granted above are perpetual and will not be revoked by the Internet Society or its
508 successors or assigns.

509 This document and the information contained herein is provided on an "AS IS" basis and THE INTERNET
510 SOCIETY AND THE INTERNET ENGINEERING TASK FORCE DISCLAIMS ALL WARRANTIES,
511 EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF
512 THE INFORMATION HEREIN WILL NOT INFRINGE ANY RIGHTS OR ANY IMPLIED
513 WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.