

1 INTERNET-DRAFT 5 ISSUES are highlighted like this.
2 <draft-ietf-ipp-notify-poll-00.txt>

Carl-Uno Manros
Tom Hastings
Robert Herriot
Xerox Corp.
Harry Lewis
IBM, Corp.
February 2, 2000

9 Internet Printing Protocol/1.1: **The 'ipp-notify-poll' Notification Polling Method**

10 Copyright (C) The Internet Society (1999). All Rights Reserved.

11 Status of this Memo

12 This document is an Internet-Draft and is in full conformance with all provisions of Section 10 of
13 [rfc2026]. Internet-Drafts are working documents of the Internet Engineering Task Force (IETF), its areas,
14 and its working groups. Note that other groups may also distribute working documents as Internet-Drafts.

15 Internet-Drafts are draft documents valid for a maximum of six months and may be updated, replaced, or
16 obsoleted by other documents at any time. It is inappropriate to use Internet-Drafts as reference material or
17 to cite them other than as "work in progress".

18 The list of current Internet-Drafts can be accessed at <http://www.ietf.org/ietf/1id-abstracts.txt>

19 The list of Internet-Draft Shadow Directories can be accessed as <http://www.ietf.org/shadow.html>.

20 **Abstract**

21 The IPP notification specification [ipp-ntfy] is an OPTIONAL extension to IPP/1.0 and IPP/1.1 that
22 requires the definition of one or more delivery methods for dispatching event notification reports to
23 Notification Recipients. This document describes the semantics and syntax of the 'ipp-notify-poll' event
24 notification delivery method. For this delivery method, the client uses an explicit IPP Get-Notifications
25 Printer operation in order to request (pull) event Notifications from the IPP Printer.

26 When a Printer supports the 'ipp-notify-poll' delivery method, it queues Notification events for a window of
27 time for each Subscription object. Notification Recipients poll these Subscription objects at the rate
28 specified by the time window. The Get-Notifications request indicates whether the client wants to receive
29 all pending events Notifications for (1) any Subscription for which the client is the owner or (2) a particular
30 Subscription object. The Get-Notifications operation retrieves all pending Notifications that occurred for
31 an interval of time in the past for the requested Subscription objects. The Printer returns the all pending
32 Notifications along with two time intervals that specify the next time window: one is the minimum interval
33 that the client should wait before performing another Get-Notifications on the subscription-id and the other
34 is the maximum interval that the Printer is guaranteed to keep any new Notifications associated with the
35 subscription-id.

36 The Printer may keep the channel open if the minimum interval is sufficiently short, but in any case the
37 client performs a new Get-Notifications operation each time it wants more Notifications. Since the client
38 will be making Get-Notification requests before the time window expires, the Printer will, on occasion,
39 return the same event Notification in two successive responses. The later ones in the previous response will
40 become the earliest in the next response. The client is expected to filter out these duplicates which is easy
41 to do because of the sequence number in each Notification.

42 The full set of IPP documents includes:

- 43 Design Goals for an Internet Printing Protocol [RFC2567]
- 44 Rationale for the Structure and Model and Protocol for the Internet Printing Protocol [RFC2568]
- 45 Internet Printing Protocol/1.1: Model and Semantics [ipp-mod]
- 46 Internet Printing Protocol/1.1: Encoding and Transport [ipp-pro]
- 47 Internet Printing Protocol/1.1: Implementer's Guide [ipp-iig]
- 48 Mapping between LPD and IPP Protocols [RFC2569]
- 49 Internet Printing Protocol/1.0 & 1.1: Event Notification Specification [ipp-ntfy]

50

51 The "Design Goals for an Internet Printing Protocol" document takes a broad look at distributed printing
52 functionality, and it enumerates real-life scenarios that help to clarify the features that need to be included
53 in a printing protocol for the Internet. It identifies requirements for three types of users: end users,
54 operators, and administrators. It calls out a subset of end user requirements that are satisfied in IPP/1.0. A
55 few OPTIONAL operator operations have been added to IPP/1.1.

56 The "Rationale for the Structure and Model and Protocol for the Internet Printing Protocol" document
57 describes IPP from a high level view, defines a roadmap for the various documents that form the suite of
58 IPP specification documents, and gives background and rationale for the IETF working group's major
59 decisions.

60 The "Internet Printing Protocol/1.1: Model and Semantics" document describes a simplified model with
61 abstract objects, their attributes, and their operations that are independent of encoding and transport. It
62 introduces a Printer and a Job object. The Job object optionally supports multiple documents per Job. It
63 also addresses security, internationalization, and directory issues.

64 The "Internet Printing Protocol/1.1: Encoding and Transport" document is a formal mapping of the abstract
65 operations and attributes defined in the model document onto HTTP/1.1 [RFC2616]. It defines the
66 encoding rules for a new Internet MIME media type called "application/ipp". This document also defines
67 the rules for transporting over HTTP a message body whose Content-Type is "application/ipp". This
68 document defines a new scheme named 'ipp' for identifying IPP printers and jobs.

69 The "Internet Printing Protocol/1.1: Implementer's Guide" document gives insight and advice to
70 implementers of IPP clients and IPP objects. It is intended to help them understand IPP/1.1 and some of the
71 considerations that may assist them in the design of their client and/or IPP object implementations. For
72 example, a typical order of processing requests is given, including error checking. Motivation for some of
73 the specification decisions is also included.

74 The "Mapping between LPD and IPP Protocols" document gives some advice to implementers of gateways
75 between IPP and LPD (Line Printer Daemon) implementations.

76 The "Event Notification Specification" document defines OPTIONAL operations that allow a client to
77 subscribe to printing related events. Subscriptions include "Per-Job subscriptions" and "Per-Printer
78 subscriptions". Subscriptions are modeled as Subscription objects. Four other operations are defined for
79 subscription objects: get attributes, get subscriptions, renew a subscription, and cancel a subscription.

80

81

Table of Contents

82	1	Introduction	5
83	2	Terminology	5
84	3	Model and Operation	6
85	4	Get-Notifications operation	6
86	4.1	GET-NOTIFICATIONS REQUEST	7
87	4.2	GET-NOTIFICATIONS RESPONSE	8
88	5	Extension to Print-Job, Print-URI, Create-Job, Create-Printer-Subscription and Create-Printer-Subscription	9
89			
90	5.1	RESPONSE	9
91	6	Encoding	9
92	7	IANA Considerations	10
93	8	Internationalization Considerations	10
94	9	Security Considerations	10
95	10	References	10
96	11	Author's Addresses	11
97	12	Full Copyright Statement.....	11
98			

99

100 1 Introduction

101 IPP printers that support the OPTIONAL IPP notification extension [ipp-ntfy] either a) accept, store, and
102 use notification subscriptions to generate event Notification reports and implement one or more delivery
103 methods for notifying interested parties, or b) support a subset of these tasks and farm out the remaining
104 tasks to a Notification Delivery Service. The 'ipp-notify-poll' event notification delivery method specified
105 in this document defines a Get-Notifications operation that may be used in a variety of notification
106 scenarios. Its primary intended use is for clients that want to be Notification Recipients. However, the Get-
107 Notifications operation may also be used by Notification Delivery Services for subsequent distribution to
108 the Ultimate Notification Recipients.

109 When a Printer supports the 'ipp-notify-poll' delivery method, it queues Notification events for a window of
110 time for each Subscription object. Notification Recipients poll these Subscription objects at the rate
111 specified by the time window. The Get-Notifications request indicates whether the client wants to receive
112 all pending events Notifications for (1) any Subscription for which the client is the owner or (2) a particular
113 Subscription object. The Get-Notifications operation retrieves all pending Notifications that occurred for
114 an interval of time in the past for the requested Subscription objects. The Printer returns all pending
115 Notifications along with two time intervals that specify the next time window: one is the minimum interval
116 that the client should wait before performing a Get-Notifications on the subscription-id and the other is the
117 maximum interval that the Printer is guaranteed to keep any new Notifications associated with the
118 subscription-id.

119 The Printer may keep the channel open if the minimum interval is sufficiently short, but in any case the
120 client performs a new Get-Notifications operation each time it wants more Notifications. Since the client
121 will be making Get-Notification requests before the time window expires, the Printer will, on occasion,
122 return the same event Notification in two successive responses. The later ones in the previous response will
123 become the earliest in the next response. The client is expected to filter out these duplicates which is easy
124 to do because of the sequence number in each Notification. The reason for not removing the Notifications
125 from the Subscription object with every Get-Notifications request, is so that multiple Notification
126 Recipients can be polling the same subscription object. This is useful if you are logged in to several
127 desktops at the same time and want to see the same events at both places.

128 2 Terminology

129 This section defines the following additional terms that are used throughout this document:

130 **REQUIRED:** if an implementation supports the extensions described in this document, it **MUST**
131 support a **REQUIRED** feature.

132 **OPTIONAL:** if an implementation supports the extensions described in this document, it **MAY** support
133 an **OPTIONAL** feature.

134 Notification Recipient - See [ipp-ntfy]

135 Subscription object - See [ipp-ntfy]

136 Ultimate Notification Recipient - See [ipp-ntfy]

137 3 Model and Operation

138 In the IPP Notification Model [ipp-ntfy], one or more Per-Job Subscriptions can be supplied in the Job
139 Creation operation or OPTIONALLY as subsequent Create-Job-Subscription operations; one Per-Printer
140 Subscription can be supplied in the Create-Printer operation. The client that creates these Subscription
141 objects becomes the owner of the Subscription object.

142 When creating each Subscription object, the client supplies the "notify-recipient" (uri) attribute. The
143 "notify-recipient" attribute specifies both a single Notification Recipient that is to receive the Notifications
144 when subsequent events occur and the method for Notification delivery that the IPP Printer is to use. For
145 the 'ipp-notify-poll' Notification delivery method defined in this document, there is no notify-recipient
146 because the Printer waits for one or more clients to ask for Notifications from a Subscription object rather
147 than sending them. Rather, any client that is authenticated (1) as an operator or administrator or (2) as the
148 owner of the Subscription object can initiate a Get-Notifications operation for that Subscription object.
149 Therefore, any Printer that supports the 'ipp-notify-poll' notification delivery method MUST queue event
150 Notifications for a sliding window of time for each Subscription object. Thus a single user can login at
151 different places, say his/her office, the lab, and/or several desktops in the same room, and receive the same
152 event Notifications from a single Subscription object.

153 The client issues a Get-Notifications Printer operation in order to initiate the delivery of the pending
154 Notifications held by the Printer for the Subscription objects requested. The client can indicate in the Get-
155 Notifications request whether it wants to receive all pending Notifications for (1) any existing Subscription
156 objects for which it is the owner or (2) particular Subscription object(s) (for which it MUST be the owner
157 or have read-access rights). In either case, the Notifications are returned in a response to the Get-
158 Notifications request.

159 If the client requests a persistent channel and if the Printer has returned minimum intervals that are
160 sufficiently short, then the Printer keeps the channel open. Either the client or the IPP Printer can disconnect
161 the HTTP connection.

162 **ISSUE 01: Should it be possible for a client to ask for the Per-Job Subscriptions for a particular job using a**
163 **"job-id", instead of the subscription-id, which currently isn't returned by a Job Creation operation?**

164 4 Get-Notifications operation

165 This REQUIRED operation allows the client to request that pending Notifications be delivered as a
166 response to this request. The client MUST be the owner or have write-access rights of the Subscription
167 objects that are involved and the delivery method specified when the Subscription objects were created
168 MUST be ipp-notify-poll'. When the Printer creates a Subscription Object, either with a Job Creation
169 operation or with a Create-Printer-Subscription or Create-Job-Subscription operation and a subscription
170 object contains the 'ipp-notify-poll' value for the "notify-recipient" operation attribute, the Printer returns a
171 minimum and maximum interval in the response. The client SHOULD perform a Get-Notifications
172 operation after the minimum interval and if the Printer receives the Get-Notifications before the maximum
173 interval has elapsed, it MUST have all of the Notifications that has occurred since the Subscription object
174 was created.

175 ISSUE 02: Is there anything useful that we could define for the rest of the "notification-recipient" (uri)
176 attribute, since there is no recipient address needed after the "ipp-notify-poll://" since the recipient(s) poll?

177 The IPP Printer MUST accept the request in any state (see [ipp-mod] "printer-state" and "printer-state-
178 reasons" attributes) and MUST remain in the same state with the same "printer-state-reasons".

179 *Access Rights:* The authenticated user (see [ipp-mod] section 8.3) performing this operation must either be
180 the Subscription object owner (as determined when the Subscription object was created by the Job Creation
181 operation, Create-Job-Subscription, or Create-Printer-Subscription operations) or an operator or
182 administrator of the Printer object (see [ipp-mod] Sections 1 and 8.5). Otherwise, the IPP object MUST
183 reject the operation and return: 'client-error-forbidden', 'client-error-not-authenticated', or 'client-error-not-
184 authorized' as appropriate.

185 4.1 Get-Notifications Request

186 The following groups of attributes are part of the Get-Notifications Request:

187 Group 1: Operation Attributes

188 Natural Language and Character Set:

189 The "attributes-charset" and "attributes-natural-language" attributes as described in [ipp-mod]
190 section 3.1.4.1.

191

192 Target:

193 The "printer-uri" (uri) operation attribute which is the target for this operation as described in [ipp-
194 mod] section 3.1.5.

195

196 Requesting User Name:

197 The "requesting-user-name" (name(MAX)) attribute SHOULD be supplied by the client as
198 described in [ipp-mod] section 8.3.

199

200 "subscription-ids" (1setOf integer(1:MAX)):

201 The client OPTIONALLY supplies this attribute. The Printer object MUST support this attribute. It
202 is an integer value that identifies one or more Subscription objects for which event Notifications are
203 being requested. If the client supplies this attribute, but none of the Subscription objects are found,
204 the IPP Printer MUST return the 'client-error-not-found' status code. If some are found and others
205 are not, the ones that are not found are return in the Unsupported Attributes.

206

207 If the client does not supply this attribute, then the IPP Printer returns event Notifications for all
208 Subscription objects for which the client is the owner and the "notify-recipients" attribute is 'ipp-
209 notify-poll'. It is not an error if there are currently no Subscription objects for this client; the
210 response then contains no Notifications..

211 4.2 Get-Notifications Response

212 The Printer object returns either an immediate error response or a successful response with status code:
213 'successful-ok' when the first event occurs, i.e., when the Printer delivers the first event Notification.

214 Group 1: Operation Attributes

215 Status Message:

216 In addition to the REQUIRED status code returned in every response, the response OPTIONALLY
217 includes a "status-message" (text(255)) and/or a "detailed-status-message" (text(MAX)) operation
218 attribute as described in [ipp-mod] sections 13 and 3.1.6.

219 Natural Language and Character Set:

220 The "attributes-charset" and "attributes-natural-language" attributes as described in [ipp-mod]
221 section 3.1.4.2.

222 "minimum-time-interval" (integer(0:MAX)):

223
224 The value of this attribute is the minimum number of seconds that SHOULD elapse before the client
225 performs this operation again for these subscription-ids. A client MAY perform this operation at any
226 time, and a Printer MUST respond with all pending Notifications. A client observes this value in
227 order to be a "good network citizen".

228 "maximum-time-interval" (integer(0:MAX)):

229
230 The value of this attribute is the maximum number of seconds that SHOULD elapse before this
231 client SHOULD issue this operation again for these subscription-ids. A Printer MUST preserve all
232 Notifications that occur for the number of seconds specified by this attribute starting at the time it is
233 sent in a response. A client MAY perform this operation at any time, and a Printer MUST respond
234 with all pending Notifications. If a Printer receives this operation after this time interval, it
235 SHOULD have discarded some Notifications since the last response.

236
237
238 **ISSUE 04 - Or MUST the Printer discard events that occurred earlier than the sliding time window**
239 **specified by the difference between these two values? Otherwise, the clients may get back a lot of**
240 **duplicate events on subsequent requests.**

241
242
243 Group 2: Unsupported Attributes

244 See [ipp-mod] section 3.1.7 for details on returning Unsupported Attributes.

245
246 If the "subscription-ids" attribute contained subscription-ids that do not exist, the Printer returns
247 them in this group as value of the "subscription-ids" attribute.

248
249 Group 3 through N: Notification Attributes

250 The Printer object responds with one event Notification per Group for each pending Notification
251 that meets the criteria specified by the subscription-ids attribute and requesting user name.(see [ipp-
252 ntfy]).

253 5 Extension to Print-Job, Print-URI, Create-Job, Create-Printer-Subscription 254 and Create-Printer-Subscription

255 5.1 Response

256 When Print-Job, Print-URI or Create-Job contains a “job-notify” attribute and the “notify-recipient” is 'ipp-
257 notify-poll', the response contains two additional Operation Attributes that pertain to subscriptions.

258 When Create-Job-Subscription or Create-Printer-Subscription operation contains a “notify-recipient” that is
259 'ipp-notify-poll', the response contains two additional Operation Attributes that pertain to subscriptions.

260 Group 1: Operation Attributes

261 "minimum-time-interval" (integer(0:MAX)):

262 The value of this attribute is the minimum number of seconds that SHOULD elapse before the client
263 performs the Get-Notification operation for the first time with any subscription-ids returned with
264 this job. A client MAY perform the Get-Notification operation at any time, and a Printer MUST
265 respond with all pending Notifications. A client observes this value in order to be a “good network
266 citizen”.

267
268 **ISSUE 05: if we don't want to have Job Creation operations return subscription id's, then allow a
269 "job-ids" operation attribute in the Get-Notifications request in addition to the "subscription-ids"
270 operation attribute.**

271

272 "maximum-time-interval" (integer(0:MAX)):

273 The value of this attribute is the maximum number of seconds that SHOULD elapse before a Printer
274 receives the Get-Notification operation for the first time with any subscription-ids returned with this
275 job. A Printer MUST preserve all Notifications that occur for the number of seconds specified by
276 this attribute starting at the time it is sent in a response. A client MAY perform the Get-Notification
277 operation at any time, and a Printer MUST respond with all pending Notifications. If a Printer
278 receives a Get-Notification operation after this time interval, it may have discarded some
279 Notifications since the last response.

280

281 6 Encoding

282 The operation-id assigned for the Get-Notification operation is:

283 0x00??

284 and should be added to the next version of [ipp-mod] section 4.4.15 "operations-supported".

285 This notification delivery method uses the IPP transport and encoding [ipp-pro] for the Get-Notifications
286 operation with one extension:

287 Instead of defining a new object attribute tag, a Generic Object attributes tag is defined that is used
288 for all new objects, such as Subscription objects, etc. Then this one new tag can also be used for the
289 Get-Notifications response Group 3 tag and subsequent groups in section 4.2:

290 notification-attributes-tag = %x07 ; tag of 7

291 **7 IANA Considerations**

292 IANA will be asked to register this 'ipp-notify-poll' notification delivery scheme.

293 **8 Internationalization Considerations**

294 With the 'ipp-notify-poll' method defined in this document, the client cannot request the Human
295 Consumable form by supplying the "notify-text-format" operation attribute (see [ipp-ntfy]). Therefore, the
296 IPP Printer does not have to perform any localization with this notification delivery method. However, the
297 client when it receives the Get-Notifications response is expected to localize the attributes that have the
298 'keyword' attribute syntax according to the charset and natural language requested in the Get-Notifications
299 request.

300 **9 Security Considerations**

301 The IPP Model and Semantics document [ipp-mod] discusses high level security requirements (Client
302 Authentication, Server Authentication and Operation Privacy). Client Authentication is the mechanism by
303 which the client proves its identity to the server in a secure manner. Server Authentication is the
304 mechanism by which the server proves its identity to the client in a secure manner. Operation Privacy is
305 defined as a mechanism for protecting operations from eavesdropping.

306 Unlike other event Notification delivery methods in which the IPP Printer initiates the event Notification,
307 with the method defined in this document, the Notification Recipient is the client who issues the Get-
308 Notifications operation. Therefore, there is no chance of "spam" notifications with this method.
309 Furthermore, such a client can close down the HTTP channel at any time, and so can avoid future unwanted
310 event Notifications at any time.

311 **10 References**

312 [ipp-mod]

313 R. deBry, T. Hastings, R. Herriot, S. Isaacson, P. Powell, "Internet Printing Protocol/1.0: Model and
314 Semantics", <draft-ietf-ipp-model-v11-04.txt>, June, 1999.

315 [ipp-ntfy]
316 Isaacson, S., Martin, J., deBry, R., Hastings, T., Shepherd, M., Bergman, R., "Internet Printing
317 Protocol/1.1: IPP Event Notification Specification", <draft-ietf-ipp-not-spec-01.txt>, October 14,
318 1999.

319 [ipp-pro]
320 Herriot, R., Butler, S., Moore, P., Tuner, R., "Internet Printing Protocol/1.1: Encoding and
321 Transport", draft-ietf-ipp-protocol-v11-03.txt, June, 1999.

322 [rfc2026]
323 S. Bradner, "The Internet Standards Process -- Revision 3", RFC 2026, October 1996.

324 [RFC2616]
325 R. Fielding, J. Gettys, J. Mogul, H. Frystyk, L. Masinter, P. Leach, T. Berners-Lee, "Hypertext
326 Transfer Protocol - HTTP/1.1", RFC 2616, June 1999.

327 **11 Author's Addresses**

328 Robert Herriot
329 3400 Hillview Ave., Bldg #1
330 Palo Alto, CA 94304
331
332 Phone: 650-813-7696
333 Fax: 650-813-6860
334 Email: rherriot@pahv.xerox.com
335

336 **12 Full Copyright Statement**

337 Copyright (C) The Internet Society (1999). All Rights Reserved.

338 This document and translations of it may be copied and furnished to others, and derivative works that
339 comment on or otherwise explain it or assist in its implementation may be prepared, copied, published and
340 distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and
341 this paragraph are included on all such copies and derivative works. However, this document itself may not
342 be modified in any way, such as by removing the copyright notice or references to the Internet Society or
343 other Internet organizations, except as needed for the purpose of developing Internet standards in which
344 case the procedures for copyrights defined in the Internet Standards process must be followed, or as
345 required to translate it into languages other than English.

346 The limited permissions granted above are perpetual and will not be revoked by the Internet Society or its
347 successors or assigns.

348 This document and the information contained herein is provided on an "AS IS" basis and THE INTERNET
349 SOCIETY AND THE INTERNET ENGINEERING TASK FORCE DISCLAIMS ALL WARRANTIES,
350 EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE

351 OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY RIGHTS OR ANY IMPLIED
352 WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.